

A Guide to Scatterplot and Biplot Calibration

Jan Graffelman

Department of Statistics and Operations Research
Universitat Politècnica de Catalunya
Avinguda Diagonal 647, 08028 Barcelona, Spain.
email: jan.graffelman@upc.edu

DECEMBER 2005

1 Introduction

This guide gives detailed instructions on how to calibrate axes in scatterplots and biplots obtained in the statistical environment R (R Development Core Team, 2004) by using the package `calibrate`. By calibration we refer to the procedure of drawing a (linear) scale along an axis in a plot with tick marks and numeric labels. In an ordinary scatter plot of two variables x and y two calibrated perpendicular scales are typically automatically produced by the routine used for plotting the two variables. However, scatter plots can be extended with additional variables that are represented on oblique additional axes. The software described in this guide can be used to create calibrated scales on these oblique additional axes. Moreover, in a multivariate setting with more than two variables, raw data matrices, correlation matrices, contingency tables, regression coefficients, etc. are often represented graphically by means of biplots (Gabriel, 1971). Biplots also contain oblique axes representing variables. The described software can also be used to construct scales on biplot axes.

The outline of this guide is as follows. In Section 2 we indicate how the R package `calibrate` can be installed. Section 3 describes in detail how to calibrate additional axes in scatter plots. Section 4 treats the calibration of biplot axes. Several subsections follow with detailed instructions of how to calibrate biplot axes in principal component analysis (PCA, Section 4.1), correspondence analysis (CA, Section 4.2), canonical correlation analysis (CCA, Section 4.3) and redundancy analysis (RDA, Section 4.4). The online documentation of the main routine for calibration `calibrate` is added in Section 5

This guide does not provide the theory for the construction of scales on scatterplot and biplot axes. For a theoretical account of biplot calibration, we refer to Graffelman & van Eeuwijk (2005) and to Gower & Hand (1996). If you appreciate this software then please cite the following paper in your work:

Graffelman, J. & van Eeuwijk, F.A. (2005) Calibration of multivariate scatter plots for exploratory analysis of relations within and between sets of variables in genomic research *Biometrical Journal*, **47**(6) pp. 863-879.

2 Installation

Packages in R can be installed inside the program with the option "Packages" in the main menu and then choosing "Install package" and picking the package "calibrate". Typing:

```
> library(calibrate)
```

will, among others, make the function `calibrate`, `canocor` and `rda` available. Several small data sets, also the ones used in this document, are included in the package (`calves`, `goblets`, `heads`, `linnerud` and `storks`).

3 Calibration of Scatterplot axes

We consider a archaeological data set concerning 6 size measurements (X_1, \dots, X_6) on 25 goblets. This data was published by Manly (1989). The data can be loaded with the `data` instruction.


```
> data(goblets)
> X <- goblets
```

Oblique additional axes in a scatterplot

We construct a scatterplot of X_1 versus X_2 and center a set of coordinate axes on the point (\bar{x}_1, \bar{x}_2) with the function `origin`.

```
> plot(X[, 1], X[, 2], pch = 19, cex = 0.5, xlab = expression(X[1]),
+       ylab = expression(X[2]), xlim = c(5, 25), ylim = c(5, 25),
+       asp = 1)
> m <- apply(X[, 1:2], 2, mean)
> textxy(X[, 1], X[, 2], 1:25, m = m, cx = 0.75)
> origin(m)
```

NULL




Next, we perform the regression of X_5 onto X_1 and X_2 (all variables being centered) in order to obtain an additional axis for X_5 . We represent X_5 in the plot as a simple arrow whose coordinates are given by the regression coefficients:

```
> Xc <- scale(X, center = T, scale = F)
> b <- solve(t(Xc[, 1:2]) %*% Xc[, 1:2]) %*% t(Xc[, 1:2]) %*% Xc[,
+      5]
> print(b)

      [,1]
X1 0.3850425
X2 0.1225419

> bscaled <- 20 * b
> arrows(m[1], m[2], m[1] + bscaled[1], m[2] + bscaled[2], col = "blue",
+       length = 0.1)
> arrows(m[1], m[2], m[1] - bscaled[1], m[2] - bscaled[2], length = 0,
+       lty = "dashed", col = "blue")
```




A direction that is optimal in the least squares sense for X_5 is given by the vector of regression coefficients (Graffelman and Aluja-Banet, 2003). To make this direction more visible, we multiplied it by a constant (20). It is clear that the direction of increase for X_5 runs approximately North-East across the scatterplot. We now proceed to calibrate this direction with a scale for X_5 . In order to choose sensible values for the scale of X_5 , we first inspect the range of variation of X_5 , and then choose a set of values we want to mark off on the scale (τ_m)

and also compute the deviations of these values from the mean (`tmc`). We specify a tick length of 0.3 (`t1=0.3`). Depending on the data, some values of `t1` typically have to be tried to see how to obtain a nice scale.

```
> print(range(X[, 5]))
[1] 2 11

> yc <- scale(X[, 5], scale = F)
> tm <- seq(2, 10, by = 1)
> tmc <- tm - mean(X[, 5])
> Calibrate.X5 <- calibrate(b, yc, tmc, Xc[, 1:2], tmlab = tm,
+   m = m, t1 = 0.3, axislab = "X_5", labpos = 4, cex.axislab = 1)

----- Calibration Results for X_5 -----
Length of 1 unit of the original variable = 2.4748
Angle = 17.65 degrees
Optimal calibration factor = 6.1247
Used calibration factor = 6.1247
Goodness-of-fit = 0.5133
Goodness-of-scale = 0.5133
-----
```



The numerical output from routine `calibrate` shows that one unit along the axis for X_5 occupies 2.47 units in the plotting frame. The axis for X_5 makes an angle of 17.65 degrees

with the positive x-axis. The calibration factor is 6.12. Multiplying the vector of regressions coefficients by this factor yields a vector that represents a unit change in the scale of X_5 . E.g. for this data we have that the vector $6.12 \cdot (0.385, 0.123) = (2.358, 0.751)$ represents a unit change. This vector has norm $\sqrt{2.358^2 + 0.751^2} = 2.47$. Other calibration factors may be specified by using parameter `alpha`. If `alpha` is left unspecified the optimal value computed by least squares will be used. The goodness-of-fit of X_5 is 0.513. This means that 51.3% of the variance of X_5 can be explained by a regression onto X_1 and X_2 ($R^2 = 0.513$). The goodness-of-scale has the same value. The goodness-of-scale is only relevant if we modify parameter `alpha`. `Calibrate.X5` is a list object containing all calibration results (calibration factor, fitted values according to the scale used, tick marker positions, etc.)


Second vertical axis in a scatterplot

The oblique direction in the previous section is the preferred direction for X_5 , as this direction is optimal in the least squares sense. However, if desired, additional variables can also be represented as a second vertical axis on the right of the plot, or as a second horizontal axis on the top of the plot. We now proceed to construct a second vertical axis on the right hand of the scatter plot for X_5 . This can be done by setting the vector to be calibrated (first argument of routine `calibrate`) to the (0,1) vector. By specifying a `shift` factor, the axis can be shifted. For this data, setting the `shift` value to `par('usr')[2] - mean(X[,1])` will make the axis coincide with the right vertical borderline of the graph.

```
> opar <- par(xpd = T)
> tm <- seq(3, 8, by = 1)
> tmc <- (tm - mean(X[, 5]))
> Calibrate.rightmargin.X5 <- calibrate(c(0, 1), yc, tmc, Xc[,
+   1:2], tmlab = tm, m = m, axislab = "X_5", tl = 0.5, shift = par("usr")[2] -
+   mean(X[, 1]), where = 2, laboffset = c(1.5, 1.5), cex.axislab = 1)
```

```
----- Calibration Results for X_5 -----
Length of 1 unit of the original variable = 3.4603
Angle = 90 degrees
Optimal calibration factor = 3.4603
Used calibration factor = 3.4603
Goodness-of-fit = 0.3373
Goodness-of-scale = 0.3373
-----
```

```
> par(opar)
```



The second vertical axis has calibration factor 3.46, and a goodness of fit of 0.34. The fit of the variable is worse in comparison with the previous oblique direction given by the regression coefficients. Note that graphical clipping is temporarily turned off (`par('xpd'=T)`) to allow the calibration routine to draw ticks and labels outside the figure region, and that the range of the tick marks was shortened in order not to surpass the figure region.

Subscales and double calibrations

Scales with tick marks can be refined by drawing subscales with smaller tick marks. E.g. larger labelled tickmarks can be used to represent multiples of 10, and small unlabelled tick marks can be used to represent units. The subscale allows a more precise recovery of the data values. This can simply be achieved by calling the calibration routine twice, once with a coarse sequence and once with a finer sequence. For the second call one can specify `verb=F` in order to suppress the numerical output of the routine, and `lm=F` to suppress the tick mark labels under the smaller ticks. The tickmarks for the finer scale are made smaller by modifying the tick length (e.g. `t1=0.1`). Depending on the data, some trial and error with different values for `t1` may be necessary before nice scales are obtained. This may be automatized in the future. Finally, reading off the (approximate) data values can further be enhanced by drawing perpendiculars from the points to the calibrated axis by setting `dp=T`.

```
> tm <- seq(2, 10, by = 1)
> tmc <- (tm - mean(X[, 5]))
> Calibrate.X5 <- calibrate(b, yc, tmc, Xc[, 1:2], tmlab = tm,
+   m = m, axislab = "X_5", t1 = 0.5, dp = T, labpos = 4)
```

```


----- Calibration Results for X_5 -----
Length of 1 unit of the original variable = 2.4748
Angle = 17.65 degrees
Optimal calibration factor = 6.1247
Used calibration factor = 6.1247
Goodness-of-fit = 0.5133
Goodness-of-scale = 0.5133
-----

```

```

> tm <- seq(2, 10, by = 0.1)
> tmc <- (tm - mean(X[, 5]))
> Calibrate.X5 <- calibrate(b, yc, tmc, Xc[, 1:2], tmlab = tm,
+   m = m, t1 = 0.25, verb = F, lm = F)

```



A *double calibration* can be created by drawing two scales, one on each side of the axis. Double calibrations can be useful. For instance, one scale can be used for recovery of the original data values of the variable, whereas the second scale can be used for recovery of standardized values or of correlations with other variables. Double calibrations can also be used to graphically verify if two different calibration procedures give the same result or not.

Recalibrating the original scatterplot axes

By calibrating the (0,1) and (1,0) vectors the original axes of the scatter plot can be redesigned. We illustrate the recalibration of the original axes by creating a second scale on the other side of the axes, a refined scale for X_1 , and a scale for the standardized data for X_2 . For the latter calibration one unit equals one standard deviation.

```

> opar <- par(xpd = T)
> tm <- seq(5, 25, by = 5)
> tmc <- (tm - mean(X[, 1]))
> yc <- scale(X[, 1], scale = F)
> Calibrate.X1 <- calibrate(c(1, 0), yc, tmc, Xc[, 1:2], tmlab = tm,
+   m = m, t1 = 0.5, axislab = "X_1", cex.axislab = 1, showlabel = F,
+   shift = -(mean(X[, 2]) - par("usr")[3])^2, reverse = T)

```

```

----- Calibration Results for X_1 -----
Length of 1 unit of the original variable = 1
Angle = 0 degrees
Optimal calibration factor = 1
Used calibration factor = 1
Goodness-of-fit = 1
Goodness-of-scale = 1
-----

```

```

> tm <- seq(5, 25, by = 1)
> tmc <- (tm - mean(X[, 1]))
> Calibrate.X1 <- calibrate(c(1, 0), yc, tmc, Xc[, 1:2], tmlab = tm,
+   m = m, t1 = 0.25, axislab = "X_1", cex.axislab = 1, showlabel = F,
+   shift = -(mean(X[, 2]) - par("usr")[3])^2, reverse = T, verb = F,
+   lm = F)
> yc <- scale(X[, 2], scale = T)
> tm <- seq(-3, 1, by = 1)
> Calibrate.X2 <- calibrate(c(0, 1), yc, tm, Xc[, 1:2], tmlab = tm,
+   m = m, t1 = 0.6, axislab = "X_2", cex.axislab = 1, showlabel = F,
+   shift = -(mean(X[, 1]) - par("usr")[1]), verb = T, lm = T)

```

```


----- Calibration Results for X_2 -----
Length of 1 unit of the original variable = 4.3367
Angle = 90 degrees
Optimal calibration factor = 4.3367
Used calibration factor = 4.3367
Goodness-of-fit = 1
Goodness-of-scale = 1
-----

```

```

> tm <- seq(-3, 1.5, by = 0.1)
> Calibrate.X2 <- calibrate(c(0, 1), yc, tm, Xc[, 1:2], tmlab = tm,
+   m = m, t1 = 0.3, axislab = "X_2", cex.axislab = 1, showlabel = F,
+   shift = -(mean(X[, 1]) - par("usr")[1]), verb = F, lm = F)
> par(opar)

```



4 Calibration of Biplot axes

In this section we give detailed instructions on how to calibrate biplot axes. We will consider biplots of raw data matrices and correlation matrices obtained by PCA, biplots of profiles obtained in CA, biplots of data matrices and correlation matrices (in particular the between-set correlation matrix) in CCA and biplots of fitted values and regression coefficients obtained by RDA. In principle, calibration of biplot axes has little additional complication in comparison with the calibration of additional axes in scatterplots explained above. The main issue is that, prior to calling the calibration routine, one needs to take care of the proper centring and standardisation of the tick marks.

4.1 Principal component analysis

Principal component analysis can be performed by using routine `princomp` from the `stats` library. We use again Manly's goblets data to create a biplot of the data based on a PCA of the covariance matrix. We use `princomp` to compute the scores for the rows and the columns of the data matrix. The first principal component is seen to be a size component, separating the smaller goblets on the right from the larger goblets on the left. The variable vectors are multiplied by a factor of 15 to facilitate interpretation. Next, we calibrate the vector for X_3 , using labelled tickmarks for multiples of 5 units, and shorter unlabelled tickmarks for the units. The goodness of fit of X_3 is very high (0.99), which means that X_3 is close to perfectly represented. `Calibrate.X3` is a list object containing the numerical results of the calibration.


```

> pca.results <- princomp(X, cor = F)
> Fp <- pca.results$scores
> Gs <- pca.results$loadings
> plot(Fp[, 1], Fp[, 2], pch = 16, asp = 1, xlab = "PC 1", ylab = "PC 2",
+      cex = 0.5)
> textxy(Fp[, 1], Fp[, 2], rownames(X), cx = 0.75)
> arrows(0, 0, 15 * Gs[, 1], 15 * Gs[, 2], length = 0.1)
> textxy(15 * Gs[, 1], 15 * Gs[, 2], colnames(X), cx = 0.75)
> ticklab <- seq(5, 30, by = 5)
> ticklabc <- ticklab - mean(X[, 3])
> yc <- (X[, 3] - mean(X[, 3]))
> g <- Gs[3, 1:2]
> Calibrate.X3 <- calibrate(g, yc, ticklabc, Fp[, 1:2], ticklab,
+   t1 = 0.5, axislab = "X3", cex.axislab = 0.75, where = 1,
+   labpos = 4)

----- Calibration Results for X3 -----
Length of 1 unit of the original variable = 1.1813
Angle = 39.28 degrees
Optimal calibration factor = 1.3954
Used calibration factor = 1.3954
Goodness-of-fit = 0.9914
Goodness-of-scale = 0.9914
-----

> ticklab <- seq(5, 30, by = 1)
> ticklabc <- ticklab - mean(X[, 3])
> Calibrate.X3.fine <- calibrate(g, yc, ticklabc, Fp[, 1:2], ticklab,
+   lm = F, t1 = 0.25, verb = F, cex.axislab = 0.75, where = 1,
+   labpos = 4)

```



We do a PCA based on the correlation matrix, and proceed to construct a biplot of the correlation matrix. The correlations of X_5 with the other variables are computed, and the biplot axis for X_5 is calibrated with a correlation scale. Routine `calibrate` is repeatedly called to create finer subscales.

```
> pca.results <- princomp(X, cor = T)
> Fp <- pca.results$scores
> Ds <- diag(pca.results$sdev)
> Fs <- Fp %*% solve(Ds)
> Gs <- pca.results$loadings
> Gp <- Gs %*% Ds
> plot(Gp[, 1], Gp[, 2], pch = 16, cex = 0.5, xlim = c(-1, 1),
+      ylim = c(-1, 1), asp = 1, xlab = "1st principal axis", ylab = "2nd principal axis")
> arrows(0, 0, Gp[, 1], Gp[, 2], length = 0.1)
> textxy(Gp[, 1], Gp[, 2], colnames(X), cx = 0.75)
> ticklab <- c(seq(-1, -0.2, by = 0.2), seq(0.2, 1, by = 0.2))
> R <- cor(X)
> y <- R[, 5]
> g <- Gp[5, 1:2]
> Calibrate.X5 <- calibrate(g, y, ticklab, Gp[, 1:2], ticklab,
+   lm = T, t1 = 0.05, dp = T, labpos = 2, cex.axislab = 0.75,
+   axislab = "X_5")
```

```
----- Calibration Results for X_5 -----
Length of 1 unit of the original variable = 1.0634
```

```


Angle = -49.36 degrees
Optimal calibration factor = 1.1308
Used calibration factor = 1.1308
Goodness-of-fit = 0.9824
Goodness-of-scale = 0.9824
-----

```

```

> ticklab <- seq(-1, 1, by = 0.1)
> Calibrate.X5 <- calibrate(g, y, ticklab, Gp[, 1:2], ticklab,
+   lm = F, t1 = 0.05, verb = F)
> ticklab <- seq(-1, 1, by = 0.01)
> Calibrate.X5 <- calibrate(g, y, ticklab, Gp[, 1:2], ticklab,
+   lm = F, t1 = 0.025, verb = F)

```



The goodness of fit of the representation of the correlations of X_5 with the other variables is 0.98, the 6 correlations being close to perfectly represented. We compute the sample correlation matrix and compare the observed correlations of X_5 with those estimated from the calibrated biplot axis (yt). Note that PCA also tries to approximate the correlation of a variable with itself, and that the arrow on representing X_5 falls short of the value 1 on its own calibrated scale. The refined subscale allows very precise graphical representation of the correlations as estimated by the biplot.

```
> print(R)
```

| | X1 | X2 | X3 | X4 | X5 | X6 |
|----|-----------|-----------|-----------|-----------|-----------|-----------|
| X1 | 1.0000000 | 0.6234051 | 0.3464089 | 0.6748429 | 0.6901040 | 0.5875703 |

```

X2 0.6234051 1.0000000 0.8392292 0.8287898 0.5807725 0.7970192
X3 0.3464089 0.8392292 1.0000000 0.8430518 0.2511584 0.8575089
X4 0.6748429 0.8287898 0.8430518 1.0000000 0.4874610 0.9101886
X5 0.6901040 0.5807725 0.2511584 0.4874610 1.0000000 0.2885165
X6 0.5875703 0.7970192 0.8575089 0.9101886 0.2885165 1.0000000

```

```
> print(cbind(R[, 5], Calibrate.X5$yt))
```

```

      [,1]      [,2]
X1 0.6901040 0.8257486
X2 0.5807725 0.5462001
X3 0.2511584 0.1914136
X4 0.4874610 0.4992765
X5 1.0000000 0.8843474
X6 0.2885165 0.3326711

```

4.2 Correspondence analysis

We consider a contingency table of a sample of Dutch calves born in the late nineties, shown in Table 1. A total of 7257 calves were classified according to two categorical variables: the method of production (ET = Embryo Transfer, IVP = In Vitro Production, AI = Artificial Insemination) and the ease of delivery, scored on a scale from 1 (normal) to 6 (very heavy). The data in Table 1 were provided by Holland Genetics.

| Ease of delivery | Type of calf | | |
|------------------|--------------|-----|------|
| | ET | IVP | AI |
| 1 | 97 | 150 | 1686 |
| 2 | 152 | 183 | 1339 |
| 3 | 377 | 249 | 1209 |
| 4 | 335 | 227 | 656 |
| 5 | 42 | 136 | 277 |
| 6 | 9 | 71 | 62 |

Table 1: Calves data from Holland Genetics.

For this contingency table we obtain $\chi^2_{10} = 833.16$ with $p < 0.001$ and the null hypothesis of no association between ease of delivery and type of calf has to be rejected. However, what is the precise nature of this association? Correspondence analysis can be used to gain insight in the nature of this association. We use routine `corresp` from the MASS library (Venables and Ripley, 2002) to perform correspondence analysis and to obtain the coordinates for a biplot of the row profiles. We compute the row profiles and then repeatedly call the calibration routine, each time with a different set of `ticklabs`.

```

> data(calves)
> ca.results <- corresp(calves, nf = 2)
> Fs <- ca.results$rscore
> Gs <- ca.results$cscore
> Ds <- diag(ca.results$cor)
> Fp <- Fs %*% Ds
> Gp <- Gs %*% Ds
> plot(Gs[, 1], Gs[, 2], pch = 16, asp = 1, cex = 0.5, xlab = "1st principal axis",
+      ylab = "2nd principal axis")
> textxy(Gs[, 1], Gs[, 2], colnames(calves), cx = 0.75)
> points(Fp[, 1], Fp[, 2], pch = 16, cex = 0.5)

```

```

> textxy(Fp[, 1], Fp[, 2], rownames(calves), cx = 0.75)
> origin()

NULL

> arrows(0, 0, Gs[, 1], Gs[, 2])
> P <- as.matrix(calves/sum(calves))
> r <- apply(P, 1, sum)
> k <- apply(P, 2, sum)
> Dc <- diag(k)
> Dr <- diag(r)
> RP <- solve(Dr) %*% P
> print(RP)


           ET           IVP           AI
[1,] 0.05018107 0.07759959 0.8722193
[2,] 0.09080048 0.10931900 0.7998805
[3,] 0.20544959 0.13569482 0.6588556
[4,] 0.27504105 0.18637110 0.5385878
[5,] 0.09230769 0.29890110 0.6087912
[6,] 0.06338028 0.50000000 0.4366197

> CRP <- RP - ones(nrow(RP), 1) %*% t(k)
> TCRP <- CRP %*% solve(Dc)
> y <- TCRP[, 3]
> g <- Gs[3, 1:2]
> ticklab <- c(0, seq(0, 1, by = 0.2))
> ticklabs <- (ticklab - k[3])/k[3]
> Calibrate.AI <- calibrate(g, y, ticklabs, Fp[, 1:2], ticklab,
+   lm = T, tl = 0.1, weights = Dr, axislab = "AI", labpos = 4,
+   dp = T)

----- Calibration Results for AI -----
Length of 1 unit of the original variable = 1.6057
Angle = -6.82 degrees
Optimal calibration factor = 2.5784
Used calibration factor = 2.5784
Goodness-of-fit = 1
Goodness-of-scale = 1
-----

> ticklab <- c(0, seq(0, 1, by = 0.1))
> ticklabs <- (ticklab - k[3])/k[3]
> Calibrate.AI <- calibrate(g, y, ticklabs, Fp[, 1:2], ticklab,
+   lm = F, tl = 0.1, weights = Dr, verb = F)
> ticklab <- c(0, seq(0, 1, by = 0.01))
> ticklabs <- (ticklab - k[3])/k[3]
> Calibrate.AI <- calibrate(g, y, ticklabs, Fp[, 1:2], ticklab,
+   lm = F, tl = 0.05, weights = Dr, verb = F)

```



Because the calibration is done by weighted least squares, a diagonal matrix of weights (`weights=Dr`) is supplied as a parameter to the calibration routine. Note that the calibrated axis for the row profiles with respect to AI has goodness of fit 1. This is due to the fact that the rank of the matrix of centred profiles is two, and that therefore all profiles can be perfectly represented in two dimensional space.

4.3 Canonical correlation analysis

We consider a classical data set on the head sizes of the first and the second son of 25 families (Frets, 1921). These data have been analysed by several authors (Anderson, 1984; Mardia et al., 1979; Graffelman, 2005). We first load the data and perform a canonical correlation analysis, using supplied function `canocor` (a more fully fledged program for canonical correlation analysis in comparison with `cancor` from the `stats` package).

```
> data(heads)
> X <- cbind(heads$X1, heads$X2)
> Y <- cbind(heads$Y1, heads$Y2)
> Rxy <- cor(X, Y)
> Ryx <- t(Rxy)
> Rxx <- cor(X)
> Ryy <- cor(Y)
> cca.results <- canocor(X, Y)
> plot(cca.results$Gs[, 1], cca.results$Gs[, 2], pch = 16, asp = 1,
+       xlim = c(-1, 1), ylim = c(-1, 1), xlab = expression(V[1]),
```

```


+   ylab = expression(V[2]))
> arrows(0, 0, cca.results$Fp[, 1], cca.results$Fp[, 2], length = 0.1)
> arrows(0, 0, cca.results$Gs[, 1], cca.results$Gs[, 2], length = 0.1)
> textxy(cca.results$Fp[1, 1], cca.results$Fp[1, 2], expression(X[1]),
+   cx = 0.75)
> textxy(cca.results$Fp[2, 1], cca.results$Fp[2, 2], expression(X[2]),
+   cx = 0.75)
> textxy(cca.results$Gs[1, 1], cca.results$Gs[1, 2], expression(Y[1]),
+   cx = 0.75)
> textxy(cca.results$Gs[2, 1], cca.results$Gs[2, 2], expression(Y[2]),
+   cx = 0.75)
> circle(1)

NULL

> ticklab <- seq(-1, 1, by = 0.2)
> y <- Rxy[, 2]
> g <- cca.results$Gs[2, 1:2]
> Cal.Cor.Y2 <- calibrate(g, y, ticklab, cca.results$Fp[, 1:2],
+   ticklab, lm = T, t1 = 0.05, dp = T, reverse = T, weights = solve(Rxx),
+   axislab = "Y_2", cex.axislab = 0.75, showlabel = F)

----- Calibration Results for Y_2 -----
Length of 1 unit of the original variable = 1
Angle = -15.92 degrees
Optimal calibration factor = 1
Used calibration factor = 1
Goodness-of-fit = 1
Goodness-of-scale = 1
-----

```



```


> plot(cca.results$Gs[, 1], cca.results$Gs[, 2], pch = 16, asp = 1,
+       xlim = c(-2, 2), ylim = c(-2, 2), xlab = expression(V[1]),
+       ylab = expression(V[2]))
> textxy(cca.results$Fp[1, 1], cca.results$Fp[1, 2], expression(X[1]))
> textxy(cca.results$Fp[2, 1], cca.results$Fp[2, 2], expression(X[2]))
> textxy(cca.results$Gs[1, 1], cca.results$Gs[1, 2], expression(Y[1]))
> textxy(cca.results$Gs[2, 1], cca.results$Gs[2, 2], expression(Y[2]))
> points(cca.results$V[, 1], cca.results$V[, 2], pch = 16, cex = 0.5)
> textxy(cca.results$V[, 1], cca.results$V[, 2], 1:nrow(X), cx = 0.75)
> ticklab <- seq(135, 160, by = 5)
> ticklab <- ticklab - mean(Y[, 2])
> ticklabs <- (ticklab - mean(Y[, 2]))/sqrt(var(Y[, 2]))
> y <- (Y[, 2] - mean(Y[, 2]))/sqrt(var(Y[, 2]))
> Fr <- cca.results$V[, 1:2]
> g <- cca.results$Gs[2, 1:2]
> Cal.Data.Y2 <- calibrate(g, y, ticklabs, Fr, ticklab, lm = T,
+   t1 = 0.1, dp = T, reverse = T, verb = T, axislab = "Y_2",
+   cex.axislab = 0.75, showlabel = F)

```

```

----- Calibration Results for Y_2 -----
Length of 1 unit of the original variable = 1
Angle = -15.92 degrees
Optimal calibration factor = 1
Used calibration factor = 1
Goodness-of-fit = 1

```



We construct the biplot of the between-set correlation matrix (the joint plot of \mathbf{F}_p and \mathbf{G}_s). Firstly we calibrate the biplot axis for Y_2 with a correlation scale. This calibration is done by generalised least squares with the inverse of the correlation matrix of the X-variables as a weight matrix (`weights=solve(Rxx)`). Secondly, we calibrate the biplot axis for Y_2 with a scale for the original values. This second calibration has no weight matrix and is obtained by ordinary least squares. Both calibrations have a goodness of fit of 1 and allow perfect recovery of correlations and original data values.

4.4 Redundancy analysis

Redundancy analysis can be seen as a constrained PCA. It allows two biplots, the biplot of the fitted values and a biplot of regression coefficients. Function `rda` of the package provides a routine for redundancy analysis. We use Linnerud's data on physical exercise and body measurement variables to illustrate calibrated biplots in redundancy analysis.

```
> data(linnerud)
> X <- linnerud[, 1:3]
> Y <- linnerud[, 4:6]
> rda.results <- rda(X, Y)
> plot(rda.results$Fs[, 1], rda.results$Fs[, 2], pch = 16, asp = 1,
+      xlim = c(-2, 2), ylim = c(-2, 2), cex = 0.5, xlab = "1st principal axis",
+      ylab = "2nd principal axis")
```

```


> arrows(0, 0, 2 * rda.results$Gyp[, 1], 2 * rda.results$Gyp[,
+       2], length = 0.1)
> textxy(rda.results$Fs[, 1], rda.results$Fs[, 2], rownames(X),
+       cx = 0.75)
> textxy(2 * rda.results$Gyp[, 1], 2 * rda.results$Gyp[, 2], colnames(Y),
+       cx = 0.75)
> y <- rda.results$Yh[, 3]
> g <- rda.results$Gyp[3, 1:2]
> Fr <- rda.results$Fs[, 1:2]
> ticklab <- c(seq(-0.6, -0.1, by = 0.1), seq(0.1, 0.6, by = 0.1))
> Calibrate.Yhat3 <- calibrate(g, y, ticklab, Fr, ticklab, lm = T,
+   dp = T, tl = 0.1, axislab = "Sauts", showlabel = F)

```

```

----- Calibration Results for Sauts -----
Length of 1 unit of the original variable = 4.3103
Angle = 46.38 degrees
Optimal calibration factor = 18.5787
Used calibration factor = 18.5787
Goodness-of-fit = 0.9986
Goodness-of-scale = 0.9986
-----

```



```

> plot(rda.results$Gxs[, 1], rda.results$Gxs[, 2], pch = 16, asp = 1,
+     xlim = c(-2, 2), ylim = c(-2, 2), cex = 0.5, xlab = "1st principal axis",
+     ylab = "2nd principal axis")

```

```

> arrows(0, 0, rda.results$Gxs[, 1], rda.results$Gxs[, 2], length = 0.1)
> arrows(0, 0, rda.results$Gyp[, 1], rda.results$Gyp[, 2], length = 0.1)
> textxy(rda.results$Gxs[, 1], rda.results$Gxs[, 2], colnames(X),
+       cx = 0.75)
> textxy(rda.results$Gyp[, 1], rda.results$Gyp[, 2], colnames(Y),
+       cx = 0.75)
> y <- rda.results$B[, 3]
> g <- rda.results$Gyp[3, 1:2]
> Fr <- rda.results$Gxs[, 1:2]
> ticklab <- seq(-0.4, 0.4, 0.2)
> W <- cor(X)
> Calibrate.Y3 <- calibrate(g, y, ticklab, Fr, ticklab, lm = T,
+   dp = T, t1 = 0.1, weights = W, axislab = "Sauts", showlabel = F)

```

```


----- Calibration Results for Sauts -----
Length of 1 unit of the original variable = 4.3103
Angle = 46.38 degrees
Optimal calibration factor = 18.5787
Used calibration factor = 18.5787
Goodness-of-fit = 0.9986
Goodness-of-scale = 0.9986
-----

```

```

> ticklab <- seq(-0.4, 0.4, 0.1)
> Calibrate.Y3 <- calibrate(g, y, ticklab, Fr, ticklab, lm = F,
+   t1 = 0.05, verb = F, weights = W)
> ticklab <- seq(-0.4, 0.4, 0.01)
> Calibrate.Y3 <- calibrate(g, y, ticklab, Fr, ticklab, lm = F,
+   t1 = 0.025, verb = F, weights = W)

```



The first biplot is a biplot of the fitted values (obtained from the regression of Y onto X). Vectors for the response variables are multiplied by a factor of 3 to increase readability. The fitted values of the regression of Sauts onto the body measurements have a goodness of fit of 0.9984 and can very well be recovered by projection onto the calibrated axis. The second biplot is a biplot of the matrix of regression coefficients. We calibrated the biplot axis for "Sauts", such that the regression coefficients of the explanatory variables with respect to "Sauts" can be recovered. The goodness of fit for "Sauts" is over 0.99, which means that the regression coefficients are close to perfectly displayed. Note that the calibration for Sauts for the regression coefficients is done by GLS with weight matrix equal to the correlation matrix of the X variables (`weights=W`).

5 Online documentation

Description

Routine for the calibration of any axis (variable vector) in a biplot or a scatterplot

Usage

```
calibrate(g,y,tm,Fr,tmlab=tm,tl=0.05,dt=TRUE,dp=FALSE,lm=TRUE,verb=TRUE,axislab="",reverse=
```

Arguments

| | |
|--------------------|---|
| g | the vector to be calibrated (2 x 1). |
| y | the data vector corresponding to g , appropriately centred and/or standardized. |
| tm | the vector of tick marks, appropriately centred and/or scaled. |
| Fr | the coordinates of the rows markers in the biplot. |
| tmlab | a list or vector of tick mark labels. |
| tl | the tick length. By default, the tick markers have length 0.05. |
| dt | draw ticks. By default, ticks markers are drawn. Set dt=F in order to compute calibration results without actually drawing the calibrated scale. |
| dp | drop perpendiculars. With dp=T perpendicular lines will be drawn from the row markers specified by Fr onto the calibrated axis. This is a graphical aid to read off the values in the corresponding scale. |
| lm | label markers. By default, all tick marks are labelled. Setting lm=F turns off the labelling of the tick marks. This allows for creating tick marks without labels. It is particularly useful for creating finer scales of tickmarks without labels. |
| verb | verbose parameter (F=be quiet, T=show results). |
| axislab | a label for the calibrated axis. |
| reverse | puts the tick marks and tick mark labels on the other side of the axis. |
| shift | a scalar that shifts the calibrated axis by a fixed distance. |
| alpha | a value for the calibration factor. This parameter should only be specified if a calibration is required that is different from the one that is optimal for data recovery. |
| labpos | position of the label for the calibrated axis (1,2,3 or 4). |
| laboffset | offset vector for the axis label. If specified, shifts the label by the specified amounts with respect to the current position. |
| weights | a matrix of weights (optional). |
| axiscol | color of the calibrated axis. |
| cex.axislab | character expansion factor for axis label and tick mark labels. |
| graphics | do graphics or not (F=no graphical output, T=draws calibrated scale). |
| where | label placement (1=beginning,2=middle,3=end). |
| m | vector of means. |
| markerpos | position specifier for the tick mark labels (1,2,3 or 4). |
| showlabel | show axis label in graph (T) or not (F). |

Details

This program calibrates variable vectors in biplots and scatterplots, by drawing tick marks along a given the vector and labelling the tick marks with specified values. The optimal calibration is found by (generalized) least squares. Non-optimal calibrations are possible by specifying a calibration factor (alpha).

Value

Returns a list with calibration results

| | |
|----------------------------|--|
| <code>useralpha</code> | calibration factor specified by the user |
| <code>optalpha</code> | optimal calibration factor |
| <code>lengthoneunit</code> | length in the plot of one unit in the scale of the calibrated variable |
| <code>gof</code> | goodness of fit (as in regression) |
| <code>gos</code> | goodness of scale |
| <code>M</code> | coordinates of the tick markers |
| <code>ang</code> | angle in degrees of the biplot axis with the positive x-axis |
| <code>yt</code> | fitted values for the variable according to the calibration |
| <code>e</code> | errors according to the calibration |
| <code>Fpr</code> | coordinates of the projections of the row markers onto the calibrated axis |
| <code>Mn</code> | coordinates of the tick marker end points |

Author(s)

Jan Graffelman (jan.graffelman@upc.edu)

References

Gower, J.C. and Hand, D.J., (1996) Biplots. Chapman & Hall, London

Graffelman, J. and van Eeuwijk, F.A. (2005) Calibration of multivariate scatter plots for exploratory analysis of relations within and between sets of variables in genomic research *Biometrical Journal*, 47(6) pp. 863-879.

Graffelman, J. (2006) A guide to biplot calibration.

See Also

`biplot`

Examples

```
x <- rnorm(20,1)
y <- rnorm(20,1)
x <- x - mean(x)
y <- y - mean(y)
z <- x + y
b <- c(1,1)
plot(x,y,asp=1,pch=19)
tm<-seq(-2,2,by=0.5)
Calibrate.z <- calibrate(b,z,tm,cbind(x,y),axislab="Z",graphics=TRUE)
```

Acknowledgements

This work was partially supported by the Spanish grant BEC2000-0983. I thank Holland Genetics (<http://www.hg.nl/>), Janneke van Wagtenonk and Sander de Roos for making the calves data available. This document was generated by Sweave (Leisch, 2002).

References

- Anderson, T. W. 1984. *An Introduction to Multivariate Statistical Analysis*. John Wiley, New York, second edition.
- Frets, G. P. 1921. Heredity of head form in man. *Genetica*, (3):193–384.
- Gabriel, K. R. 1971. The biplot graphic display of matrices with application to principal component analysis. *Biometrika*, 58(3):453–467.
- Gower, J. C. and Hand, D. J. 1996. *Biplots*. Chapman & Hall, London.
- Graffelman, J. 2005. Enriched biplots for canonical correlation analysis. *Journal of Applied Statistics*, 32(2):173–188.
- Graffelman, J. and Aluja-Banet, T. 2003. Optimal representation of supplementary variables in biplots from principal component analysis and correspondence analysis. *Biometrical Journal*, 45(4):491–509.
- Graffelman, J. and van Eeuwijk, F. A. 2005. Calibration of multivariate scatter plots for exploratory analysis of relations within and between sets of variables in genomic research. *Biometrical Journal*, 47(6):863–879.
- Leisch, F. 2002. Sweave: Dynamic generation of statistical reports using literate data analysis. In *Compstat 2002, Proceedings in Computational Statistics*, pages 575–580. Physica Verlag, Heidelberg. URL <http://www.ci.tuwien.ac.at/~leisch/Sweave>.
- Manly, B. F. J. 1989. *Multivariate statistical methods: a primer*. Chapman and Hall, London.
- Mardia, K. V., Kent, J. T., and Bibby, J. M. 1979. *Multivariate Analysis*. Academic Press London.
- R Development Core Team 2004. *R: A language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria. ISBN 3-900051-00-3.
- Venables, W. N. and Ripley, B. D. 2002. *Modern Applied Statistics with S-Plus*. Springer, New York, fourth edition.