

# Package ‘TanB’

August 29, 2016

**Type** Package

**Title** The TanB Distribution

**Version** 0.1

**Date** 2016-07-14

**Author** Luciano Souza <lcnsza@gmail.com>, Lucas Gallindo <lgallindo@gmail.com>, Luciano Serafim de Souza <lucianoserafimdesouza@gmail.com>

**Maintainer** Lucas Gallindo <lgallindo@gmail.com>

**Description** Density, distribution function, quantile function, random generation and survival function for the Tangent Burr Type XII Distribution as defined by SOUZA, L. New Trigonometric Class of Probabilistic Distributions. 219 p. Thesis (Doctorate in Biometry and Applied Statistics) - Department of Statistics and Information, Federal Rural University of Pernambuco, Recife, Pernambuco, 2015 (available at <<http://www.openthesis.org/documents/New-trigonometric-classes-probabilistic-distributions-602633.html>>) and BRITO, C. C. R. Method Distributions generator and Probability Distributions Classes. 241 p. Thesis (Doctorate in Biometry and Applied Statistics) - Department of Statistics University of Pernambuco, Recife, Pernambuco, 2014 (available upon request).

**Depends** R (>= 3.0.1)

**Imports** pracma, fdrtool

**License** MIT + file LICENSE

**LazyData** TRUE

**URL** <https://github.com/TrigonometricDistribution>

**BugReports** <https://github.com/TrigonometricDistribution/TanB/issues>

**RoxygenNote** 5.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-07-17 02:30:33

**R topics documented:**

dtanb	2
htanb	3
ptanb	3
qtanb	4
rtanb	5
stanb	5
<b>Index</b>	<b>7</b>

---

dtanb	<i>The density function of the Tanget Burr Type XII probability distribution.</i>
-------	---

---

**Description**

The density function of the Tanget Burr Type XII probability distribution.

**Usage**

```
dtanb(x, c, k, s)
```

**Arguments**

x	vector of quantiles.
c	C parameter.
k	K parameter.
s	S parameter.

**Value**

A vector with n observations of the Tanget Burr Type XII distribution.

**Examples**

```
dtanb(0.5, 32.5, 3, 3.5)
dtanb(0.5, 2, 3, 3)
```

---

htanb	<i>The hazard rate function of the Tanget Burr Type XII probability distribution.</i>
-------	---

---

**Description**

The hazard rate function of the Tanget Burr Type XII probability distribution.

**Usage**

```
htanb(x, c, k, s)
```

**Arguments**

x	vector of quantiles.
c	C parameter.
k	K parameter.
s	S parameter.

**Value**

A vector with n observations of the Tanget Burr Type XII distribution.

**Examples**

```
htanb(0.5, 1, 1, 1)  
htanb(0.5, 2, 1, 1)
```

---

ptanb	<i>The cumulative function of the Tangent Burr XII probability distribution.</i>
-------	--

---

**Description**

The cumulative function of the Tangent Burr XII probability distribution.

**Usage**

```
ptanb(q, c, k, s, lower = TRUE, log.p = FALSE)
```

**Arguments**

q	vector of quantiles.
c	C parameter.
k	K parameter.
s	S parameter.
lower	Lower parameter.
log.p	Log.p parameter.

**Value**

A vector with n observations of the Tangent Burr XII distribution.

**Examples**

```
ptanb(0.5, 32.5, 3, 3.5, TRUE, FALSE)
ptanb(0.5, 2, 3, 3, TRUE, FALSE)
```

---

qtanb	<i>The quantile function of the Tangent Burr Type XII probability distribution.</i>
-------	---

---

**Description**

The quantile function of the Tangent Burr Type XII probability distribution.

**Usage**

```
qtanb(p, c, k, s, lower = TRUE, log.p = FALSE)
```

**Arguments**

p	Vector of probabilities.
c	C parameter.
k	K parameter.
s	S parameter.
lower	Lower parameter.
log.p	Log.p parameter.

**Value**

A vector with n observations of the Tangent Burr Type XII distribution.

**Examples**

```
ptanb(0.5, 1, 1, 1, TRUE, FALSE)
ptanb(0.5, 2, 1, 1, TRUE, FALSE)
```

---

rtanb	<i>Generates random deviates from a TanBurrXII probability distribution.</i>
-------	--

---

**Description**

Generates random deviates from a TanBurrXII probability distribution.

**Usage**

```
rtanb(n, c, k, s)
```

**Arguments**

n	Number of observations to be generated.
c	C parameter.
k	K parameter.
s	S parameter.

**Value**

A vector with n observations of the Tanget Burr Type XII distribution.

**Examples**

```
rtanb(1,3,2,2)
rtanb(1,0.3,0.1,0.8)
```

---

stanb	<i>The survival function of the Tanget Burr Type XII probability distribution.</i>
-------	--

---

**Description**

The survival function of the Tanget Burr Type XII probability distribution.

**Usage**

```
stanb(x, c, k, s)
```

**Arguments**

x	vector of quantiles.
c	C parameter.
k	K parameter.
s	S parameter.

**Value**

A vector with n observations of the Target Burr Type XII distribution.

**Examples**

```
ptanb(0.5, 1, 1, 1)  
ptanb(0.5, 2, 1, 1)
```

# Index

dtanb, 2

htanb, 3

ptanb, 3

qtanb, 4

rtanb, 5

stanb, 5