

Package ‘mpmcorrelogram’

April 30, 2025

Type Package

Title Multivariate Partial Mantel Correlogram

Version 0.1-5

Depends vegan

Date 2025-04-30

Description Functions to compute and plot multivariate (partial) Mantel correlograms.

License GPL (>= 2)

LazyLoad yes

Acknowledgements subvention 099/RN08/02.1 of the Spanish Ministerio de Medio Ambiente, Medio Rural y Marino.

NeedsCompilation no

Author Marcelino de la Cruz [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-9080-4525>>)

Maintainer Marcelino de la Cruz <marcelino.delacruz@urjc.es>

Repository CRAN

Date/Publication 2025-04-30 18:30:02 UTC

Contents

example.data	2
mpmcorrelogram	2

Index	6
--------------	----------

 example.data

Assemblage similarity and geographic distance matrices

Description

Artificial data matrices used by Legendre and Legendre (1998) to exemplify the computation of multivariate Mantel correlograms. *S* is assumed to represent a similarity matrix computed from assemblage data among 10 sampling sites within a 1-km² sampling area (Legendre and Legendre 1998: 737). *D* is the matrix of euclidean distances among the sampling localities (Legendre and Legendre 1998: 718). *Zd* is another distance matrix, assumed to represent some other multivariate difference among sites (e.g. environmental differences) that are more accentuated for distances greater than 0.28 km.

Usage

```
data(S)
data(D)
data(Zd)
```

References

Legendre, P. and Legendre, L. (1998) *Numerical Ecology*. 2nd English Edition. Elsevier

Examples

```
data(S)
data(Zd)
```

 mpmcorrelogram

Multivariate Partial Mantel Correlogram

Description

Function `mpmcorrelogram` computes both multivariate and multivariate partial Mantel correlograms. Multivariate Mantel correlograms were proposed by Sokal (1986) and Oden and Sokal (1986) and popularized among ecologists by Legendre and Legendre (1998, pp. 736-738). Multivariate partial Mantel correlograms are described and employed by Matesanz et al. (2011).

Usage

```
mpmcorrelogram(xdis, geodis, zdis = NULL, method = "pearson",
               alfa = 0.05, nclass = NULL, breaks = NULL,
               permutations = 999, strata, simil = FALSE,
               plot = TRUE, print = TRUE)

## S3 method for class 'mpmcorrelogram'
plot(x, pch = c(15, 22), xlim = NULL, ylim = NULL,
     ylab = NULL, xlab = NULL, alfa = 0.05, ...)
```

Arguments

xdis, geodis, zdis	Multivariate distance (or similarity) matrices or their as.dist representation
method	Correlation method, as accepted by cor : "pearson", "spearman" or "kendall".
alfa	Significance level for the points drawn with black symbols in the correlogram. By default $\alpha = 0.05$.
nclass	Number of distance classes. Deafult NULL causes Sturge's law being used to determine the number of classes unless break points are provided.
breaks	Vector with break points of the distance classes.
permutations	Number of permutations for the tests of significance.
strata	An integer vector or factor specifying the strata for permutation. If supplied, observations are permuted only within the specified strata.
simil	Logical. Is the first matrix a similarity matrix? Default=FALSE.
plot	Logical. Should the correlogram be plotted?.
print	Logical. Should the results be printed?
x	An object of class mpmcorrelogram, i.e. resulting from function mpmcorrelogram.
pch	Vector with two integers (or two single characters) specifying the symbols (or characters) to plot respectively the significant and non-significant rM values. See points for possible values and their interpretation.
xlim	Vector with the limits for the x-axis.
ylim	Vector with the limits for the y-axis.
ylab	Label for the y-axis.
xlab	Label for the x-axis.
...	Other parameters passed to print and plot methods.

Details

The function `mpmcorrelogram` computes both Mantel correlograms and *partial* Mantel correlograms. A correlogram is a graph in which spatial correlation values are plotted, on the ordinate, as a function of the geographic distance classes among the study units along the abscissa. In a "classical" Mantel correlogram, a Mantel correlation (Mantel 1967) is computed between a multivariate (e.g. multi-species or multi-locus) distance or similarity matrix and a design matrix representing each of the geographic distance classes in turn. The Mantel statistic is tested through a permutational Mantel test performed by **vegan**'s [mantel](#) function.

In a partial Mantel correlogram, a partial correlation conditioned on a third matrix is computed between the focal matrix and the design matrix representing each of the geographic distance classes. In this case, the partial Mantel statistic is tested through a permutational test performed by **vegan**'s [mantel.partial](#) function.

A practical application of the use of the partial Mantel correlogram can be seen in Matesanz et al. (2011).

Value

If the arguments `plot` and `print` are both TRUE, `mpmcorrelogram` by default will draw a correlogram where solid squares indicate significant r_M values and void squares indicate non-significant ones. It will also print the results as a table. In any case, `mpmcorrelogram` will return an object of class `mpmcorrelogram`, i.e. a list with the following elements:

<code>breaks</code>	Vector with the break points of the distance classes considered.
<code>rM</code>	Vector with the computed Mantel correlations for each distance class.
<code>signif</code>	The value of the selected α .
<code>pvalues</code>	Vector with the p-values computed for each distance class.
<code>pval.Bonferroni</code>	Vector with the p-values after a progressive Bonferroni correction.
<code>clases</code>	Alphanumeric vector with the range of each distance class.

Acknowledgements

This package has been developed thanks to the subvention 099/RN08/02.1 of the Spanish Ministerio de Medio Ambiente, Medio Rural y Marino.

Note

The implementation of the Mantel correlogram computation in the function `mpmcorrelogram` (and that of Mantel correlation performed by `vegan`'s `mantel.partial` and `mantel` functions) are based on the description of Legendre and Legendre (1998). Following these approaches, positive Mantel statistics correspond to positive autocorrelation when the focal matrix (i.e. `xdis`) is a similarity matrix and to negative values when it is a distance matrix. As most of the designed tools in R for summarizing relationships between the rows of data matrices return distance objects, the argument `simil` in `mpmcorrelogram` is set by default to FALSE. See the examples for the use with a similarity matrix.

Author(s)

Marcelino de la Cruz Rot <marcelino.delacruz@upm.es>

References

- Legendre, P. and L. Legendre. 1998. *Numerical ecology*, 2nd English edition. Elsevier Science BV, Amsterdam.
- Mantel, N. 1967. The detection of disease clustering and a generalized regression approach. *Cancer Res.* 27: 209-220.
- Matesanz S., Gimeno T.E., de la Cruz M., Escudero A. and Valladares F. 2011. Competition may explain the fine-scale spatial patterns and genetic structure of two co-occurring plant congeners. *J. Ecol.* 99: 838-848
- Oden, N. L. and R. R. Sokal. 1986. Directional autocorrelation: an extension of spatial correlograms to two dimensions. *Syst. Zool.* 35: 608-617.
- Sokal, R. R. 1986. Spatial data analysis and historical processes. 29-43 in: E. Diday et al. (eds.) *Data analysis and informatics*, IV. North-Holland, Amsterdam.

See Also

vegan's [mantel.correlog](#) for another implementation of (non-partial) Mantel correlograms.

Examples

```
# Example from Figure 13.12 of Legendre and Legendre (1998):

# Get similarity matrix based on assemblage composition.

data(S)

# Get euclidean distance between sites.

data(D)

# Compute Multivariate Mantel Correlogram
# as in Fig. 13.12 of Legendre and Legendre

## Not run:
result <- mpmcorrelogram(S, D, simil=TRUE)

## End(Not run)

# A Multivariate Partial examle.
# Get distance matrix of "covariate" attributes

data(Zd)

# Compute multivariate partial Mantel correlogram

## Not run:
result <- mpmcorrelogram(S, D, Zd, simil=TRUE)

## End(Not run)

# Change the appearance of the plot

## Not run:
plot(result, pch=c(17,24))

## End(Not run)
```

Index

- * **datasets**
 - example.data, [2](#)
- * **multivariate**
 - mpmcorrelogram, [2](#)
- * **spatial**
 - mpmcorrelogram, [2](#)

as.dist, [3](#)

cor, [3](#)

D (example.data), [2](#)

example.data, [2](#)

mantel, [3](#), [4](#)

mantel.correlog, [5](#)

mantel.partial, [3](#), [4](#)

mpmcorrelogram, [2](#)

plot.mpmcorrelogram (mpmcorrelogram), [2](#)

points, [3](#)

print.mpmcorrelogram (mpmcorrelogram), [2](#)

S (example.data), [2](#)

Zd (example.data), [2](#)