

newlfm.cls

A New Letter, Fax, Memo Document Class for L^AT_EX2_ε

Paul A. Thompson, Ph.D.

Division of Biostatistics

Washington University of St. Louis, MO, USA

paul@wubios.wustl.edu

April 11, 2009

Contents

1	The <code>newlfm.cls</code> class	2	7.3	Letterhead information	15
1.1	Writing a simple letter	2	7.4	Signature information	15
1.2	Option specification	2	7.5	Closing information	15
2	Available styles	3	7.6	Setting up wrapper macros	16
2.1	Letter styles	3	7.7	Multiple information datasets	17
2.2	Memo styles	3	7.8	Rules for use of wrapper IDs	17
2.3	A list of styles in <code>newlfm</code>	3	8	Form letters	17
2.4	FAX cover pages	3	8.1	Example form letter	17
3	Letter and memo options	4	9	Printing envelopes and labels	18
3.1	Use of options	4	10	Miscellaneous topics	18
3.2	Letter options	4	10.1	Lines	18
3.3	Memo options	5	10.2	Printing information on additional pages	19
3.4	Memo block structure	5	10.3	Setting the date	19
3.5	Fax options	5	10.4	Language option definitions:	19
3.6	Press Release style	5	10.5	Printing the address information	20
3.7	Press Release options	6	10.6	Cellophane-window envelopes	20
4	Spacing commands	6	10.7	Examples	21
4.1	Structure of a L ^A T _E X document	6	10.8	L ^A T _E X vs. pdfL ^A T _E X	21
4.2	Vertical spacing	6	10.9	Usage tips	21
4.3	Horizontal spacing	9	11	Command Summary	22
4.4	Ordering of elements:	9	12	Code	24
5	Address components	10	12.1	Preliminaries	24
5.1	Address commands	10	12.2	<code>newlfm</code> commands	29
5.2	Phrase commands	10	12.3	Executing Options	41
6	Letterhead tools	10	12.4	<code>fancyhdr</code> in <code>newlfm</code>	43
6.1	Inclusion of logos	10	12.5	Wrapper code	44
6.2	Marginal material	11	12.6	Text placement	47
6.3	Graphical objects	11	12.7	Memo blocks	48
6.4	Example use of external object:	12	12.8	Press Release blocks	49
6.5	Including a pre-set sheet as back- ground	13	12.9	Fax blocks	50
6.6	Blank block printing commands	13	12.10	Start of letter document	52
7	The letter database	13	12.11	Close of document section	54
7.1	Letter database <code>letrinfo.tex</code>	13	12.12	Address information	56
7.2	Address information	13	12.13	Address book handling	60
			12.14	Form letters	61
			12.15	Main section	64

1 The newlfm.cls class

`newlfm` is a new letter, fax and memo class. It gives the user control over many elements of letter construction. It enables the user to construct a simple database of letter information for letter information storage. It includes commands to print labels, and issue form letters to multiple recipients. Additionally, the class includes tools to produce standard press releases.

1.1 Writing a simple letter

Here is an example of a very simple letter:

```
\documentclass[stdletter]{newlfm}
\nameto{George Bush} \addrto{\parbox{2in}{The White House \\ Washington, DC}}
\namefrom{Paul Thompson} \addrfrom{\parbox{2in}{The Pink House \\ Belleville, IL}}
\begin{document}
\closeline{Sincerely yours,} \greetto{Dear Mr. Bush,}
\begin{newlfm}
How are the azaleas?
\end{newlfm}
\end{document}
```

This produces a simple letter with very standard features. The letter produced in this way has odd-looking spacing. Additionally, the information in the “from” specification is very likely to be repeated in letter after letter. Although the user can copy this information, it is much more convenient to put this information in an address database.

1.2 Option specification

The `newlfm` package features a wide variety of options to specify options for letters, faxes and memos. Options may be specified in one of two ways:

1. They may be placed in the options section of the `\documentclass` statement. Thus, the options would be specified as follows, with several other statements to provide context:

```
\documentclass[dvips,faxheaderpage,letterpaper,%
stdmemo,dateno,memoaddrto]{newlfm}
\lthOfficeA\setadrto{\adrMainCust}
\leftmargin{.75in}\rightmargin{1.385in}
\begin{document}\begin{newlfm}
Now is the time for all good men to come to the aid of the party.
\end{newlfm}\end{document}
```

This is called the “document-header” approach. Options may be specified in the preamble area (after the `documentclass` specification and before the `\begin{document}` specification). The terms `\lthOfficeA` and `\adrMainCust` refer to specifications in the letter information database, which is described in Section 7. Note the use of the “%” to set all spaces after the comma on the first line to comments; this functions to create a single unified line.

2. Options may also be placed in a statement in the letter itself, or stored in the letter database file `letrinfo.tex`. Using this approach, options are specified as follows:

```
\documentclass[dvips]{newlfm}
\newlfmP{letterpaper,stdmemo,dateno,letrh=OfficeA,addrt=MainCust,memoaddrto,faxheaderpage}
\begin{document}\begin{newlfm}
Now is the time for all good men to come to the aid of the party.
\end{newlfm}\end{document}
```

This is called the “keyed-value” approach. In previous versions, several distinct “keyed-value” specifications were used, but currently all options are placed in the `newlfnP` key specification. The terms `OfficeA` and `MainCust` refer to specifications in the letter information database, which is described in Section 7.

The approaches may be intermingled without effect. Options are applied in order of encounter, so the last option encountered over-rides earlier ones.

2 Available styles

2.1 Letter styles

`newlfn` defines several letter styles. These styles are chosen using options (in either selection method). Letters include some or all of the following components: 1) date, 2) from-address, 3) to-address, 4) opening salutation, 5) closing phrase, 6) signature, and 7) name and title of signer. Justification of the components is shown in Table 1 below.

2.2 Memo styles

Memos are headed as:

```
To:      J Smith      April 11, 2009
From:    P A Thom
Re:      Gnu info
```

A number of options control whether more information is printed for the memo, including printing the address, phone number and FAX number of both the “from” and “to” persons (after the name). There are two forms of the memo style, as shown in Table 1 below. The user may use their own version of the memo block.

2.3 A list of styles in `newlfn`

Table 1 shows the components of a letter, and indicates when they will be used in letters:

Table 1: Letter and memo structures

Class	Style	D	F	T	G	C	S	N	Option name
Letter	Business	L	L	L	L	L	L	L	<code>busletter</code>
	B, No from	L	O	L	L	L	L	L	<code>busletternofrom</code>
	Standard	R	R	L	L	R	R	R	<code>stdletter</code>
	S, No from	R	O	L	L	R	R	R	<code>stdletternofrom</code>
Memo	Standard	R	L	L	O	O	O	O	<code>stdmemo</code>
	Full	F	F	F	O	O	O	O	<code>fullmemo</code>
Press Release	Standard	L	L	O	O	O	O	L	<code>pressrelease</code>

Headers — D: Date; F: From-address; T: To-address; G: Greeting; C: Closing; S: Signature; N: Name. Body entries — R: Right-justified; L: Left-justified; O: Omitted; F: Full

2.4 FAX cover pages

A FAX cover page can be used for either the letter or the memo style. This page shows the page count, time and date of composition, and the addresses of sender and recipient. In addition, the letter can include a FAX message in a message line.

3 Letter and memo options

3.1 Use of options

In `newlrm`, the various components of the letter can be modified. This is done using options (placed in the “document-header” or “keyed-value” approaches).

The following example illustrates option placement in the document header line:

```
\documentclass[busletter,nofromaddress,dateright,dateyes]{newlrm}%
\lthMyLtr
\begin{document}
\begin{newlrm}
```

This prints a business letter, with no “from”-address, and date printed right-justified. Since some options can over-ride actions of others, the options are executed in the order encountered. Long specifications which cannot nicely fit on a single line should be terminated with the command character `%`, which omits spaces in the specification list. The list may continue as long as is necessary.

The information may also be specified using the “keyed-value” approach:

```
\documentclass{newlrm}%
\newlrmP{letrh=MyLtr,busletter,nofromaddress,dateright,dateyes}
\begin{document}
\begin{newlrm}
```

The “keyed-value” method is very flexible. Values may be specified either as above (before the `\begin{document}` specification) or within the letter database. Thus, the approach gives the user the flexibility of storing letter characteristics within the address system, so that the selection of a certain recipient defines a letter of a certain type.

3.2 Letter options

Letter options involve the inclusion of elements into “from-address” and “to-address” blocks (including email and telephone numbers) and the placement of blocks on the page. Blocks may also be omitted. Options may be defined using either options specification method:

Table 2: Letter options

Component	Option	Description	Option	Description
“From” address	<code>noaddrfrom</code>	Omit address	<code>printallfrom</code>	Print all components
	<code>addrfromleft</code>	Left-justified block	<code>addrfromright</code>	Right-justified
	<code>addrfromemail</code>	Include e-mail	<code>addrfromphone</code>	Include phone
	<code>addrfromfax</code>	Include fax		
“To” address	<code>printallto</code>	Print all components	<code>addrtoleft</code>	Left-justified block
	<code>addrtright</code>	Right-justified	<code>addrtoemail</code>	Include e-mail
	<code>addrtophone</code>	Include phone	<code>addrtofax</code>	Include fax
Date	<code>dateright</code>	Right-justified	<code>dateleft</code>	Left-justified
	<code>datecenter</code>	Centered	<code>dateno</code>	Omit
	<code>dateyes</code>	Force date to print		
Order	<code>orderdatefromto</code>	Date, From, To	<code>orderfromdateto</code>	From, Date, To
	<code>orderfromtodate</code>	From, To, Date		
Signature	<code>sigright</code>	Right-justified	<code>sigleft</code>	Left-justified
	<code>sigcenter</code>	Centered		

3.3 Memo options

Memo options involve the inclusion of elements into “from-address” and “to-address” blocks (including email and telephone numbers) and the placement of blocks on the page. Blocks may also be omitted. These may be placed either in the “document-header” option section, or in the command `\newlfmP`.

Table 3: Memo options

Block	Option	Function	Option	Function
“From” block	<code>memonofrom</code>	Omit block	<code>memoaddrfrom</code>	Address
	<code>memoemailfrom</code>	E-mail	<code>memopagerfrom</code>	Pager #
	<code>memophonefrom</code>	Telephone #	<code>memofaxfrom</code>	FAX #
“To” block	<code>memonoto</code>	Omit block	<code>memoaddrto</code>	Address
	<code>memoemailto</code>	E-mail	<code>memophoneto</code>	Telephone #
	<code>memopagerto</code>	Pager #	<code>memofaxto</code>	FAX #
Other	<code>memodate</code>	Set date on memo	<code>memonore</code>	Omit “Re:” line
	<code>fullmemo</code>	Use all optional items		

3.4 Memo block structure

The default memo block code was shown previously. The memo style is stored internally, but as `\newlfm` is processed, it looks for a file `memosec.tex`, and reads the memo header block definition in that file if it is found. If an alternative to the default memo header block structure is desired, the user may feel free to hack the code found in `smemosec.tex` and save it in `memosec.tex`. Thus, you may alter that file to make changes in the memo block. To simplify the process, you may wish to 1) set up the main parameters for `\newlfm` successfully, and 2) alter the code in `memosec.tex` to look as you wish. Using this approach, you may find that the alteration process works in a more dependable fashion. No support for modification of code is able to be offered, unfortunately. The code for `\memosec` is presented and commented on Page 48.

3.5 Fax options

Fax options involve the selection of one of several fax block styles. `test1.tex` shows an example of the use of `faxheaderpage` (separate fax page), while `faxhba` shows an example of the use of `faxhba` (fax information in header block). The code for `\faxpage` is presented and commented on Page 50.

Table 4: FAX options

Option	FAX item	Option	FAX item
<code>faxheaderpage</code>	Print FAX page	<code>faxhba</code>	In Rheader
<code>faxblocka</code>	Block A style	<code>faxblockb</code>	Block B style

3.6 Press Release style

There is only one press release style. A press release includes the following elements, in this order:

1. The information about the contact, address, etc. of the contact person is taken from the current “from-address” information. So, to insert a person into the “Contact” line specified below, use the `addrf` specification or the other methods of indicating the “from-information.”
2. On the upper left, below the letterhead, information about when the release may be used. Usually this is **FOR IMMEDIATE RELEASE**. This phrase is modified using the command `\release`.
3. Contact information, drawn from the from information used in the other styles. The option `PhrContact` allows the user to substitute another term for “Contact:”.
4. Headline, usually in boldface with the first letters of words capitalized. This is specified with the `\headline` command. The press release style automatically inserts a header into the center block of

the head section for all subsequent pages. This is the same as the `headline` information, unless a different value is defined with the `\shorthand` command.

5. Dateline, usually a city. The date is appended automatically.
6. The main body of the press release.
7. The end marker, usually `# # #`.

Because recipients like to scribble notes on press releases, they have 1 inch margins (that is the default anyway) and double spacing; the command `dSPACE` will also set double spacing, while `sSPACE` retains single spacing.¹

A press release should also try not to break paragraphs across pages (not yet implemented), and, if there are multiple pages, put “— more —” at the bottom and the headline (or a short form of it) at the top of subsequent pages.

If faxing a press release, remember to pick a good fax font. As this matter is not specific to press releases, and is system dependent, this press release environment does nothing special to your fonts. Usually, sans serif fonts work better when faxing, so you might want to specify `\sffamily` right after `\begin{document}`.

A press release does not have a signature or closing phrase at the end.

3.7 Press Release options

Press releases are inherently subjective in construction. What works for one person will not work for another. The style defined in `newlrm` is servicable, but not particularly elegant. For that reason, a very easy method of customization is set up. The file `sprsr1s.tex` includes the default press release style. To change the style:

1. Copy the file to `prsr1s.tex`;
2. Modify the style as needed;
3. Test using a press release of your choosing.

4 Spacing commands

`newlrm` has a number of commands which allow the user to define the position of items within the letter. Some of these commands control the space for structural elements of the document, and some control spacing within these structural elements.


4.1 Structure of a \LaTeX document

A \LaTeX document has a number of structural elements, summarized in Figure 1. Examining this figure, there are three sections vertically (header, text body, footer) and three sections horizontally (left margin, text body, right margin). Each of these sections is placed in reference to the paper boundaries. Vertically, the header is offset from the top of the page, there is a separation to the text body, there is a separation from the text body to the footer, and the footer is offset from the bottom of the page.

4.2 Vertical spacing

Vertical spacing commands are shown in Table 5. This table shows the various components of the \LaTeX page, along with the commands which are used to define or modify these elements in `newlrm`. Naturally, since the physical page has a physical dimension, the size of one component can be defined by the other dimensions save one. In `newlrm`, commands which give the structure of the overall document are amplified and extended by commands which give the structure of the document within the text body itself. These additional items are shown in Table 6.

¹Do not put a `onehalfspace` environment directly inside the default `doubleSPACE`. The former multiplies whatever spacing is in effect.



1	one inch + \hoffset	2	one inch + \voffset
3	\oddsidemargin = 0pt	4	\topmargin = -37pt
5	\headheight = 12pt	6	\headsep = 25pt
7	\textheight = 650pt	8	\textwidth = 469pt
9	\marginparsep = 11pt	10	\marginparwidth = 126pt
11	\footskip = 30pt		\marginparpush = 0pt (not shown)
	\hoffset = 0pt		\voffset = 0pt
	\paperwidth = 614pt		\paperheight = 794pt

Figure 1: Page elements. The values shown are those in effect in the current document, not the defaults.

For many of these terms, they may be used alone or within the `newlfp` specification. If used alone, they are specified as \LaTeX commands, while if used within the `newlfp` specification, they are used without the backslash:

```
\topmarginskip{1in}
\newlfp{topmarginskip=1in}
```

Table 5: Vertical spacing commands

Page Section	\LaTeX Name	newlfp Name	Default	Included Items	Function Description
Top Margin	<code>\topmargin</code>	<code>unprtop</code> <code>topmarginskip</code>			Top unprintable area Top of page to header block
Header	<code>\headheight</code>	<code>MinHead</code> <code>headermarginsize</code>	72pt	Group 1	Header section Header section
Header Skip	<code>\headsep</code>	<code>headermarginskip</code>	20pt		Skip from header to text block top
Text Height	<code>\textheight</code>	<code>textheightsizesize</code>		Group 2	
Footer skip	<code>\footskip</code>	<code>bottommarginskip</code>	20pt		Skip from bottom of text to footer
Footer	<code>\footskip</code>	<code>MinFoot</code> <code>footermarginsize</code> <code>unprbottom</code>	72pt	Group 3	Footer section Bottom unprintable area

Group 1: `Cheader`, `Rheader`, `Lheader`, `cheader`, `rheader`, `lheader`. Group 2: `date`, `to-address`, `from-address`, `greetto`, `signature`. Group 3: `Cfooter`, `Rfooter`, `Lfooter`, `cfooter`, `rfooter`, `lfooter`

Table 6: Vertical spacing commands

Function Name	newlfp Structure	Section Size	Space Before	Space After
Date	<code>\dateset</code>		<code>dateskipbefore</code>	<code>dateskipafter</code>
“From” address	<code>\adrsetfr{XXX}</code>		<code>addrfromskipbefore</code>	<code>addrfromskipafter</code>
“To” address	<code>\adrsetto{XXX}</code>		<code>addrtoskipbefore</code>	<code>addrtoskipafter</code>
Greeting	<code>\greetto</code>		<code>greettoskipbefore</code>	<code>greettoskipafter</code>
Text Block		<code>textheight</code>		
Left Margin Block	<code>\Lmargin</code>		<code>leftmargintopdist</code>	
Right Margin Block	<code>\Rmargin</code>		<code>rightmargintopdist</code>	
Close line	<code>\closeline</code>		<code>closeskipbefore</code>	<code>closeskipafter</code>
Signature	<code>\signature</code> <code>\siglist</code>	<code>sigsize</code>	<code>sigskipbefore</code>	<code>sigskipafter</code>
Ps, PPs, etc	Various		<code>postsigskipbefore</code>	<code>postsigskipafter</code>
Memo block	Various		<code>memoskipbefore</code>	<code>memoskipafter</code>

Here are several rules which are used to define the sizes of items:

- If header margin specifications (`\Cheader`, etc.) are not used, `headermarginskip` and `topmarginskip` are ignored. In this case, `topmargin` alone is sufficient to specify the size of the top margin. If `unprtop` is specified, and `unprtop > \topmargin`, `unprtop` is used in place of `topmargin`. If `\unprtop` is specified, and `\unprtop > \topmarginskip`, `\unprtop` is used in place of `\topmarginskip`.
- If any of the footer margin specifications (`\Cfooter`, `\Rfooter`, or `\Lfooter`) are used to specify a footer margin block, `\bottommarginskipbelow` and `\bottommarginskip` are both used to position the bottom- or footer-margin block relative to the text. Additionally, the overall height (including depth) of the largest of the three footer-margin placement blocks is used to specify the value of `\footermarginsize`. If `\unprbottom` is specified, and `\unprbottom > \bottommargin`, `\unprbottom` is used in place of `\bottommarginsize`.

- `\topmarginsize` and `\bottommarginsize` are sufficient to specify the positions of blocks vertically. If `\textheight` is also specified, it is used last, and over-rides the specification of text height by subtraction.
- If a left margin text block is specified using `\Lmargin`, `\leftmargintopdist` sets the space that the left margin block is placed from the top of the page. By default, the left margin is placed flush with the bottom of the header section. Any choice here sets the top of the header block a certain distance from the top of the page.
- The use of space-after commands is not recommended in the general case, as they can complicate item placement.

4.3 Horizontal spacing

Horizontal spacing commands are shown in Table 7.

Table 7: Horizontal spacing commands

Page Section	L ^A T _E X Name	newl _{fm} Name	Default	Included Items	Function Description
Left Margin	<code>\oddsidemargin</code>	<code>unprleft</code> <code>leftmarginskipleft</code>			Left unprintable area Page left side to margin block
Left Print Area		<code>MinLeft</code> <code>leftmarginsize</code>	72pt	Group 4	Left print section Header section
Left Margin Gap		<code>leftmarginskipright</code>	10pt		Dist from margin block to text
Text Width	<code>\textwidth</code>	<code>textwidthsize</code>			
Right margin	<code>\evensidemargin</code>	<code>rightmarginsize</code>		Group 5	

Group 4: `Lmargin`, `lmargin` Group 5: `Rmargin`, `rmargin`

Usage of these spacing commands:

- The size of the left margin text block is set by the width of the minimum of the `\Lmargin` block or by the `MinLeft` value.
- When `\Lmargin` is used for a left margin block, both `leftmarginskipleft` and `leftmarginskipright` are used to position the left-margin block relative to the text. Additionally, the width of `\Lmargin` is used to specify the value of `\leftmarginsize`. If `\unprleft` is specified, and `\unprleft > \leftmarginskipleft`, `\unprleft` is used in place of `\leftmarginskipleft`.
- If `\Lmargin` is not used, `leftmarginskipleft` and `leftmarginskipright` are ignored. In this case, `\leftmarginsize` alone is sufficient to specify the size of the left margin. If `\unprleft` is specified, and `\unprleft > \leftmarginsize`, `\unprleft` is used in place of `\leftmarginsize`.
- If `\Rmargin` is not used, and `\unprright > \rightmarginsize`, `\unprright` is substituted for `\rightmarginsize`.
- `\rightmarginsize` and `\leftmarginsize` are sufficient to specify the positions of blocks horizontally. If `\textwidth` is also specified, it is used last, and over-rides the specification of text width by subtraction.

4.4 Ordering of elements:

Date, from-address and to-address are generally printed in that order. Other orders are set up using options.

- `orderdatefromto`: date, from-address, to-address
- `orderfromdateto`: from-address, date, to-address
- `orderfromto`: from-address, to-address, date

5 Address components

Information about the names, addresses, telephone numbers and the other types of data is specified using these commands.

5.1 Address commands

Address information is specified using the commands in Table 8. These commands are used for both “from-address” and “to-address.” However, the information stored using these commands must be converted to specific “from-address” or “to-address” information, as discussed below in Section 7 below.

Table 8: Address item commands

Command	Stores ...	Command	Stores ...	Command	Stores ...
<code>\addr</code>	Address	<code>\byline</code>	Byline	<code>\city</code>	City
<code>\dept</code>	Department	<code>\email</code>	E-mail address	<code>\emailb</code>	E-mail address b
<code>\emailc</code>	E-mail address c	<code>\fax</code>	FAX #	<code>\fname</code>	First name
<code>\greet</code>	Greeting	<code>\institute</code>	Institution	<code>\lname</code>	Last name
<code>\mname</code>	Middle name	<code>\name</code>	Name	<code>\pager</code>	Pager #
<code>\phone</code>	Telephone #	<code>\phonea</code>	Telephone # a	<code>\phoneb</code>	Telephone # b
<code>\phonec</code>	Telephone # c	<code>\phoned</code>	Telephone # d	<code>\phoneo</code>	Office #
<code>\phoneh</code>	Home #	<code>\position</code>	Position	<code>\regarding</code>	“Regarding” line
<code>\release</code>	“Immediate Release”	<code>\role</code>	Role	<code>\socsec</code>	Social Security #
<code>\staddr</code>	Street address	<code>\state</code>	State	<code>\subdept</code>	Sub-department
<code>\title</code>	Title	<code>\zip</code>	zip-code		

5.2 Phrase commands

Letters and memos have certain phrases which identify sections. These include the terms for “To” and “From” in the memo, and the phrases identifying the other sections of letters. These phrases may be modified using the commands listed here. They are used as:

```
\begin{newlfn}
....
\PhrPhone{Telephone Number}
....
```

This term will be used whenever the phrase for “Telephone Number” should be printed.

Table 9: Phrase commands

Command	Use	Command	Use	Command	Use
<code>\PhrFAXcovp</code>	FAX Cover page	<code>\PhrFAXpgcnt</code>	FAX Page Count	<code>\PhrPager</code>	Pager
<code>\PhrEmail</code>	E-mail	<code>\PhrDocument</code>	Document	<code>\PhrPhone</code>	Telephone
<code>\PhrRe</code>	re	<code>\PhrSubre</code>	re	<code>\PhrCc</code>	cc
<code>\PhrPs</code>	ps	<code>\PhrMessage</code>	Message	<code>\PhrPps</code>	pps
<code>\PhrPpps</code>	ppps	<code>\PhrEncl</code>	Encl	<code>\PhrPage</code>	page
<code>\PhrTo</code>	To	<code>\PhrFrom</code>	From	<code>\PhrRegard</code>	Regarding
<code>\PhrContact</code>	Contact	<code>\PhrRelease</code>	For Immediate Release	<code>\PhrMore</code>	— more —
<code>\PhrPREnd</code>	# # #				

6 Letterhead tools

6.1 Inclusion of logos

Logos and other information, stored as encapsulated PostScript objects (for standard L^AT_EX production using `latex file` and `dvips file`) or .pdf files (for L^AT_EX production using `pdflatex file`), can be placed in the

header and footer of letters. However, sizing the resulting letter can be challenging. `newlfn` automatically adjusts letter dimensions to accommodate the inclusion of such objects, if these objects are included as boxed text (`\sbox`, `\fbox`, `\parbox`, `minipage`, etc.). In the discussion that follows, the first page of the letter is called the “letterhead” page, while subsequent pages are the “non-letterhead” pages.

Using `fancyhdr.sty` of Piet van Oostrom, `newlfn` handles letterhead information in a simple and straightforward manner. In `newlfn`, information for the letterhead page is entered using the commands shown in Table 10.

Table 10: Marginal material commands

Page	Location	Left	Center	Right
Letterhead	Footer	<code>\Lfooter</code>	<code>\Cfooter</code>	<code>\Rfooter</code>
	Header	<code>\Lheader</code>	<code>\Cheader</code>	<code>\Rheader</code>
	Margin	<code>\Lmargin</code>		<code>\Rmargin</code>
Page	Location	Left	Center	Right
Non-letterhead	Footer	<code>\lfooter</code>	<code>\cfooter</code>	<code>\rfooter</code>
	Header	<code>\lheader</code>	<code>\cheader</code>	<code>\rheader</code>
	Margin	<code>\lmargin</code>		<code>\rmargin</code>

In order to simply use letterhead logos and other PostScript pictorial information (logos, etc.), the program automatically calculates the heights of the header and footer and optimally places them on the page. In order for this to work, *all information for the header and footer must be included in boxed formats*. That is, to use a letterhead, logos, pictures, addresses, whatever must be placed in a \LaTeX box structure. The boxed formatted items may be included in a wrapper program.

For example, if a logo is to be included from an external file, this should be inserted into an `\sbox` and used as follows:

```
\newsavebox{\Lpalmb}
\sbox{\Lpalmb}{\parbox[t]{1.75in}{\includegraphics[scale=.4,ext=.pdf,%
angle=101,trim=-50 245 125 125]{palm}}}%
\makekth{Homea}{\Lheader{\usebox{\Lpalms}}}%
```

6.2 Marginal material

The left and right margins may also contain a box of text. This is placed in `\Lmargin` or `\Rmargin`. The size of the margin is automatically calculated from the box size. The box is placed a very small distance from the edge of the paper (10pt), and the margin gap from the box to the text box of the letter is set to be 10pt as well.

In some cases, the header and footer margins may be too small when fitted to the boxed-up header and footer items. For this reason, four commands allow the headers and footers to have a given minimum size. These commands are `minhead=xxpt` (minimum size for header of non-letterhead page; `xxpt` is a dimensional value such as `5in` or `12pt`), `MinHead=xxpt` (minimum size for header of letterhead page), `minfoot=xxpt` (minimum size for footer of non-letterhead page) and `MinFoot=xxpt` (minimum size for footer of letterhead page). These ensure that the headers and footers have given minimum sizes.

6.3 Graphical objects

Here is a step-by-step description of the process of incorporating a graphical object:

- **Insert the object:** Insert the graphical object into the document (`\includegraphics`).
- **Check object:** Ensure that the graphical object is included correctly. Prior to attempting to use `newlfn` to print the object, ensure that `\includegraphics` has inserted the information correctly. Using the `\fbox` specification to allow the box edges to be examined carefully, print the boxed information to ensure that the object is correctly specified, and that the size is correct. If the appearance is appropriate, use the wide range of options in the `\includegraphics` command (`clip`, `view`, `bb`, `trim`, `size`, etc.) to make the object appear as you wish it.

- **Use object:** Use the resulting trimmed, clipped and selected object in one of the commands for inclusion in a `newlfm` letter or memo.
- **Usage tip:** Run \LaTeX twice to ensure that dimensions are correctly interpreted.

6.4 Example use of external object:

Here is an example of the inclusion of an external object and its use in constructing a letterhead page. A `\newsavebox` is constructed and used to store the object. `\includegraphics` is used to insert the object. If commands to produce a .ps file are used (`latex file`, `dvips file`), \LaTeX will search for a file with the .ps or .eps suffix. If commands to produce a .pdf file are used (`pdflatex file`), \LaTeX will search for a file with the .pdf suffix. For flexibility, omit the suffix.

```

\newsavebox{\Logob}%
\sbox{\Logob}{\parbox[t]{\vdim}{\includegraphics[scale=.8]{wulogo3}}}%
\makeaddress{PAT}{%
\name{Paul A. Thompson, Ph.D.}%
\addr{\parbox[b]{2.65in}{Washington University School of Medicine \\
at Washington University Medical Center \\ Box 8067, 660 S. Euclid \\
St. Louis, MO 63110-1093}}%
\phone{(314) 747-3793}\fax{(314) 362-2693}\email{paul@wubios.wustl.edu}%
}
\makeaddress{GRQ}{%
\name{Roger Q. Grollier}%
\addr{\parbox[b]{2.65in}{25 N. Eastwind Rd. \\ Westend, OH 43431}}%
\phone{(412) 555-2324}\fax{(412) 555-6923}\email{roger@starlik.com}%
}
\makeletterhead{WULHb}{%
\setadrfr{\adrPAT}\Lheader{\usebox{\Logob}}%
\Rheader{\large\bf Division of Biostatistics}\rheader{\@name@fr}%
\lheader{Page \thepage}\Lfooter{\smallform}\closeline{Sincerely yours,}%
}%

```

The two `makeaddress` specifications set up wrapper commands (see Section 7 below) which encapsulate the relevant information. The `\setadrfr` specification in the example converts the address information in `\adrPAT` from neutral to “from-address” formats. This can also be done using the wrapper ID specification, where it would be stated as `\setadrto{\fixadr{GRQ}}`, where the `\fixadr` specification converts the wrapper ID to the wrapper internally.

In a letter, this is used as:

```

\documentclass[dvips]{newlfm}
\lthWULHb\setadrto{\adrGRQ}
\begin{document}
\begin{newlfm}
....

```

For this example, the object found in `wulogo3` was boxed up using the `\sbox` specification. It will be placed in the left section of the header block for the letterhead page. The logo was examined earlier to ensure that it is printed exactly as required.

Usage tip: Examine the example of the inclusion of the graphical object above carefully. Note that all lines are terminated with the comment character “%”. All wrapper macros should be constructed in this manner, to ensure that no blank spaces are inadvertently placed in the wrapper macro **between commands**, other than those placed within a command (for instance, the `\addr` command has blanks). The wrapper macros should not have blanks around commands, either before the start of a command or after the end of one. The wrappers are “unpacked” during active text construction, and the presence of blanks can result in odd, difficult-to-trace minor justification anomalies. In many cases, the author has found it helpful to ensure that

all lines in the wrapper addresses and terms are terminated with the “%” comment character, to ensure that end-of-line characters are not translated into hard-to-detect space characters.

6.5 Including a pre-set sheet as background

In some cases, the letterhead or pre-set form is to be included as a full sheet of letterhead information. In this case, the pre-set form may be designated using the command `Background` (for letterhead form for the first page), and `background` (for pre-set form for subsequent pages after the first page). The form to be included should be set up as a valid graphical object. In the case of the use of the `pdflatex` process, it should be set up as a `.pdf` form, and in the case of `latex` processing, it should be set up as a valid `.ps` form, using the encapsulated PostScript approach with a valid bounding box.

6.6 Blank block printing commands

In some cases, the user wishes to use the included graphical objects to size the header and footer areas (covered in Section 6 below), and then not actually print the objects *per se*. For instance, the letter may be printed on letterhead stock, using the letterhead objects included to size the letter. In that case, the options shown in Table 11 are available to blank out the various parts of the letterhead information after it is used to set margin sizes.

Table 11: Options for blanking

Option	Blanks ...	Option	Blanks ...	Option	Blanks ...
<code>blankheader</code>	<code>r,l,header</code>	<code>blankfooter</code>	<code>r,l,footer</code>	<code>blanklmargin</code>	<code>lmargin</code>
<code>blankrmargin</code>	<code>rmargin</code>	<code>Blankheader</code>	<code>R,L,Header</code>	<code>Blankfooter</code>	<code>R,L,Footer</code>
<code>Blanklmargin</code>	<code>Lmargin</code>	<code>Blankrmargin</code>	<code>Rmargin</code>	<code>Blankall</code>	All upper-case
<code>blankall</code>	All lower-case	<code>Blank</code>	All		

7 The letter database

7.1 Letter database `letrinfo.tex`

Information for letters may be stored in a file. The default name of the file is `letrinfo.tex`. This file stores information in two ways: unconditionally and conditionally. The conditional information, such as lists of addresses associated with names, is stored in “wrappers”, which carry the information from the file `letrinfo.tex` to each letter. The information stored in the letter database file `letrinfo.tex` is letter information (i.e., `\name{Paul Thompson}`, `\PhrPhone{Telephone #}`).

Several types of information are stored in the file `letrinfo.tex`. These different types of information may be stored in several ways. It may be stored unconditionally, by placing it into the file `letrinfo.tex`. All information, used in the order listed, will be available for all letters.

Most information is not unconditional, however. For this reason, the information will almost always be stored in address “wrappers”. This includes information about the “from” person, as this information may change based on the style of letter, etc. The information may be divided into three different types, and is thus placed into three types of wrapper commands.

7.2 Address information

Address information is stored in an address wrapper. The address wrapper has an wrapper ID and a body. The wrapper is set up using the command:

```
\makeaddress{IDENT}{stuff}.
```

The wrapper ID is `IDENT`. This makes a wrapper for addresses, `\adrIDENT`. Commands placed in the wrapper are then carried into the document when the wrapper command is placed in the letter as:

```
\begin{document}
```

```

\setadrto{\adrIDENT}
\setadrfr{\adrOTHID}
\begin{newlrm}
.....

```

Note that the wrapper command is placed after `\begin{document}` and before `\begin{newlrm}`. All items entered into the IDENT wrapper are then activated in that particular document. This enables information to be centrally stored in the `letrinfo.tex` file, and used in each actual letter.

The wrappers may also be indicated using the `newlrmP` key-value specification:

```

\begin{document}
\newlrmP{addr=IDENT,addrf=OTHID}
\begin{newlrm}
.....

```

This also sets up IDENT as the “to” address and OTHID as the “from” address.

Wrapper commands have two parameters.

- The wrapper ID is the first parameter in the `\makeaddress` specification. The wrapper ID is used to set up a new command `\adrIDENT`, and is used in many other places by itself. In general, a simple identifier is best (i.e., addressee’s initials).
- The actual items are placed in the second set of braces. The wrapper ID is case-sensitive. Whatever is placed there is used in the command, and carried along whenever it is used. The user may choose to place a wide variety of information in the wrapper. Commands usually used in address wrapper commands are shown in Table 8.

The address information for a certain individual usually does not change from letter to letter, although different persons are used in different letters. By using address info wrappers, the information can be handled and used easily with the single wrapper command. This information may be used for either the sender or the addressee for the letter.

Designating a sender: To use the address information for the sender or “from-person,” use the `\setadrfr` command or the `addrf` term in the `newlrmP` command:

```

\setadrfr{\adrPAT}
\setadrfr{\fixadr{PAT}}
\newlrmP{addrf=PAT}

```

This sets up the information in the PAT wrapper to be placed in the “from” blanks of the letter. If the wrapper ID is used in the `\setadrfr` command, the `\fixadr` command converts the wrapper ID to the correct form.

Designating a recipient: To use the address information for the recipient, use the `\setadrto` command or the `addr` term in the `newlrmP` command:

```

\setadrto{\adrPAT}
\newlrmP{addr=PAT}
\setadrto{\fixadr{PAT}}

```

This would set up the information in the PAT wrapper to be placed in the “to” blanks of the letter.

7.3 Letterhead information

Letterhead information is stored in a letterhead wrapper. The wrapper is prepared using the command:

```
\makeletterhead{LIDENT}{stuff}
```

The wrapper usually contains information about the header, footer and margin objects, which are used to set up the letterhead. This wrapper is used like the `\makeaddress` command. In many cases, the return address of the letter author is set up in the letterhead wrapper, because this does not change:

```
\makeletterhead{HomeA}{%
\rheader{this}%
\setadrfr{\adrPAT}%
}%
```

7.4 Signature information

Signature information is stored in an signature wrapper. The wrapper is prepared using the command

```
\makesignature{SIDENT}{stuff}
```

This wrapper is used like the `\makeaddress` command. The information shown in Table 12 is usually included in the `\makesignature` wrapper.

Table 12: Signature Commands

Command	Use	Command	Use
<code>\signature</code>	Boxed-up signature	<code>\signature</code>	Printed name
<code>\closeline</code>	Letter closing line		

In some cases, multiple signatures are required. These are listed in a command `\siglist`:

```
\siglist{AAA,BBB,CCC}
```

In this case, three signatures are printed. By default, they are printed in a left-justified column. To print them in a row, use `\sigacross{2}` to indicate the number of signature blocks printed in each row (the maximum number is 4). Each signature is printed in a block of the height and width of the largest signature block. For this approach, the letter will look odd and unbalanced if signatures are of different sizes. The user must ensure that all signatures are of the same size, as the program cannot ensure this. Additionally, each signature wrapper is unpacked to determine closing line and printed name. Spacing between signature block columns is set by `\sigskipcolumn`, and spacing between signature block rows is set by `\sigskiprow`.

7.5 Closing information

Other closing items may be included in the letter itself, in the file `letrinfo.tex`. These include the following:

Table 13: Closing commands

Command	Usage	Command	Usage	Command	Usage
<code>\cclist</code>	Routing list	<code>\encllist</code>	Enclosures list	<code>\initials</code>	Sender initials
<code>\faxmssg</code>	FAX cover message	<code>\psitem</code>	Ps line	<code>\ppsitem</code>	Pps line
<code>\pppsitem</code>	ppps line	<code>\re</code>	re line	<code>\subre</code>	Second re line

7.6 Setting up wrapper macros

File `letrinfo.tex`:

```
\makesignature{PT}{\newsavebox{\Signature}
\sbbox{\Sigx}{\includegraphics[bb=16 9 597 784,viewport=180 350 400
425,scale=6,%
height=.6in,width=1.375in,clip]{sigfile}%
}%
\signature{\usebox{\Sigx}}%
\signame{\raisebox{.5in}{\parbox[t]{5in}{Paul A. Thompson \\\
Associate Professor \\\ Div. Biostatistics \\\
Washington University School of Medicine}}}%
}%
\makeaddress{JS}{\name{Joe Smith}%
\address{12 Center Street \\\ Greenville, OH 55555}%
\phone{(312) 333-4444}\greet{Dear Joe,}%
}%
\makeaddress{PAT}{\name{Paul A. Thompson, Ph.D.}%
\addr{\parbox[b]{2.75in}{Washington University School of Medicine \\\
Box 8067, 660 S. Euclid \\\ St. Louis, MO 63110-1093}}%
\phone{(314) 747-3793}\fax{(314) 362-2693}%
}%
\newsavebox{\Logob}%
\sbbox{\Logob}{\parbox[t]{\vdim}{\includegraphics[scale=.8]{wulogo3}}}%
%
\makeletterhead{WULHa}{%
\sigPT%
\Lheader{\usebox{\Logob}}\setadrfr{\adrPAT}%
}%
```

Use in a letter:

```
\documentclass[american]{newlfm}
\newlfp{letrh=WULHa,adrtr=JS}
\begin{document}
\begin{newlfp}
...
\end{newlfp}
\end{document}
```

This letter will be addressed to Joe Smith, using the letterhead stored in `WULHa`. The signature is taken from signature wrapper `PT`, which is carried along with the letterhead wrapper `WULHa`. In this way, the letters can be addressed to Joe Smith very easily, by merely including the file `letrinfo.tex` on the \LaTeX path, and including the wrapper as shown above in the file. Although initials for the recipient need not be used as the wrapper identifier tag, this is convenient and makes the wrapper designation easy to do.

The wrapper commands may be used in a nested fashion. Consider this sequence:

```
\makeaddress{Main}{\name{Paul A. Thompson}%
\addr{WU School of Medicine}}%
\makeaddress{YouA}{\adrMain \name{Love A}
\addr{Whereever you are}}%
\makeaddress{YouB}{\adrMain \name{Love B}%
\addr{The White House}}%
```

In this case, the information in `adrmain` is carried into the wrappers `adrYouA` and `adrYouB` and is available there. This is similar to the concept of inheritance in object-oriented programming.

7.7 Multiple information datasets

By default, `newlfm` looks for a file `letrinfo.tex` on the \TeX path. If this file is found, it is read in during the initialization process of the `newlfm` environment. If an alternative file is needed, it may be indicated using the command `\InfoFileName{check.tex}`. This file will then be used in place of `letrinfo.tex`.

7.8 Rules for use of wrapper IDs

The wrapper IDs used to construct the letterhead database can be used in two different ways. First, the address or letterhead wrappers may be used by themselves as `\adrSETA` or `\ltrSETB`. Second, the wrapper IDs may be used in many situations without the `\adr`. Here are the general rules for usage:

1. The wrapper macro `\adrXXX` may be used at any point in a letter. To properly set up margins, it should be used as `\setadrto{\adrXXX}` and `\setadrfr{\adrXXX}` (used to convert neutral address information into to-address and from-address information) prior to the `\begin{newlfm}` command. This will ensure that proper spacing decisions are made. The `\doletter` construction also uses this form of wrapper (note: this command is now obsolete - please use `\oneletter` as described below).
2. Wrapper IDs can be used as `\setadrto{\fixadr{XXX}}` to convert neutral addresses to to-addresses and from-addresses (again, prior to `\begin{newlfm}`). Additionally, `\oneletter{XXX}` is used to send a form letter to address `XXX`, `\multletter{XXX,YYY,ZZZ}` to multiple addresses, and `\newlfmP{addrt=AAA,addrf=BBB}` are used to convert addresses using the `\newlfmP` mechanism.

8 Form letters

The use of the address wrapper commands makes it very easy to set up form letters. `newlfm` has a simple approach to form letters, using two commands:

- `\letterbody`: This command is used to set up the body of the letter. The body is the text of the letter. When you set up the body, it is very easy to further customize the letters by setting up commands within the letter.
- `\oneletter`: This is the command to print the different letters. The command has a mandatory argument of the label of the “to” address.
- `\multletter`: This command allows the use of a list of address wrapper labels that will all be used to print a form letter. The address wrapper labels must all be separated by the comma (“,”). When printing form letters in this manner, specific tailoring can only be done if the tailoring information is included in the address wrapper. Thus, this can be used to print any number of identical letters, or letters which have been tailored or modified using information in the address wrappers.

8.1 Example form letter

Here is an example of the use of the form-letter commands. In this example, the two wrapper commands `\adrAA` and `\adrBB` can be used to address letters which are both the same to the persons listed in these wrappers:

```
\letterbody{This is an example of a form letter. \tailor End of the letter.}%
\newcommand{\tailor}{First special version.}
\oneletter{AA}
\letterbody{This is a second example of a form letter, but this approach does not allow for
individualization. It is being sent to \printnameto.}
\multletter{AA,BB}
\renewcommand{\tailor}

{Second special version.}
\oneletter{BB}
```

9 Printing envelopes and labels

`newlfm` includes a set of commands which print labels. Some invoke the functionality of the `enlab` package. To use this functionality, follow these steps:

1. Ensure that `enlab` is properly installed in your \TeX installation, and that the installation database has been properly refreshed. This will ensure that \LaTeX can find the files.
2. Use the option `useenlab` on the command line:

```
\documentclass[useenlab]{newlfm}
```

This will issue the `\makelabels` command at the start of the run, issue the `\startlabels` command at the end of the run, insert the “from-address” and “to-address” into appropriate structures for `enlab` and otherwise complete the printing of the envelope using internal information.

3. Options which are needed for `enlab` may also be entered into the \LaTeX command line, just as with any normal use of `enlab` during any \LaTeX .
4. Several types of Avery labels may be used. The specifications for Avery labels 5160, 5161, 5162, 5163 and 5164 are pre-set in `newlfm`. These are summarized in the table below.

Table 14: Label definitions

Option	Ht	Wt	t	l	Btw	Col	Row
Avery5160	1	2.75	.5	.19	.16	3	10
Avery5161	1	4.19	.5	.16	.19	2	10
Avery5162	1	4.19	.83	.16	.19	2	7
Avery5163	1	4.19	.5	.16	.19	2	5
Avery5164	1	4.19	.5	.16	.19	2	3

5. Several options exist for address selection during label printing. The default is `labto`, in which the “to-address” only is printed. If `labrowfrto` is selected, both “from-address” and “to-address” are printed in a row:

```
From: Paul A. Thompson      To: George W. Bush
    25 Signal Hill Blvd      1400 W. Turkey Rd.
    Belleville, IL 62223     Crawford, TX 49281
```

If `labcolfrto` is selected, both “from-address” and “to-address” are printed in a column:

```
From: Paul A. Thompson
    25 Signal Hill Blvd
    Belleville, IL 62223

To: George W. Bush
    1400 W. Turkey Rd.
    Crawford, TX 49281
```

The user is responsible for ensuring that the label printing options can fit on the label selected; Avery5160 is generally suitable only for `labto`, but other choices can fit on other labels.

6. Other printing sizes may be selected during label printing using `labsize=\size`:

```
labsize=\small
```

10 Miscellaneous topics

10.1 Lines

By default, `newlfm` demarcates the header and footer sections with lines. These may be eliminated using the commands `noHeadline`, `noFootline`, `noLines` (for the letterhead page), and `noheadline`, `nofootline`,

`nolines` (for subsequent pages). These commands eliminate lines in either the letterhead page or the non-letterhead page. Line widths may be set as well, using the commands `Headlinewidth` (sets head linewidth for letterhead page), `headlinewidth` (sets head linewidth for non-letterhead page), `Footlinewidth` (sets foot linewidth for letterhead page), and `footlinewidth` (sets foot linewidth for non-letterhead page). These final four commands issued either in the command line or in the `newlfp` commands as:

```
\newlfp{Headlinewidth=.5pt,footlinewidth=.75pt}
```

If a line width is set to 0pt, the line is not printed.

10.2 Printing information on additional pages

In many letters, the letterhead page is to be followed by additional information on additional, non-letterhead pages. This may be done using the `\restlettera{text}`, `\restletterb{text}`, `\restletterc{text}`, `\restletterd{text}`, and `\restlettere{text}` commands. Following the issuance of the signature, a `\newpage` command is issued, and the information contained in the `\restlettera{text}`, `\restletterb{text}`, `\restletterc{text}`, `\restletterd{text}`, and `\restlettere{text}` blocks are printed. These need not be used sequentially. These blocks must not have spaces. If paragraphs are to be used, use `\paragraph` to force the new paragraph without an actual blank line. In addition, extra material in each section is limited to a single page. The letterhead rules for the extra pages follow the rules for the non-first page.

10.3 Setting the date

The date for the letter is set to be the date upon which the letter is typeset. To change the date, use `\dateset{May 20, 1974}` (feel free to use other dates as needed). `\dateset{\today}` prints today's date.

10.4 Language option definitions:

These options define the language for the letter. These macros are not frequently manipulated. Basically, the strings defined here set up the printing of structural elements of a memo or letter, such as the "From" or "To" strings.

These terms are used at various points in printing letters and memos. They are American terms; your mileage may vary. Inclusion of other terms is encouraged, especially when another language group is served. This may be done as follows:

1. Change the letters "am" to either "fr" for French, "gr" for German, "en" for English, "ot" for other or "pl" for pig-Latin. If you feel that I have unfairly cast disrespect on your language, feel free to add appropriate code in the section above for your language. Change phrases in the following terms to the appropriate terms for the language in question:

```
\newcommand{\@am@phr}{%
  \renewcommand*{\@fax@cover@line}
    {FAX Cover Page}%
  \renewcommand*{\@fax@page@count}
    {FAX Page Count}%
  \renewcommand*{\@fax@phr}{FAX}%
  \renewcommand*{\@pager@phr}{Pager}%
  \renewcommand*{\@doc@phr}{Document}%
  \renewcommand*{\@phn@phr}{Phone}%
  \renewcommand*{\@email@phr}{E-mail}%
  \renewcommand*{\@re@phr}{Re}%
  \renewcommand*{\@subre@phr}
    {\ensuremath{\mathrm{Re}}_2}%
  \renewcommand*{\@cc@phr}{cc}%
  \renewcommand*{\@ps@phr}{Ps}%
  \renewcommand*{\@m@phr}{Message}%
}
```

```

\renewcommand*{\@pps@phr}{Pps}%
\renewcommand*{\@ppps@phr}{Ppps}%
\renewcommand*{\@enc1@phr}{Enc1}%
\renewcommand*{\@pager@phr}{Page}%
\renewcommand*{\@hnto@phr}{To}%
\renewcommand*{\@hnfr@phr}{From}%
}

```

2. Use file `extracd.tex` to store the new commands. This file should be placed in the same subdirectory as `newlfn.cls`. When the program executes, it includes the file if it is found.
3. Use the appropriate option to include the correct code.

10.5 Printing the address information

The `newlfn` package prints a variety of address information in specific ways which are appropriate and standard for letters. In some cases, you may wish to print other information from the addresses in more flexible ways. For this purpose, certain printing macros are defined. These are shown in Table 15.

Table 15: Printing address information

Select	Command	Item	Command	Item
"To"	<code>\printnameto</code>	Name	<code>\printaddrto</code>	address
	<code>\printphoneto</code>	phone	<code>\printphoneato</code>	phone A
	<code>\printphonebto</code>	phone B	<code>\printphonecto</code>	phone C
	<code>\printphonedto</code>	phone D	<code>\printphoneoto</code>	phone O
	<code>\printphonehto</code>	phone H	<code>\printpagerto</code>	pager
	<code>\printfaxto</code>	FAX	<code>\printgreetto</code>	greeting
	<code>\printemailto</code>	email	<code>\printemailbto</code>	email
	<code>\printemailcto</code>	email C	<code>\printlnameto</code>	last name
<code>\printfnameto</code>	first name			
"From"	<code>\printnamefrom</code>	name	<code>\printaddrfrom</code>	address
	<code>\printphonefrom</code>	phone	<code>\printphoneafrom</code>	phone A
	<code>\printphonebfrom</code>	phone B	<code>\printphonecfrom</code>	phone C
	<code>\printphonedfrom</code>	phone D	<code>\printphoneofrom</code>	phone O
	<code>\printphonehfrom</code>	phone H	<code>\printpagerfrom</code>	pager
	<code>\printfaxfrom</code>	FAX	<code>\printgreetfrom</code>	greet
	<code>\printemailfrom</code>	email	<code>\printemailbfrom</code>	email
ing	<code>\printemailcfrom</code>	email C	<code>\printlnamefrom</code>	last name
	<code>\printfnamefrom</code>	first name		

These commands can be issued in any letter to print the information for the particular address component.

10.6 Cellophane-window envelopes

Letters are sometimes set up to be printed for a cellophane-window envelope. Using this approach, the "to-address" must be placed into a specific orientation. In `newlfn`, this is particularly challenging, as the class attempts to grant users great flexibility.

In `newlfn`, users can specify the use of a cellophane-window envelope. The `cellowindow` option specifies this choice. The "to-address" block is positioned down from the top (using `celltdown` to specify the length down; default = 2.5 inches) and left from the side (using `celloleft` to specify the length from the left; default = 1 inch). If the user specifies the printing of a "from-address" and a date, it may not be possible to print the "to-address" in the correct location; in this case, the user should carefully examine the log and the output screen to determine if the specified locations can be used in the context of other options. The user can also specify the height and width of the "to-address" block as `cellowidth` (default = 4 inches) and `celloheight` (default = 1 inch).

10.7 Examples

`newlfn` includes a large number of examples specified as `test1.tex` through `test12.tex`. These examples all specify their options using the `newlfnP` mechanism. Each file is also set up using the `\documentclass` specification, on `test1alt.tex` through `test8alt.tex`. When preparing examples, both `pdflatex` and `latex` are both used to prepare examples.

10.8 L^AT_EX vs. pdfL^AT_EX

pdfL^AT_EX is becoming more and more common in document production in the T_EX family. It is not the standard yet, and there remain tools which work only in the L^AT_EX system (i.e., `pstricks`).

The author uses `.eps` files, constructed to ensure that the bounding box accurately encapsulates the active text area of the `.eps` figure. Each of the figures was then converted to `.pdf` encoding using `GSview`. However, the bounding box in the `.pdf` files does not seem to act to crop the image in the same manner. Using the same code for both pdfL^AT_EX and L^AT_EX processing does not result in the same appearance of the output page.

For this reason, functionality of H. Oberdiek's `ifpdf.sty` file is included in `newlfn`. This tool allows one option to be performed when pdfL^AT_EX is used for processing, and another option to be executed in the L^AT_EX environment. Use of this tool is illustrated in the `letrinfo.tex` file included in the `newlfn` package.

Here is an example:

```
\newsavebox{\Lpalme}%
\ifpdf
\savebox{\Lpalme}{\parbox[t][1in][t]{2in}%
{\includegraphics[scale=.1,viewport=135 624 360 700]{palm}\vspace{.5in} \\
\rule{2in}{2pt} \\
25 Signal Hill Blvd}
}
\else
\savebox{\Lpalme}{\parbox[t]{2in}%
{\includegraphics[scale=.1]{palm} \\
\rule{2in}{2pt} \\
25 Signal Hill Blvd}
}
\fi
```

Note that the `\ifpdf` construction includes the entire `\savebox` specification. Although this is not the only manner in which this system will work, it is a reliable method. Problems can be found, which are very hard to diagnose, when the `\ifpdf-\fi` construction is used to control processing of portions of a specification.

10.9 Usage tips

As with any complex program, there are certain tips which can enhance the use of the program. Here are several. If you come up with new ones, please forward them to `paul@wubios.wustl.edu`; complete files demonstrating useful ideas are the most helpful.

- `geometry` is no longer used for dimension setting. Rather, all dimensions are set internally. This is done using a combination of default values, header and footer sizes and values input from the user. These include primarily the page size commands `leftmargin`, `textwidth` and `rightmargin`.
- When size commands are used, they will be overridden by structures. Additionally, dimensional commands are applied in order. Inconsistencies are resolved by attending to the most recent commands, and ignoring earlier inconsistent ones.

11 Command Summary

```
\documentstyle[options]{newlrm}

\topmargin{.25in} \addrfrom{Paul A. Thompson}
\adr{PAT}
\NewlrmP{leftmargin=1.25in}

\begin{document}
\begin{newlrm}
  text text text
\end{newlrm}
\end{document}
```

Letter styles: `stdletter`, `stdletternofrom`, `busletter`, `busletternofrom` (Table 2, on Page 4)

Letter options: `noaddrfrom`, `printallfrom`, `printallto`, `dateright`, `dateleft`, `datecenter`, `sigrighth`, `sigleft`, `sigcenter`, `addrtoemail`, `addrtophone`, `addrtofax`, `addrfromemail`, `addrfromphone`, `addrfromfax` (Table 2, on Page 4 — can be specified either in the document-header option block or in the `\newlrmP` command)

Letter date information: `\dateset`

Back-ground information: `\Background`, `\background`

Memo styles: `stdmemo`, `fullmemo` (Table 3, on Page 5)

Memo options: `memoaddrto`, `memoemailto`, `memophoneto`, `memofaxto`, `memoaddrfrom`, `memoemailfrom`, `memophonefrom`, `memofaxfrom`, `memopagerto`, `memopagerfrom` (Table 3, on Page 5 — can be specified either in the letter `\documentclass` option block or in the `\newlrmP` command)

FAX styles: `faxheaderpage`, `faxhba`, `faxhbb` (Table 4, on Page 5)

FAX options: `faxblocka`, `faxblockb` (Table 4, on Page 5 — can be specified either in the letter `\documentclass` option block or in the `\newlrmP` command)

Press Release Styles: `stdpressrelease`

Press Release Options: `dspace`, `sspace`

Cellophane-window envelopes: `cellowindow`

Cellophane-window options: `cellodown`, `celloleft`, `cellowidth`, `celloheight`

Address item order options: `orderdatefromto`, `orderfromdateto`, `orderfromtodate` (can be specified either in the document-header option block or in the `\newlrmP` command)

envlab options: `useenvlab`

To-Address commands: `\nameto`, `\addressto`, `\phoneto`, `\phonebto`, `\phonecto`, `\phonedto`, `\faxto`, `\emailto`, `\greetto`, `\setadrto{\adrXXX}`, `\setadrto{\fixadr{XXX}}` `\regarding`, `\fnameto`, `\lnameto`, `\adrt`,

From-Address commands: `\namefrom`, `\name`, `\address`, `\addrfrom`, `\phone`, `\phonefrom`, `\phonebfrom`, `\phonecfrom`, `\phonedfrom`, `\fax`, `\faxfrom`, `\emailfrom`, `\setadrfr{\adrXXX}`, `\setadrfr{\fixadr{XXX}}`, `\fnamefrom`, `\lnamefrom`, `\addrf`

Press Release commands: `\byline`, `\headline`, `\release`, `\shorthead`

End of letter commands: `\cclist`, `\enclist`, `\initials`, `\faxmssg`, `\psitem`, `\ppsitem`, `\pppsitem`, `\re`, `\subre` (Table 13, on Page 15)

Signature commands: `\signature`, `\signame`, `\siglist`, `\sigacross`, `\closeline`, `\sigtr` (Table 12, on Page 15)

Horizontal spacing and sizing commands: `\unprleft`, `\leftmarginsskipleft`, `\leftmarginssize`, `\leftmarginsskipright`, `\textwidth`, `\rightmarginssize`, `\unprright`, `MinLeft`, `MinRight`, `minleft`, `minright` (Table 7, on Page 9 — can be specified either in the letter itself or in the `\newlfnP` command; when specified in the `NewlfnP` statement, they are specified without the “\”)

Vertical spacing and sizing commands: `\unprtop`, `\topmarginsskip`, `\headermarginssize`, `\headermarginsskip`, `\leftmarginsskipdist`, `\rightmarginsskipdist`, `\memoskipbefore`, `\memoskipafter`, `\dateskipbefore`, `\dateskipafter`, `\addrfromsskipbefore`, `\addrfromsskipafter`, `\addrtooskipbefore`, `\addrtooskipafter`, `\greettoskipbefore`, `\greettoskipafter`, `\textheight`, `\closeskipbefore`, `\closeskipafter`, `\sigsskipbefore`, `\sigssize`, `\sigsskipafter`, `\sigsskipcolumn`, `\sigsskiprow`, `\postsigsskipbefore`, `\postsigsskipafter`, `\bottommarginsskip`, `\footermarginssize`, `\unprbottom`, `MinHead`, `MinFoot`, `minhead`, `minfoot` (Table 5, on Page 8 — can be specified either in the letter itself or in the `\newlfnP` command; when specified in the `NewlfnP` statement, they are specified without the “\”)

Wrapper commands: `\makeaddress{XXX}{xxx info}` creates a command `\adrXXX` containing the “xxx info”, `\makeletterhead{XXX}{stuff}` creates a command `\lthXXX` containing “stuff” and `\makesignature{XXX}{sigstuff}` creates a command `\sigXXX` with “sigstuff” (Page 13).

Form letters: `\letterbody` sets the body of a form letter, while `\doletter{zz}` prints the letter, `zz` is any command to be issued before the letter, which will usually be a wrapper command name.

Letterhead commands: `\Lfooter`, `\Cfooter`, `\Rfooter`, `\Lheader`, `\Cheader`, `\Rheader`, `\Lmargin`, `\Rmargin`, `\lfooter`, `\cfooter`, `\rfooter`, `\lheader`, `\cheader`, `\rheader`, `\lmargin`, `\rmargin`, `\letrh` (Table 10, on Page 11)

Blanking options: `blankheader`, `blankfooter`, `blankrmargin`, `blanklmargin`, `Blankheader`, `Blankfooter`, `Blankrmargin`, `Blanklmargin`, `blankall`, `Blankall`, `Blank` (Table 11, on Page 13)

Extended letters: `\restlettera{text}`, `\restletterb{text}`, `\restletterc{text}`, `\restletterd{text}`, and `\restlettere{text}` prints additional pages after the signature with additional information.

Printing commands: `\printnameto`, `\printaddrto`, `\printphoneto`, `\printphoneato`, `\printphonebto`, `\printphonecto`, `\printphonedto`, `\printphoneoto`, `\printphonehto`, `\printpagerto`, `\printfaxto`, `\printgreetto`, `\printemailto`, `\printemailbto`, `\printemailcto`, `\printlnameto`, `\printfnameto`, `\printnamefrom`, `\printaddrfrom`, `\printphonefrom`, `\printphoneafrom`, `\printphonebfrom`, `\printphonecfrom`, `\printphonedfrom`, `\printphoneofrom`, `\printphonehfrom`, `\printpagerfrom`, `\printfaxfrom`, `\printgreetfrom`, `\printemailfrom`, `\printemailbfrom`, `\printemailcfrom`, `\printlnamefrom`, `\printfnamefrom` (Table 15, on Page 20)