

##### ##### ##### ##### #####

#### ###### <trhodes@FreeBSD.org>  
#####: 43126

##### © 2004 #####  
2013#11#07 ####.

#####

##### ## #####

1. ##### ..... 1

## 1. ##### ##### ##### ##### #####

```
##### perl ##### USE_THREADS=yes
#####. #### perl #####; #####
##### #### #### ####.
```

##### ##### ##### ##### #####



####

```
#### #### ##### #### #### # perl ## ##--  
#### #### ##### ####; #####/##### ## #####  
#### ####. ## ##### ## ##### ##### ##### ##### ##--  
#### #### ##### ##### ##### ##### ##### #####.
```

```
#### #### #### ##### ######; ###### ## ##### #### ## ####. #####  
#### #####/#####40##### ###### ##### #####/#####5#####40. #### #####--  
#### #### ##### #### ## ##### ##### ##### ## #####/#####5#####137 ## #### #####  
#### ##### ####.
```

```
##### ## perl ##### ##### ##### #####; #####/##### ##### ##### #####. ##### ##  
##### ##### ##### ##### ##### ##### ##### #####. ##### ##### ##### #####  
## ##### #####.
```

```
##### ##### #####/#####5##### ##### #####. ## ## ##### ##### ##### Makefile ##--  
##### # ##### ##### ##### ##### BROKEN, ##### ##### ## ## ##### ##### ## #####. ## ## #####  
##### ##### ## ##### ##### ##### ##### ##### ##### ##### perl ##### #####  
## ##### #####. ##### ##### ## ##### ##### ##### ##### ##### ##### ##### ##### #####.
```

```
##### # ##### ##### ## ##### ##### ##### ##### ##### ##### #####.
```

```
# mkdir -/tmp/relaydelay  
# cd -/tmp/relaydelay
```

```
#### #### ## ##### # ##### ##### ##### ## ##### ##, #### ##### ##### ##### ##  
##### ## ##### fetch #####:
```

```
# fetch http://projects.puremagic.com/greylisting/releases/relaydelay-0.04.tgz  
# fetch http://lists.puremagic.com/pipermail/greylist-users/attachments/20030904/b8daded9/  
relaydelay-0.04.bin
```

```
#### ##### ##### ##### ## ##### ##### #####:
```

```
# gunzip --c relaydelay-0.04.tgz -| tar xvf -
```

```
##### ##### ##### ##### ##### ##### ##### ##### ##### ##### ##### #####. ##  
##### ##### ##### ##### ##### ##### ##### ##### ##### ##### ##### ##### #####  
## ##### ##### mysql.sql #####:
```

```
# mysql< relaydelay-0.04/mysql.sql
```

```
#### ##### ##### ##### ##### ##### ##### ##### relaydelay.bin ## #####:
```

```
# patch --d -/tmp/relaydelay/relaydelay-0.04 < relaydelay.bin
```

##### ##### ##### ##### #####

##### #### ##### ###### ##### ## ### relaydelay-0.04 #####;

```
# cd relaydelay-0.04
```

```
# mv db_maintenance.pl relaydelay.pl ->/usr/local/sbin  
# mv relaydelay.conf ->/etc/mail  
# mv relaydelay.sh ->/usr/local/etc/rc.d/
```

##### #### ##### ###### ##### ###### ##### ##### ####### ##### #### ##### #######:

```
# sh -/usr/local/etc/rc.d/relaydelay.sh start
```



####

Loaded Config File: -/etc/mail/relaydelay.conf

Using connection '-local:/var/run/relaydelay.sock' for filter relaydelay

DBI Connecting to DBI:mysql:database=relaydelay:host=localhost:port=3306

Spawning relaydelay daemon process 38277.

Starting Sendmail:::Milter 0.18 engine.

```
##### ##### ## ##### ## ##### ## ##### ## ##### ## /etc/mail/sendmail.mc ## ##  
##### ##### ## ##### ## me ####;
```

```
INPUT MAIL FILTER(`relaydelay', `S=local:/var/run/relaydelay.sock, T=S:1m;R:2m;E:3m')dnl
```

```
##### #### ##### /etc/mail ##### sendmail. #  
##### make restart ##### ## ##### #####
```

```
##### perl ##### ###### ###### #### ## #####://#####.#####.#####/#####/#####/#####
#####/2003#####/000327.#### #### #### #### #### relaydelay-0.04 #####.## ####
#####/##### ###### ###### ###### ###### ###### #### addlist.pl
```

##### ##### ##### ##### #####

##### ##### ##### ##### #####;

```
192.168. # My internal network.  
66.218.66 # Yahoo groups has unique senders.
```

##### addlist.pl ##### --  
##### # ##### ####:

```
# perl addlist.pl --whitelist 9999-12-31 23:59:59 < whitelist_ip.txt  
# perl addlist.pl --blacklist 9999-12-31 23:59:59 < blacklist_ip.txt
```

```
#### relaydelay_enable="YES" ####  
### /etc/fc.conf ####
```

==== 2004-05-24 21:03:22 ===

Stored Sender: <someasshole@flawed-example.com>

Passed Recipient: <local\_user@pittgoth.com>

Relay: example.net [XXX.XX.XXX.XX] -- If\_Addr: MY\_IP\_ADDRESS

RelayIP: XX.XX.XX.XX -- RelayName: example.net -- RelayIdent: -- PossiblyForged: 0

From: someasshole@flawed-example.com -- To: local\_user

InMailer: esmtp -- OutMailer: local -- QueueID: i4P13Lo6000701111

Email is known but block has not expired. Issuing a tempfail. rowid: 51

IN ABORT CALLBACK -- PrivData: 0<someasshole@flawed-example.co

**Figure 1.** A schematic diagram of the experimental setup for the measurement of the thermal conductivity of the samples.

```
#### ####### #### ## #### ## ##### ## /etc/newsyslog.com #### ##### relaydelay.log ####
##### ## ##### 100 #:
```

/var/log/relaydelay.log 644 3 100 \* Z



###

##### ##### #### #####

---

```
### ### ##### ##### #### #####. #### #####
## ##### #### ##### #### ##### #### relaydelay #####.
```

