

```
##### <matt@garply.com>
#####: 43126
#1.0, 16 ##### 1996 ### .
```


#####.

1. #####	1
2. #### ## #####	2
3. ##### ##### ## ##### ## ## #####	6
4. ##### ## #####	9

```
# ##### ## 1977 #### ## ##### #####,## ## ##### ## ## #-
#####. ## ##### ## ##### ## ##### ##### ## ##### #-
##### ##### ##### ##### ## ## ##### ##### ## ##### ##
##### ##### ## #####.### ##### ## ## ## ## #-
##### ##### ## ## ##### ## ##### ## :#### ## ##### (#####
## ##### #####).
```


#####

[illegible]

#####

#####. ## ##### ## ##### ##### ## ## ## ##### ## ## ## ##—
-help # ## ##### ## ## ##### ## ## ## ##—
#####.

#####, ##### ## ## ## ## ## ## ## ## ## ## ## ##
#####. ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##
:

```
#>pkg_add -/cdrom/packages/mh-6.8.3.tgz
```

/usr/local/lib/mh ##### ## ##
##—

###.###.###.### ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##.

##—
##. ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##

##—
#####.

2. #### ##

#####. ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##—

#####.

23, 20 ## 16. ##### ## ## ## ## ## ## ## ## ## ## ##

23 ##
9 ##### ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##

#####.

2.1. inc, msgchk##### ## ##### ## ##

##

#

#####

29 01/15 Doug White Re: Another Failed to boot problem<<On Mon, 15 J
30 01/16 -"Jordan K. Hubbar Re: FBSD 2.1<<> Do you want a library instead of
31 01/16 Bruce Evans Re: location of bad144 table<<>> >It would appea
32 01/16 -"Jordan K. Hubbar Re: video is up<<> Anyway, mrouted won't run, ev
33 01/16 Michael Smith Re: FBSD 2.1<<Nate Williams stands accused of sa

scan (#### 2.3,
scan##### #). ## inc #### ,
##.

#####

tempest% inc --host mail.pop.org --user NomUtilisateur --norpop

inc ##
mail.pop.org, ##### NomUtilisateur. ##### -norpop ##-
inc ##
###3. ##### ##3. #####

inc ##, #####
#####

msgchk #####
#####.msgchk ##### ,-host ## -user, ##### inc.

2.2. show, next ## prev##### ## ##.

show ##### inc,show ##
show #####

show:

tempest% show 32 45 56

32 45 56 # ##
show ## ## more
#####

scan##### ## ##### ## ### #####

next ##### ## ##### ## ##### ##### ## prev ##### ## ##—
#####. ## ##### ##### ##### ##### ## show ## ## ##
#####.

2.3. scan##### ## ##### ## ###

scan ##### ## ##### ##### ## ##### ## ##### ##### #####.
show:

```
30+ 01/16 -"Jordan K. Hubbar Re: FBSD 2.1<<> Do you want a library instead of
31 01/16 Bruce Evans Re: location of bad144 table<<>> >It would appea
32 01/16 -"Jordan K. Hubbar Re: video is up<<> Anyway, mrouted won't run, ev
33 01/16 Michael Smith Re: FBSD 2.1<<Nate Williams stands accused of sa
```

##, ##### ##### #####. ## ## ## ##—
#####. ## ## ##### ## ##—
#####, ## ##### #####, #####, ## ##### ## ## ##—
#####. ## ##### + ##### ##### ## ##### ##### ##
show ##### #####.

scan ## ##### -reverse. ##### ##### ## #####

#####. ## ##### ##### ##### ##### ## scan ## ##### ## ##
#####. ## ##### ##### ##### ##### ##### ##
inc, ## ##### ## ##### scan
-file /var/mail/nom_d_utilisateur. ##### ##### ##### ## ##### ## #####
####.

2.4. rmm ## rmf# ##### ## ##### ##### ## ##

rmm ## ##### ##### #####. ## ##### ## ##### ##### ##

#####.

rmf# ##### #####. ##### ## ##### ## ##
##, ## ##### ##### ##### #####
#####.

2.5. ## ##### ##### ## ##### #####

inc. #####
inc ## ## #####.

```
tempest% inc
Incorporating new mail into inbox...
```

```
36+ 01/19 -"Stephen L. Lange Request...<<Please remove me as contact for pind
```

#

37 01/19 Matt Thomas Re: kern/950: Two PCI bridge chips fail (multipl
38 01/19 -"Amancio Hasty Jr Re: FreeBSD and VAT<<>>> Bill Fenner said: > In
tempest%

#####. ## ##### # ##### ## show #####
#####.

tempest% **show**
Received: by sashimi.wwa.com (Smail3.1.29.1 #2)
id m0tdMZ2-001W2UC; Fri, 19 Jan 96 13:33 CST
Date: Fri, 19 Jan 1996 13:33:31 --0600 (CST)
From: -"Stephen L. Lange" <stvlange@wwa.com>
To: matt@garply.com
Subject: Request...
Message-Id: <Pine.BSD.3.91.960119133211.824A-100000@sashimi.wwa.com>
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII

Please remove me as contact for pindat.com

tempest% **mmm**
tempest% **next**
Received: from localhost (localhost [127.0.0.1]) by whydos.lkg.dec.com (8.6.11/8
.6.9) with SMTP id RAA24416; Fri, 19 Jan 1996 17:56:48 GMT
Message-Id: <199601191756.RAA24416@whydos.lkg.dec.com>
X-Authentication-Warning: whydos.lkg.dec.com: Host localhost didn't use HELO pro
tocol
To: hsu@clinet.fi
Cc: hackers@FreeBSD.org
Subject: Re: kern/950: Two PCI bridge chips fail (multiple multiport ethernet
boards)
In-Reply-To: Your message of -"Fri, 19 Jan 1996 00:18:36 +0100."
<199601182318.AA11772@Sysiphos>
X-Mailer: exmh version 1.5omega 10/6/94
Date: Fri, 19 Jan 1996 17:56:40 +0000
From: Matt Thomas <matt@lkg.dec.com>
Sender: owner-hackers@FreeBSD.org
Precedence: bulk

This is due to a typo in pcireg.h (to
which I am probably the guilty party).

mmm ##### # ##### # # ##### next ##### # #####
#####. ##### #—
#, ##### # #.

tempest% **scan last:10**
26 01/16 maddy Re: Testing some stuff<<yeah, well, Trinity has

```

27 01/17 Automatic digest NET-HAPPENINGS Digest -- 16 Jan 1996 to 17 Jan 19
28 01/17 Evans A Criswell Re: Hey dude<<>From matt@tempest.garply.com Tue
29 01/16 Karl Heuer need configure/make volunteers<<The FSF is looki
30 01/18 Paul Stephanouk Re: [alt.religion.scientology] Raw Meat (humor)<
31 01/18 Bill Lenherr Re: Linux NIS Solaris<<--- On Thu, 18 Jan 1996 1
34 01/19 John Fieber Re: Stuff for the email section?<<On Fri, 19 Jan
35 01/19 support@foo.garpl [garply.com #1138] parlor<<Hello. This is the Ne
37+ 01/19 Matt Thomas Re: kern/950: Two PCI bridge chips fail (multipl
38 01/19 -"Amancio Hasty Jr Re: FreeBSD and VAT<<<>>> Bill Fenner said: > In
tempest%

```

3. ##### ##### ## ##### ## ## #####

[illegible][illegible]

```
## ## #### ##### ## ##### ##### ##### ## ##### ## #####, ##### 23 16 42,
#### ## ##### ## ##### ##; ## # ## ##### ##### ##### ##
##### ## ##### ##### ## ##### ##### ## ##### #####. ## ###
##### scan +frebsd, ##### ##### ##### ## ##### frebsd. ## ##### ## show
+frebsd 23 16 42, ## ##### show ##### ##### 23, 26 ## 42 ## ##### frebsd.
#### ##### ## ## ##### +dossier. #### ## ##### ##### ##### ##
##### ## ## ##### #####. ##### ## ## ## ##
## ##### ##### ## ##### ## inbox. #### ## ##### ## folder +inbox #####
```


folder, folders, refile# #####
#####

-date

#####

--component

#####. (##: --reply-to #####
#####)

#####:

```
tempest% pick --to freebsd-hackers@freebsd.org --seq hackers
```

#####.
pick #####.

- ... -and ...
- ... -or ...
- -not ...
- -lbrace ... -rbrace

#####:

```
tempest% pick --to freebsd-hackers --and --cc freebsd-hackers
```

#####—
lbrace ## rbrace #####
#####.
#####:

```
tempest% pick --lbrace --to freebsd-hackers --and  
--not --cc freebsd-questions --rbrace --and --subject pci
```


(#####)
#####.
?
#####—
#####.
pick.
#####.

3.2. folder, folders, refile#

#####.
folder
folder+dossier2

##

dossier2. ##### ##### ##, ##### ## comp, repl, scan, ##
show ##### ## ##### dossier2.

##—
#####. ## ##### ## scan ##### ##### ##### ##—
34, 35, 36, 43, 55, 56, 57, 80. ## ##### ## folder -pack, ##### #####
#####, ## ##### ## #####. #####
#####. #####. ##### ##### ##### ##### ## rmm ## ##
#####.

#####, ##### ##### ## folders ##
folder -all ##### ## ##### ## #####, ##### ## #####
#####. ## ##### ## #####—
##—
folder +dossier2. ## ##### ## ## folders ##### ##.

```
Folder    # of messages ( range -); cur msg (other files)
announce has 1 message ( 1- 1).
drafts has no messages.
f-hackers has 43 messages ( 1- 43).
f-questions has 16 messages ( 1- 16).
inbox+ has 35 messages ( 1- 38); cur= 37.
lists has 8 messages ( 1- 8).
netfuture has 1 message ( 1- 1).
out has 31 messages ( 1- 31).
personal has 6 messages ( 1- 6).
todo has 58 messages ( 1- 58); cur= 1.
```

TOTAL= 199 messages in 13 folders.

refile ##### ## ##### ##### ## #####. ## ##
refile 23 +nouveau dossier, ## ##### 23 ##### ## ##### nouveau-
dossier. ##### ##### ##### ##### ## refile 23 +nouveau dossier/sousdossier1 ## #####—
23 ##### ## ## #####, sousdossier1, ## ##### nouveau dossier. ##

#####, ##### ##### ## ##### refile -link 23 +nouveau dossier, ## ##### ## ##—
inbox ##### ## ## ##### ## ##### nouveau dossier. #####

##.

4. #####

#####, ##### ## ## # ##### ##, #####
#####. ## ##### ## #####
#####, ##### ## #####
#####.## ##### ## ##### ##, ## ## #####

comp, forw, reply#####, #####
#####

To: ## Subject. #####

whatnow.
What now?, #####
send, list, edit, edit, push, ## quit. #####
#####; #####

whatnow

4.1. comp, forw, reply#####,

comp #####
-editor.#####
prompter #####

comp-editor /usr/bin/vi ## comp-editor /usr/local/bin/pico #
comp, #####
#####

To:
cc:
Subject:

To:.

Subject:.

#####

To:freebsd-rave@freebsd.org
cc:
Subject:Et le 8ème jour, Dieu créa le bureau des directeurs de FreeBSD

Ouah, c'est un super système d'exploitation. Merci -!

What now? ##### send ## s

quit

forw #####
#####

##

forw, #### ##### ##### ## ##### ##### # ## #####
#####. #### ##### ##### ##### ## ##### ##### ## ##### ## ## #####
forw 23 ## ##### forw, ##### ## ##### 23 #### ##### ##### ## ##### ##
#####. # ##### ## ##### #####, ## ##### forw, ##### ##
comp.

repl #### ##### ## ##### #####, #### ## ##### ##-
#####. ## ##### repl ##### ## ##### ## ##### ##

####. #### ##### ##### ## ## ##### To: ## ##### ##### #####
Subject: ## ##### #####. ##### #####
#####. ## ##### ##### ## #####
-cc. #### ##### ##### ##### all, to, cc, me #### #####; ####
#####, ## ##### ## ##### ## #####-
###. #### ##### ## ## ##### ##### ## #####. ##### ##
##.

4.2. components, ## replcomps#### ##### ## ##### ## comp ### repl

components ## ##### ## ##### ## ##### ## ##### /usr/local/lib/
mh. #### ##### ## ##### ##### ##### ##### ## ## ## #####
#####. #### ##### ##### ##### ## ##### ##-
#####, ## ##### ##### ## ##### ##. ## ##### comp ## #####
#####. #### #####
(###822). ### #####, #### ##### ##### ## ##-
components #####:

To:
Fcc: out
Subject:
X-Mailer: MH 6.8.3
X-Comment: FreeBSD the power to serve
X-Home-Page: <http://www.freebsd-fr.org/>

#####. ## #####
components ### #####. ## ##### ##### ##### ## #####, ## #####
#####.

replcomps ### ## ## #####. ### ##### ## ##### ##
####:

%(lit)%(formataddr %<{reply-to}% ?{from}% ?{sender}% ?{return-path}%>)\n%<(nonnull)%(void(width))%(putaddr To: -)\n%(lit)%(formataddr {to})%(formataddr {cc})%(formataddr {me})\n%<(nonnull)%(void(width))%(putaddr cc: -)\n

components, ## replcomps#### #####
comp ## repl

```
%<{fcc}Fcc: % {fcc}\n%>\n%<{subject}Subject: Re: % {subject}\n%>\n%<{date}In-reply-to: Your message of -"\n%<(nodate{date})% {date}%|(pretty{date})%>."%<{message-id}\n% {message-id}%>\n%>\n-----
```

```
## ##### # ## ##### ##### ## ##### ## ##### components ##### ## ##### ##  
### ##### ## ##### ## #####. ## ##### % (lit) ##### #####  
#####. ## ##### % (formataddr ##### #####  
#####. ## ##### %< ##### ## ##### ## #####  
##### {reply-to}  
## #####. ##### ## ##### ## ## #####
```

*%<si {reply-to} dans le message original ou trouve un champ reply-to
alors la mettre dans le champ formataddr, %? sinon
prendre le contenu du champ {from} , %? sinon prendre
le champ {sender} , %?
et en dernier lieu prendre le champ {return-path} , %> endif.*

```
##### ## ##### ## #####, ## ##### ## ##### ## ## #####  
#####. ##### ##### ##### ## ##### ## #####  
#####. ##### ## ##### ##### ## #####  
##### ## ##### ## ##### ## ##### ## ##. #####  
##### ## ##### ##### replcomps ##### #####  
##### ## ##### ## ##### ## #####
```