

##### # ##

##### <[matt@garply.com](mailto:matt@garply.com)>

#####: [43126](#)

#1.0, 16 ##### 1996 ## .

#####

## ##### ## ## ##### ## ## ## ##  
#### ##.

*Version française de Sébastien Gioria <[gioria@FreeBSD.ORG](mailto:gioria@FreeBSD.ORG)>.*

##### ##

1. #####	1
2. #### #	2
3. ##### ## ##	6
4. #####	9

## 1. #####

## ##### # 1977 #### # #####, ## # ##—  
#####. ## ##### ## ##### ##—  
##### ## ## ## ##  
##### ## ## ##. ## ## ##—  
##### ## ## : ##### (#####  
## ## ##).

##### ## ## ## ##, #####  
## ## ##, ## ## ##  
#####. ##### ## ##, #####  
##### ## ##, ## ##.

## ## ## ## ##, #####—  
## ## ## ##. ## ##, ## ##—  
## ## ## ##, ## ## ##  
## ## ## ##. ##### ## ##  
## ## ## ## ##

#### ## #####

## #####. ## ##### ## ##### ##### ## ## ## ##### ## ## ## ## ##—  
##### ##### -help # ## ##### ## ## ##### ## ## ## ##—  
#####.

#### #####, ##### ## ## ## ## ## ## ## ## ## ## ## ##  
#####. ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##  
##### ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## :

```
#>pkg_add -/cdrom/packages/mh-6.8.3.tgz
```

#### ##### ## ##### ##### ##### /usr/local/lib/mh ##### ## ##  
## ##### ##### ## ## ##### /usr/local/bin. ## ##### ## ##—  
##### ## ## ##, ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##  
###.###.###.### ## #####.###.###.

##### ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##—  
## ## ##. ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##  
##### ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##  
##  
##  
##  
##### ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##—  
#####.

## 2. #### ## #####

## ##### ##### ## ##### inc, show, scan, next, prev, rmm, rmf, ### msgchk. ##  
##### ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##  
#####. ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##—  
#####  
##  
##### inc ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## show #####  
#####.

### ##### ## ##### ##### ## ## ## ## ## ## ## 23 20 16, ## ##  
### ##### 23, 20 ## 16. ##### ## ## ## ## ## ## ## ## ## ## ##  
#####  
23 ##  
##### ## ## ## 9 ##### ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##  
#####  
#####.

### 2.1. inc, msgchk##### ## ##### ## ## #####

## ##### ## ## ##### inc ##### ## ## ## ## ## ## ## ## ## ##  
##### ##

##### # #

#####  
#####  
#####  
#####

29 01/15 Doug White Re: Another Failed to boot problem<<On Mon, 15 J  
30 01/16 -"Jordan K. Hubbar Re: FBSD 2.1<<> Do you want a library instead of  
31 01/16 Bruce Evans Re: location of bad144 table<<>> >It would appea  
32 01/16 -"Jordan K. Hubbar Re: video is up<<> Anyway, mrouted won't run, ev  
33 01/16 Michael Smith Re: FBSD 2.1<<Nate Williams stands accused of sa

#### scan (##### 2.3,  
# scan##### #). #### inc #### ,  
#### #.

#####  
#####  
#####

tempest% inc --host mail.pop.org --user NomUtilisateur --norpop

##### inc #  
##### mail.pop.org, ##### NomUtilisateur. ##### -norpop #  
##### inc #  
###3. #####3. #####  
#####  
##### inc #, #####  
#####

##### msgchk #####  
#####.msgchk #####, -host # -user, ##### inc.

2.2. show, next # prev##### # #.

show ##### inc,show #  
##### show #####  
#####  
##### show:

tempest% show 32 45 56

##### 32 45 56 # #  
##### show # # more  
#####

scan##### ## ##### ## ### #####

next ##### ## ##### ## ##### ## prev ##### ## ##—  
#####. ## ##### ##### ##### ##### ## show ## ## ##  
##### ## ##### ##### ## ##### ##### ## #####.

### 2.3. scan##### ## ##### ## ### #####

scan ##### ## ##### ##### ## ##### ## ##### ##### #####.  
##### ## ##### ##### ## ## ##### show:

```
30+ 01/16 -"Jordan K. Hubbar Re: FBSD 2.1<<> Do you want a library instead of
31 01/16 Bruce Evans Re: location of bad144 table<<>> >It would appea
32 01/16 -"Jordan K. Hubbar Re: video is up<<> Anyway, mrouted won't run, ev
33 01/16 Michael Smith Re: FBSD 2.1<<Nate Williams stands accused of sa
```

##### ## ##, ##### ##### #####. ## ## ## ##—  
## ## ##### ##### ##### #####. ## ## ##### ## ##—  
##### ## ##### ## #####, ## ##### #####, #####, ## ##### ## ## ##—  
## ## ##### ## #####. ## ##### + ##### ##### ## ##### ##### ##  
##### ## ##### show ##### #####.

## ##### ## scan ## ##### -reverse. ##### ##### ## #####  
##### ## ## ##### ## ##### ## ##### ## #####  
## #####. ## ##### ##### ##### scan ## ##### ## ##  
##### ##### ## #####. ## ##### ##### ##### ##### ##  
##### ##### ##### # ##### ## ##### inc, ## ##### ## ##### scan  
-file /var/mail/nom\_d\_utilisateur. ##### ##### ##### ##### ##### ##  
####.

### 2.4. rmm ## rmf# ##### ## ##### ##### ## ## #####

rmm ## ##### ##### #####. ## ##### ## ##### #####  
##### ##### ## ## ##### ##### ## ## ##### ## ##  
##### ##### ##### ## ##### ##### #####.

## ##### rmf# ##### #####. ##### ## ##### ## ##  
## ##### ## ##### ##, ##### ##### ##### #####  
#####.

### 2.5. ## ##### ##### ## ##### ##### ##

## ##### ##### ## ##### ## ## ##### ## ##### inc. #####  
##### ## ##### inc ## ## #####.

```
tempest% inc
Incorporating new mail into inbox...
```

```
36+ 01/19 -"Stephen L. Lange Request...<<Please remove me as contact for pind
```

##### # ##

37 01/19 Matt Thomas Re: kern/950: Two PCI bridge chips fail (multipl  
38 01/19 -"Amancio Hasty Jr Re: FreeBSD and VAT<<>>> Bill Fenner said: > In  
tempest%

#### ##### ## ##### ##### ##### ##### ##### #####  
### #####. ## ##### ##### # ##### ## show ##### #####  
##### ## ## ##### ##### ##### ##### ## #####.

tempest% **show**  
Received: by sashimi.wwa.com (Smail3.1.29.1 #2)  
id m0tdMZ2-001W2UC; Fri, 19 Jan 96 13:33 CST  
Date: Fri, 19 Jan 1996 13:33:31 --0600 (CST)  
From: -"Stephen L. Lange" <stvlange@wwa.com>  
To: matt@garply.com  
Subject: Request...  
Message-Id: <Pine.BSD.3.91.960119133211.824A-100000@sashimi.wwa.com>  
Mime-Version: 1.0  
Content-Type: TEXT/PLAIN; charset=US-ASCII

Please remove me as contact for pindat.com

tempest% **mmm**  
tempest% **next**  
Received: from localhost (localhost [127.0.0.1]) by whydos.lkg.dec.com (8.6.11/8  
.6.9) with SMTP id RAA24416; Fri, 19 Jan 1996 17:56:48 GMT  
Message-Id: <199601191756.RAA24416@whydos.lkg.dec.com>  
X-Authentication-Warning: whydos.lkg.dec.com: Host localhost didn't use HELO pro  
tocol  
To: hsu@clinet.fi  
Cc: hackers@FreeBSD.org  
Subject: Re: kern/950: Two PCI bridge chips fail (multiple multiport ethernet  
boards)  
In-Reply-To: Your message of -"Fri, 19 Jan 1996 00:18:36 +0100."  
<199601182318.AA11772@Sysiphos>  
X-Mailer: exmh version 1.5omega 10/6/94  
Date: Fri, 19 Jan 1996 17:56:40 +0000  
From: Matt Thomas <matt@lkg.dec.com>  
Sender: owner-hackers@FreeBSD.org  
Precedence: bulk

This is due to a typo in pcireg.h (to  
which I am probably the guilty party).

## ##### mmm ##### ## ##### ## ## ##### next ##### ## #####  
## ##### ## ##### ##### ## ##### #####. ##### #####  
##### ## ## ##### ##### ## ## #####, ##### ##### ##.

tempest% **scan last:10**  
26 01/16 maddy Re: Testing some stuff<<yeah, well, Trinity has

```

27 01/17 Automatic digest NET-HAPPENINGS Digest -- 16 Jan 1996 to 17 Jan 19
28 01/17 Evans A Criswell Re: Hey dude<<>From matt@tempest.garply.com Tue
29 01/16 Karl Heuer need configure/make volunteers<<The FSF is looki
30 01/18 Paul Stephanouk Re: [alt.religion.scientology] Raw Meat (humor)<
31 01/18 Bill Lenherr Re: Linux NIS Solaris<<--- On Thu, 18 Jan 1996 1
34 01/19 John Fieber Re: Stuff for the email section?<<On Fri, 19 Jan
35 01/19 support@foo.garpl [garply.com #1138] parlor<<Hello. This is the Ne
37+ 01/19 Matt Thomas Re: kern/950: Two PCI bridge chips fail (multipl
38 01/19 -"Amancio Hasty Jr Re: FreeBSD and VAT<<<>>> Bill Fenner said: > In
tempest%

```

3. ##### ## ## ##### ## ## #####

[illegible][illegible]

```
## ## #### ##### ## ##### ##### ##### ## ##### ## #####, ##### 23 16 42,
#### ## ##### ## ##### ##; ## # ## ##### ##### ##### ##
##### ## ##### ##### ## ##### ##### ## ##### #####. ## ###
##### scan +frebsd, ##### ##### ##### ## ##### frebsd. ## ##### ## show
+frebsd 23 16 42, ## ##### show ##### ##### 23, 26 ## 42 ## ##### frebsd.
#### ##### ## ## ##### +dossier. #### ## ##### ##### ##### ##
##### ## ## ##### #####. ##### ## ## ## ##
## ##### ##### ## ##### ## inbox. #### ## ##### ## folder +inbox #####
```

```
## ##### ## ### #####. ##### ## ##### # ## ##### ## ##, #####
##### ## #####, ##### # # ## ##### # ## #####.
```

```
3.1. pick# ##### ### ##### #### ### #####
```

```
pick ### ## ## ##### ## #### ##### ## #. ## ## ##### ## ##### ##  
##### ## ##### ## ## ## ## ## ##### ## ###(1) #### ## #####.  
## #### ##### ##### ## #### ##### ## ## #####:
```

tempest% pick --search pci

```
#####  
pci #####  
##### show  
#####  
#####  
##### show 15 42 55-57 #####  
##### pick #####:
```

```
tempest% pick --search pci --seq pick
5 hits
tempest% show pick
```

```
##### -seq ##### -sequence ##
##### pick ##### rmm pick
##### pick #####
##### pick #####
```

```
## #### ##### ## ## ##### pick -search, #### ##### ##### ## #####
## ## ##### ## ##### ##### ## ##### ##### ## ## #####. ## ##### pick
##### ## ## ##### #####:

```

```
-to
##### ## #####
```

```
-CC
#####
```

```
-from
##### ### ##### ## #####
```

```
-subject
#####
```

folder, folders, refile# #####  
#####

-date

#####

--component

#####. (##: --reply-to #####  
#####)

#####:

tempest% pick --to freebsd-hackers@freebsd.org --seq hackers

#####.  
pick #####.

- ... -and ...
- ... -or ...
- -not ...
- -lbrace ... -rbrace

#####:

tempest% pick --to freebsd-hackers --and --cc freebsd-hackers

#####—  
##### lbrace ## rbrace #####  
#####.  
#####:

tempest% pick --lbrace --to freebsd-hackers --and  
--not --cc freebsd-questions --rbrace --and --subject pci

#####  
##### (#####)  
#####.  
##### ?  
#####  
##### pick.  
#####.

### 3.2. folder, folders, refile# #####

#####.  
##### folder  
##### folder+dossier2



##### # ##

#### ## ##### dossier2. ##### ##### ##, ##### ## comp, repl, scan, ##  
show ##### ## ##### dossier2.

##### ##### ##### ##### ## ##### ##### ##### ##### ##### ## # ##—  
##### # ##### #####. ## ##### ## scan ##### ##### ##### ##—  
##### 34, 35, 36, 43, 55, 56, 57, 80. ## ##### ## folder -pack, ##### #####  
## ##### #####, ## ##### ##### ## #####. #####  
##### #####. ##### ##### ##### ##### ##### rmm ## ##  
#####.

## ##### ## ##### ## ## #####, ##### ##### ## folders ##  
## folder -all ##### ## ##### ## ## #####, ##### ## #####  
##### ## ##### ## ## ##### ##### #####. ## ##### ## #####—  
##### ##### ## ## ##### ## ## ##### ##### ##### ## ##—  
##### ## ##### folder +dossier2. ## ##### ## ## ##### folders ##### ##.

```
Folder    # of messages ( range -); cur msg (other files)
announce has 1 message ( 1- 1).
drafts has no messages.
f-hackers has 43 messages ( 1- 43).
f-questions has 16 messages ( 1- 16).
inbox+ has 35 messages ( 1- 38); cur= 37.
lists has 8 messages ( 1- 8).
netfuture has 1 message ( 1- 1).
out has 31 messages ( 1- 31).
personal has 6 messages ( 1- 6).
todo has 58 messages ( 1- 58); cur= 1.
```

TOTAL= 199 messages in 13 folders.

## ##### refile ##### ## ##### ##### ##### ## #####. ## ##  
##### ## refile 23 +nouveau dossier, ## ##### 23 ##### ##### ## ##### nouveau-  
dossier. ##### ##### ##### ##### ##### ## refile 23 +nouveau dossier/sousdossier1 ## #####—  
##### ## ##### 23 ##### ## ## #####, sousdossier1, ## ##### nouveau dossier. ##  
##### ##### ## ##### ##### ## ##### ##### ## ## #####  
#####, ##### ##### ## ##### refile -link 23 +nouveau dossier, ## ##### ## ##—  
##### ## ##### inbox ##### ## ## ##### ## ##### nouveau dossier. #####  
##### ## ##### ##### ## ##### ##### ##### ## ## #####  
##.

#### 4. ##### ##

##### ## ##### ## #####, ##### ## ## # ##### ##, #####  
##### # ##### #####. ## ##### ##### ## ##  
##### ##### ##### # ##### ## #####, ##### ## #####  
#####.## ##### ##### ## ## ##, ## ## ##### ## #####

comp, forw, reply#####, #####  
#####

#####  
##### To: ## Subject. ##  
#####  
#####  
#####  
##### What now?, #####  
##### send, list, edit, edit, push, ## quit. ##  
#####;  
#####  
##### whatnow ##

#### 4.1. comp, forw, reply#####

##### comp #####  
##### -editor.#####  
##### prompter #####  
#####  
##### comp-editor /usr/bin/vi ## comp-editor /usr/local/bin/pico #  
*comp*, #####  
#####

To:  
cc:  
Subject:  
-----

##### To:.  
#####  
##### Subject:.  
#####  
#####  
#####  
#####

To:freebsd-rave@freebsd.org  
cc:  
Subject:Et le 8ème jour, Dieu créa le bureau des directeurs de FreeBSD  
-----  
Ouah, c'est un super système d'exploitation. Merci -!

#####  
##### What now? ## send ## s ##  
#####  
#####  
##### quit ##

##### forw #####  
#####

##### # ##

---

#### ##### ## ##### forw, #### ##### ##### ## ##### ##### # ## #####  
#####. #### ##### ##### ##### ## ##### ##### ## ##### ## ## #####  
##### forw 23 ## ##### forw, ##### ## ##### 23 #### ##### ##### ## ##### ##  
##### #####. # ##### ## ##### #####, ## ##### forw, ##### ##  
## ##### ## ## ##### comp.

## ##### repl #### ##### ## ##### #####, #### ## ##### ##-  
##### ## ##### ##### ## #####. ## ##### repl ##### ## ##### ## ##### ##  
##### ##### ## ##### ## ##### ## ## ## ## ##### ##### ## #####  
## #####. #### ##### ##### ## ## ##### To: ## ##### ##### #####  
## ##### ## ## ## ##### Subject: ## ##### #####. ##### #####  
## ## ##### ##### #####. ## ##### ##### ## #####  
## -cc. #### ##### ##### ##### all, to, cc, me #### #####; ####  
#### ##### ## ##### #####, ## ##### ## ##### ##-  
###. #### ##### ## ## ##### ##### ##### ## #####. ##### ##  
##### ## ##### ## ## ##### ## ##### ## ##.

## 4.2. components, ## replcomps#### ##### ## ##### ## comp ### repl

## ##### components ## ##### ## ##### ## ##### ## ##### /usr/local/lib/  
mh. #### ##### ## ##### ##### ##### ##### ## ## ## #####  
##### ## ## #####. #### ##### ##### ##### ## ##### ##-  
#### ## #####, ## ##### ##### ## ##### ##. ## ##### comp ## #####  
## ##### ## ##### ## ##### ##### ## #####. #### #####  
##### ##### ##### (###822). ### #####, #### ##### ## ##-  
##### components #####:

To:  
Fcc: out  
Subject:  
X-Mailer: MH 6.8.3  
X-Comment: FreeBSD the power to serve  
X-Home-Page: <http://www.freebsd-fr.org/>  
-----

## ##### ##### ## ##### ## ##### ##### #####. ## #####  
components ### #####. ## ##### ##### ##### ## ##### ##  
## ##### ## ## #####.

## ##### replcomps ### ## ## #####. ### ##### ## ##### ##  
####:

%(lit)%(formataddr %<{reply-to}% ?{from}% ?{sender}% ?{return-path}%>)\n%<(nonnull)%(void(width))%(putaddr To: -)\n%(lit)%(formataddr {to})%(formataddr {cc})%(formataddr {me})\n%<(nonnull)%(void(width))%(putaddr cc: -)\n

components, ## replcomps#### #####  
## ##### comp ## repl

```
%<{fcc}Fcc: % {fcc}\n%>\n%<{subject}Subject: Re: % {subject}\n%>\n%<{date}In-reply-to: Your message of -"\n%<(nodate{date})% {date}%|(pretty{date})%>."%<{message-id}\n% {message-id}%>\n%>\n-----
```

```
## ##### # ## ##### ##### ## ##### ## ##### components ##### ## ##### ##  
### ##### ## ##### ## #####. ## ##### % (lit) ##### #####  
#####. ## ##### % (formataddr ##### #####  
#####. ## ##### %< ##### ## ##### ## #####  
##### {reply-to}  
## #####. ##### ## ##### ## ## #####
```

*%<si {reply-to} dans le message original ou trouve un champ reply-to  
alors la mettre dans le champ formataddr, %? sinon  
prendre le contenu du champ {from} , %? sinon prendre  
le champ {sender} , %?  
et en dernier lieu prendre le champ {return-path} , %> endif.*

```
##### ## ##### ## #####, ## ##### ## ## ## ##  
#####. ##### ##### ## ## ## ##  
#####. ##### ## ##### ## ## ##  
##### ## ##### ## ##### ## ## ## ## ##. #####  
##### ## ##### replcomps ##### ## ## ## ##  
##### ## ##### ## ## ## ## ## ##
```