

##### ## ##

##### <mailto:matt@garply.com>  
#####: 43126

#####  
#####.

#####, ##/1 # #####  
## ##### # #####  
##### # #####.

##### # #####, ##### # ---  
##### # #####, ##### # ---  
##### # #####. ##### # ##### #  
##### # #####, # ##### # ##### # ##### #  
##### # ##### # ## #.

#1.0, 16 ##### 1996 .

#####

# ##### # ##### # ## #

#####

1. #####	1
2. #####	2
3. ##### # #####	6
4. #####	10

1. #####

## ##### # 1977 ##, # #####, ## #####  
##### #. ## # #####  
## #, ## # #####  
##### #. ##### # #####, ##### ---  
##### #: ## #. ##### #, #####  
##### #, ##### # #####  
##### # #####  
##### # #, ##### #, ##  
##### # #####  
##### # #, ##### #



##### ## ##

## 2.1. inc, msgchk##### ##### ##### ## #####

### ## ##### ##### inc # ##### #####, ## ##### ##### # ##. ### #####—  
##### inc # ##### ##, ## ##### ##### ##### ##### #####—  
### ##### ## ## ##### # ##### ##### ##### Mail # ##### #####  
#####. ### # ## ##### #####, ##### #####, ## ##### #####  
#####:

```
29 01/15 Doug White      Re: Another Failed to boot problem<<On Mon, 15 J
30 01/16 Jordan K. Hubbar Re: FBSD 2.1<<> Do you want a library instead of
31 01/16 Bruce Evans     Re: location of bad144 table<<>> >It would appea
32 01/16 Jordan K. Hubbar Re: video is up<<> Anyway, mrouted won't run, ev
33 01/16 Michael Smith   Re: FBSD 2.1<<Nate Williams stands accused of sa
```

### ## ## #####, ### ## ##### ##### scan (##### [2.3](#),  
[#scan#####](#) [#####](#)). ### ## ##### ##### inc ###  
#####, ## ##### ## ##### ## ##### #####, #####  
#####.

##### ##### ##### ##### ##### #####  
###. ## ##### # ## ## ##### #####. ### #####  
##### inc ##### #####.

```
% inc --host mail.pop.org --user username --norpop
```

### ##### inc ## ##### # mail.pop.org ### #####  
#####, # ##### # ##, ## ##### # ## ##### username. ##—  
##### -norpop ##### inc ## ##### ##3 ### #####  
#####. # ## ##### #####  
##### ## #####, ## ## ##### ## #####. ### # inc ##  
##### #####, ## ## ##### # #####—  
##### ## #####.

##### msgchk ##### ## ##, ### ## # ##  
#####. msgchk ##### -host # -user, ## ## inc.

## 2.2. show, next # prev##### # #####

show ##### # ##### #####. ### # inc, ##### show ###—  
#####. ### ## ##### show # #####, ## ## ##### ##—  
#####. ## ##### ##### #####:

```
% show 32 45 56
```

## ##### 32, 45 # 56 #####. ### ##  
## #####, ##### show # #####  
more ### #####.

scan#####

next #####, # prev #####  
#####. ##### show, #####  
#####

### 2.3. scan#####

scan #####. #####  
####, ##### scan.

30+ 01/16 Jordan K. Hubbar Re: FBSD 2.1<> Do you want a library instead of  
31 01/16 Bruce Evans Re: location of bad144 table<>> >It would appea  
32 01/16 Jordan K. Hubbar Re: video is up<> Anyway, mrouted won't run, ev  
33 01/16 Michael Smith Re: FBSD 2.1<<Nate Williams stands accused of sa

#####. #####  
#####. #####, #####, #####  
#####. ##### + #####, #####  
##### show #####  
#####.

##### -reverse. #####  
#####. #####  
#####. #####  
##### scan #####. #####  
##### inc, #####  
##### scan -file /var/mail/username. #####  
#####.

### 2.4. rmm # rmf#####

rmm #####. #####  
#####. #####  
#####.

##### rmf #####. #####  
#####. #####  
#####.

### 2.5. #####

##### inc. #####  
##### inc # #####.

% inc

##### ## ##

Incorporating new mail into inbox...

36+ 01/19 Stephen L. Lange Request...<<Please remove me as contact for pind  
37 01/19 Matt Thomas Re: kern/950: Two PCI bridge chips fail (multipl  
38 01/19 Amancio Hasty Jr Re: FreeBSD and VAT<<>> Bill Fenner said: > In  
%

### #####  
#####  
show # #####

% **show**

Received: by sashimi.wwa.com (Smail3.1.29.1 #2)  
id m0tdMZ2-001W2UC; Fri, 19 Jan 96 13:33 CST  
Date: Fri, 19 Jan 1996 13:33:31 --0600 (CST)  
From: "-Stephen L. Lange" <stvlange@wwa.com>  
To: matt@garply.com  
Subject: Request...  
Message-Id: <Pine.BSD.3.91.960119133211.824A-100000@sashimi.wwa.com>  
Mime-Version: 1.0  
Content-Type: TEXT/PLAIN; charset=US-ASCII

Please remove me as contact for pindat.com

% **rmm**

% **next**

Received: from localhost (localhost [127.0.0.1]) by whydos.lkg.dec.com (8.6.11/8  
.6.9) with SMTP id RAA24416; Fri, 19 Jan 1996 17:56:48 GMT  
Message-Id: <199601191756.RAA24416@whydos.lkg.dec.com>  
X-Authentication-Warning: whydos.lkg.dec.com: Host localhost didn't use HELO pro  
tocol  
To: hsu@clinet.fi  
Cc: hackers@FreeBSD.org  
Subject: Re: kern/950: Two PCI bridge chips fail (multiple multiport ethernet  
boards)  
In-Reply-To: Your message of "-Fri, 19 Jan 1996 00:18:36 +0100."  
<199601182318.AA11772@Sysiphos>  
X-Mailer: exmh version 1.5omega 10/6/94  
Date: Fri, 19 Jan 1996 17:56:40 +0000  
From: Matt Thomas <matt@lkg.dec.com>  
Sender: owner-hackers@FreeBSD.org  
Precedence: bulk

This is due to a typo in pcireg.h (to  
which I am probably the guilty party).

## ##### rmm ##### next ###  
#####  
#####

##### # ##### #####

% scan last:10

```
26 01/16 maddy          Re: Testing some stuff<<yeah, well, Trinity has
27 01/17 Automatic digest NET-HAPPENINGS Digest -- 16 Jan 1996 to 17 Jan 19
28 01/17 Evans A Criswell Re: Hey dude<<>From matt@tempest.garply.com Tue
29 01/16 Karl Heuer      need configure/make volunteers<<The FSF is looki
30 01/18 Paul Stephanouk Re: [alt.religion.scientology] Raw Meat (humor)<
31 01/18 Bill Lenherr    Re: Linux NIS Solaris<<--- On Thu, 18 Jan 1996 1
34 01/19 John Fieber     Re: Stuff for the email section?<<On Fri, 19 Jan
35 01/19 support@foo.garpl [garply.com #1138] parlor<<Hello. This is the Ne
37+ 01/19 Matt Thomas     Re: kern/950: Two PCI bridge chips fail (multipl
38 01/19 Amancio Hasty Jr Re: FreeBSD and VAT<<>>> Bill Fenner said: > In
%
```

#####, ##### # ##### ##### 27, # ##### show 27, # ##-  
#####. ### # ##### # #####  
#####, ## ##### # #####, # ##### #  
##### # #####.

### 3. ##### # ##### #####

#####, ### ##### #####, #####-  
####, #####, ##### # #####-  
####. ## ##### #, ## #####. ## ##  
## #####. #####, ## # ##-  
#####. # ## #####. ##  
##### # ##### # ##. ## #####  
##### inc ##### # Mail #  
##### # #. ## #  
#####, ## # inbox. # #  
#####, ##### # #.

## ##### # Mail #####  
# ##### #. #####  
##### # # inbox # #,  
#####. #####, ## #  
## # #####, ##  
##### # #. #####  
##### # #. #####  
##### # #, #####

## #, ## # ##### 23 16 42 #  
##### #, ##### #, #####  
##### #. ## # scan +freebsd, ##  
##### freebsd, # # freebsd. ##  
show +freebsd 23 16 42, show # freebsd # 23, 16 # 42.  
##### +folder. ##

##### ## ##

---

### ##### # #####. #####, ### ##### ### ##### # #####  
##### inbox, ### ##### folder +inbox #####  
##### # #####. #####, # #####  
#####, ## # ##### inbox.

### 3.1. pick#####

##### pick ##### ## ##### # #####. ### ## ## --  
### #####(1) ### ##  
#####. # #####

```
% pick --search pci
15
42
55
56
57
```

##### pick ##### ## ##### # #####  
##### # #####, # ##### pci. ##  
##### show ## ##### # #####  
rmm. ### ##### show 15 42 55-57 ## ##  
#####:

```
% pick --search pci --seq pick
5 hits
% show pick
```

### ##### ## ## #####, ## ##  
##### -seq ## #####  
-sequence, # pick #####, ##### --  
#####. ## ##### --  
##### # #####. ### ##  
##### rmm pick, # #####. ## --  
#####. ## ##, ##  
#####, ## ##.

##### pick -search #####, ##  
##### pick ##### --  
#####:

-to  
#####

-cc  
##### cc#####

pick##### ##### ## #####

-from

##### ## ####, ## #####

-subject

#####

-date

#####

--component

##### ## #####. (## ##### --reply-to ##  
#####) (#####)

###

```
% pick --to freebsd-hackers@FreeBSD.org --seq hackers
```

###, ##### # #####  
##### pick #####  
#####:

- ... -and ...
- ... -or ...
- -not ...
- -lbrace ... -rbrace

###

```
% pick --to freebsd-hackers --or --cc freebsd-hackers
```

##### inbox, #####  
#####.  
#####.  
#####

```
% pick --lbrace --to freebsd-hackers --and  
--not --cc freebsd-questions --rbrace --and --subject pci
```

##### (#####  
#####) # #####. ## #####  
#####  
#####  
#####





#####

##### netfuture. #####, ## ## #####, ##### ## #####  
##### ## ##### # ##.

#### 4. #####

##### ## ##### # ##### # ## ##,  
## ## # #####. #####, ##### # #####  
##### ##, ##### ##### # #####, ## # ##—  
#####. ##### # ##### # ##—  
#####. ##### # ##### #####  
##### # ## ##### To: # Subject: ##### # #—  
##### # #####, # ##### # #####  
# ##### # ##### # #####. ## # ##### #—  
##### whatnow. ##### # What now?, ## # #####  
#### # ##### send, list, edit, push ## quit. ##### #  
## #. ##, ##### # ##### # #####,  
##### # ##### # whatnow # ##,  
##### # ##### # #####.

##### 4.1. comp, forw, reply#####, ##### # ## #— ###

##### comp #####. ##### #—  
## # -editor. ## # #—  
##### prompter, ##### # #. ## #  
##### # #, ## # #.  
## # #, ## #  
comp-editor/usr/bin/vi ## comp-editor/usr/local/bin/pico. ##### comp # #  
##### # # # #:

To:  
cc:  
Subject:  
-----

## # #, ## #, ##### To: ## #  
## # #, ## # # #—  
## # Subject: ##### # #  
##### # #, ## # #—  
## # #, ##### # #  
## # # # #.

To:freebsd-rave@FreeBSD.org  
cc:



##### components # replcomps#####

##### comp # repl

##### components #####. ##### components.  
##### components. ##### components.

##### replcomps #####. ##### replcomps #####:

```
% (lit) % (formataddr %<{reply-to} %? {from} %? {sender} %? {return-path} %>) \
%<(nonnull) % (void (width)) % (putaddr To: -) \n%> \
% (lit) % (formataddr {to}) % (formataddr {cc}) % (formataddr {me}) \
%<(nonnull) % (void (width)) % (putaddr cc: -) \n%> \
%<{fcc} Fcc: % {fcc} \n%> \
%<{subject} Subject: Re: % {subject} \n%> \
%<{date} In-reply-to: Your message of -" \
%<(nodate {date}) % {date} % (pretty {date}) %> ." %<{message-id} \
% {message-id} %> \n%> \
-----
```

##### components, ##### components, #####  
##### % (lit) #####  
% (formataddr) #####, #####  
##### %<, ##### {reply-to} #—  
#####. #####. #####  
#####:

```
%< if {reply-to}
# ##### reply-to
## ##### # formataddr, %? else {from}
##### from,
%? else {sender}
##### sender, %?
else {return-path}
##### return-path ## #####,
%> endif.
```

#####. #####  
#####  
##### replcomps, #####  
#####