

##### ## ##

##### <mailto:matt@garply.com>  
#####: 43126

#####  
#####.

#####, ##/1 # #### # ##### #, #  
## ##### # #### # ##### #  
##### # ##### #.

##### #, ##### # ---  
##### #, ##### # ---  
##### #. ##### #  
##### #, # ##### # #, #  
##### # # # #.  
#1.0, 16 ##### 1996 .

#####

# ##### # # #

#####

|            |    |
|------------|----|
| 1. #####   | 1  |
| 2. #####   | 2  |
| 3. ##### # | 6  |
| 4. #####   | 10 |

1. #####

## ##### # 1977 ##, #, ##, ##  
##### #. ## #  
##, ##, ##  
##### #. ##### #, ##  
##### #: ## #. #####  
##### #, ##### #  
##### #  
##### #, ##### #





scan#####

next#####, # prev###  
#####. ###  
#####

2.3. scan#####

scan#####. ###  
####, ### scan.

30+ 01/16 Jordan K. Hubbar Re: FBSD 2.1<> Do you want a library instead of  
31 01/16 Bruce Evans Re: location of bad144 table<>> >It would appea  
32 01/16 Jordan K. Hubbar Re: video is up<> Anyway, mrouted won't run, ev  
33 01/16 Michael Smith Re: FBSD 2.1<<Nate Williams stands accused of sa

### #  
## #  
#####  
#####  
##### show #####

##### -reverse. ###  
#####  
##### scan #####  
##### inc, ##  
##### scan -file /var/mail/username. ###

2.4. rmm # rmf#####

rmm#####. ##  
#####  
#####

##### rmf#####. ###  
#####  
#####

2.5. #####

##### inc. ###  
##### inc #

% inc

##### ## ##

Incorporating new mail into inbox...

36+ 01/19 Stephen L. Lange Request...<<Please remove me as contact for pind  
37 01/19 Matt Thomas Re: kern/950: Two PCI bridge chips fail (multipl  
38 01/19 Amancio Hasty Jr Re: FreeBSD and VAT<<>> Bill Fenner said: > In  
%

### #####  
#####  
show # #####

% **show**

Received: by sashimi.wwa.com (Smail3.1.29.1 #2)  
id m0tdMZ2-001W2UC; Fri, 19 Jan 96 13:33 CST  
Date: Fri, 19 Jan 1996 13:33:31 --0600 (CST)  
From: "Stephen L. Lange" <stvlange@wwa.com>  
To: matt@garply.com  
Subject: Request...  
Message-Id: <Pine.BSD.3.91.960119133211.824A-100000@sashimi.wwa.com>  
Mime-Version: 1.0  
Content-Type: TEXT/PLAIN; charset=US-ASCII

Please remove me as contact for pindat.com

% **rmm**

% **next**

Received: from localhost (localhost [127.0.0.1]) by whydos.lkg.dec.com (8.6.11/8  
.6.9) with SMTP id RAA24416; Fri, 19 Jan 1996 17:56:48 GMT  
Message-Id: <199601191756.RAA24416@whydos.lkg.dec.com>  
X-Authentication-Warning: whydos.lkg.dec.com: Host localhost didn't use HELO pro  
tocol  
To: hsu@clinet.fi  
Cc: hackers@FreeBSD.org  
Subject: Re: kern/950: Two PCI bridge chips fail (multiple multiport ethernet  
boards)  
In-Reply-To: Your message of "Fri, 19 Jan 1996 00:18:36 +0100."  
<199601182318.AA11772@Sysiphos>  
X-Mailer: exmh version 1.5omega 10/6/94  
Date: Fri, 19 Jan 1996 17:56:40 +0000  
From: Matt Thomas <matt@lkg.dec.com>  
Sender: owner-hackers@FreeBSD.org  
Precedence: bulk

This is due to a typo in pcireg.h (to  
which I am probably the guilty party).

## ##### rmm #####  
##### next #####  
#####  
#####

##### # ##### #####

% scan last:10

```
26 01/16 maddy          Re: Testing some stuff<<yeah, well, Trinity has
27 01/17 Automatic digest NET-HAPPENINGS Digest -- 16 Jan 1996 to 17 Jan 19
28 01/17 Evans A Criswell Re: Hey dude<<>From matt@tempest.garply.com Tue
29 01/16 Karl Heuer      need configure/make volunteers<<The FSF is looki
30 01/18 Paul Stephanouk Re: [alt.religion.scientology] Raw Meat (humor)<
31 01/18 Bill Lenherr    Re: Linux NIS Solaris<<--- On Thu, 18 Jan 1996 1
34 01/19 John Fieber     Re: Stuff for the email section?<<On Fri, 19 Jan
35 01/19 support@foo.garpl [garply.com #1138] parlor<<Hello. This is the Ne
37+ 01/19 Matt Thomas    Re: kern/950: Two PCI bridge chips fail (multipl
38 01/19 Amancio Hasty Jr Re: FreeBSD and VAT<<>>> Bill Fenner said: > In
%
```

#####, ##### # ##### ##### 27, # ##### show 27, # ##-  
#####. ### # ##### # #####  
#####, ## ##### # #####, # ##### #  
##### # #####.

### 3. ##### # ##### #####

#####, ### ##### #####, #####-  
####, #####, ##### # #####-  
####. ## ##### #, ## #####. ## ##  
## #####. #####, ## #  
#####. # ## ##### #  
##### # ##### # ##. ##  
##### # ##### # ##### #  
##### inc ##### # Mail #  
##### # # #. ## #  
#####, ## # inbox. #  
#####, ##### # #.

## ##### # Mail #####,  
# ##### # #. #####  
##### # # inbox # #,  
#####. #####, ## #  
## # # #  
##### # #  
##### # # #. #####  
##### # # # # #, #####  
##### # # #.

## #, ## # ##### 23 16 42 #  
##### #, ##### # #, ##### #  
##### #. ## # scan +freebsd, ##  
##### freebsd, # # freebsd. ##  
show +freebsd 23 16 42, show # freebsd # 23, 16 # 42.  
##### +folder. ## #

##### ## ##

---

### ##### # #####. #####, ### ##### ### ##### # #####  
##### inbox, ### ##### folder +inbox #####  
##### # #####. #####, # #####  
#####, ## # ##### inbox.

### 3.1. pick#####

##### pick ##### ## ##### # #####. ### ## ## --  
### #####(1) ### ##  
#####. # #####

```
% pick --search pci
```

```
15
42
55
56
57
```

##### pick ##### ## ##### # #####  
##### # #####, # ##### pci. #####  
##### show ## ##### # #####  
rmm. ### ##### show 15 42 55-57 ## ##  
#####:

```
% pick --search pci --seq pick
```

```
5 hits
```

```
% show pick
```

##### ## ## #####, ## ##  
##### -seq ## #####  
-sequence, # pick #####, ##### --  
#####. ## ##### --  
##### # #####. ### ##  
##### rmm pick, # #####. ## ----  
#####. ##### ##  
#####,

##### pick -search #####  
##### ## #####. ##### pick ##### --  
#####

-to

#####

-cc

##### cc#####

pick##### ##### ## #####

-from

##### ## ####, ## #####

-subject

#####

-date

#####

--component

##### ## ##### #####. (## ##### --reply-to ##  
##### #####  
#####)

### #####

% pick --to freebsd-hackers@FreeBSD.org --seq hackers

### #####, ##### # #####  
##### pick #####  
#####:

- ... -and ...
- ... -or ...
- -not ...
- -lbrace ... -rbrace

### #####

% pick --to freebsd-hackers --or --cc freebsd-hackers

### ##### inbox, #####  
#####.  
#####.  
#####,

% pick --lbrace --to freebsd-hackers --and  
--not --cc freebsd-questions --rbrace --and --subject pci

# ##### (## #####  
#####) # #####. ## #####  
# #####, #####  
##### # #####,  
#####.

##### ## ##

---

## ##### #####. #####, ## ## ##### ##### #---  
##### ## ##### # ##### # ##### # #####, #  
##### # #####? # ## ##### ## ## ##### ##  
##### pick. ## #####, ## ## ## ## #####  
#####. ##### # ##.

### 3.2. folder, folders, refile#####

##### ## #####, ##### ##### #---  
####. ##### folder ##### # #####, ## #####  
# ##### #. ##### # ##### # ##### folder  
+newfolder, # ## newfolder. # ##### # ##  
#### comp, repl, scan # show ##### newfolder.

##### # ##### # #####. #####  
## ##### scan, ## ##### 34, 35, 36, 43, 55,  
56, 57, 80. ##### folder -pack, ## #---  
#####, ## ## #. ##### # #####. ##  
## ## ##### # ##### mm#  
#####.

#### # ##, ## # folders  
## folder-all, #####, # ##  
##### # #####, # ##. #####  
#####, ##### # #####, ## ##,  
## # folder +foldername. #####  
##### folders #####:

```
Folder    # of messages ( range -); cur msg (other files)
announce  has  1 message ( 1- 1).
drafts    has  no messages.
f-hackers has 43 messages ( 1- 43).
f-questions has 16 messages ( 1- 16).
inbox+    has 35 messages ( 1- 38); cur= 37.
lists     has  8 messages ( 1- 8).
netfuture has  1 message ( 1- 1).
out       has 31 messages ( 1- 31).
personal  has  6 messages ( 1- 6).
todo      has 58 messages ( 1- 58); cur= 1.
```

TOTAL= 199 messages in 13 folders.

##### refile #####  
## ##### refile 23 +netfuture, ## 23 #  
##### netfuture. ## ##### refile 23 +netfuture/latest, #####  
##### 23 # ##### latest, ##### netfuture. ##  
## ##### # ##, ##  
##### refile-link 23 +netfuture, ##### 23 # inbox, ##

#####

##### netfuture. #####, ## ## #####, ##### ## #####  
##### ## ##### # ##.

#### 4. #####

##### ## ##### ##### ##### # ##### # ## ##,  
## ## # ##### ##### #####. #####, ##### # #####  
##### ##, ##### ##### ##### ##### # #####, ## # ##-  
##### #####. ##### # ##### # ##### # ##-  
##### #####. ##### ##### # ##### #####  
##### # ## ##### # ##### To: # Subject: ##### # #-  
##### # ##### #, ##### # ##### #####  
# ##### # ##### # #####. ## ##### #-  
##### whatnow. ##### # What now?, ## #####  
#### # ##### send, list, edit, push ## quit. #####  
## ##. ##, ##### ##### ##### whatnow #####,  
##### # ##### # #####.

##### 4.1. comp, forw, reply#####, ##### # ## ##### #- ###

##### comp ##### ##### #####. ##### #-  
### ##### -editor. ## ##### # ##### #-  
##### ##### prompter, ##### #. ## #  
##### #, ## #, ## #. ## #  
## ##### #, ## #####  
comp-editor/usr/bin/vi ## comp-editor/usr/local/bin/pico. ##### comp ## #  
##### # ##### #:

To:  
cc:  
Subject:  
-----

## #####, ##### # #####, ##### To: ##  
##### # #####, ## ## ## ##### #-  
## ##### Subject: ##### # #####  
#####. ## #####, ## #-  
## #####, ## #. ## # ## #-  
#####.

To:freebsd-rave@FreeBSD.org  
cc:

##### ## ##

Subject:And on the 8th day God created the FreeBSD core team

-----  
Wow this is an amazing operating system. Thanks!

##### ## ##### ##### # ##### # #####. ## ##### ##-  
##### What now? # ##### ##### send ### s # ##### #####. ##### ##-  
## ##### ##### ##### ##### #####. ## #  
##### ##, ## ##### ##### ##### ##### # #####  
What now?. #####, ## ##### ##### quit, ##### # ##### #####.

##### forw #####. ##### ##### ##, ## #####, ##-  
##### # #####, ##### # #####. ##### #  
##### forw, ## ##### #####. ## #####  
##### # #####, ##### forw 23, #####  
##### 23, # # ##### #-  
#####. ##### forw ##### # #,  
## comp. # # ##### # # #####.

## ##### repl ##### # #####, ##### # # #-  
##### repl #####, ##### #-  
## # #####. ##### # #####,  
## # ##### To: ## #####. ##### #  
##### Subject. ##### # ##### #  
## #####. ##### # ##### -cc. # #  
##### all, to, cc # me ##### -cc ## #, ##### repl #####  
##### # Cc:#####. #, #, #, #, # #-  
#####. ## #####, ##### #  
##### # # #.

4.2. ##### components # replcomps##### # # # comp #  
repl

#### components ##### # ##### /usr/local/lib/mh. ## ##### #-  
##### # # # # # #, ##### #-  
##### #, ## #. ## #. # #####  
#####, ##### # #####. #####  
comp ##### # components # ##### #. ## ##### #-  
##### #822 #####. #, #####  
components # # #:

To:  
Fcc: out  
Subject:  
X-Mailer: MH 6.8.3  
X-Home-Page: <http://www.FreeBSD.org/>  
-----

```
##### # ##### ##### ##### # ##### # # # #####.
##### components #####. ##### # ##### #####, #####
##### # ##### # ##### components.
```

```
%{lit}%{formataddr %<{reply-to}%?{from}%?{sender}%?{return-path}%>)\n%<(nonnull%)(void(width))%(putaddr To: -)\n%>\n%{lit}%{formataddr{to}}%(formataddr{cc})%(formataddr(me))\n%<(nonnull%)(void(width))%(putaddr cc: -)\n%>\n%<{fcc}Fcc: % {fcc}\n%>\n%<{subject}Subject: Re: % {subject}\n%>\n%<{date}In-reply-to: Your message of -"\n%<(nodate{date})% {date}%{pretty{date}}%>."%<{message-id}\n% {message-id}%>\n%>\n-----
```

```
%<if {reply-to}
# #####
## ##### ## # formataddr, %? else {from}
##### from,
%? else {sender}
##### sender, %?
else {return-path}
##### return-path ## #####,
%> endif.
```

12