

XMLmind XML Editor - Configuration and Deployment

Hussein Shafie
Pixware

`<xmleditor-support@xmlmind.com>`

XMLmind XML Editor - Configuration and Deployment

Hussein Shafie

Pixware

<xmleditor-support@xmlmind.com>

Publication date October 28, 2010

Abstract

This document describes how to customize and deploy XxE.

I. Guide	1
1. Introduction	2
2. Writing a configuration file for XXE	3
1. DTD example	4
2. W3C XML Schema example	5
3. RELAX NG example	8
3. Customizing mouse and key bindings used by XXE	10
1. Bindings specific to a document type	10
2. Generic bindings	10
4. Using HTML4 tables or CALS tables in your own custom schema	12
1. HTML4 tables	12
1.1. HTML4 table editor command	13
2. HTML4 form elements	13
3. CALS tables	14
3.1. CALS table editor command	14
5. Customizing an existing configuration	15
1. Adding a custom document template	15
2. Replacing an existing document template	16
3. Removing an existing document template	16
4. Adding a custom CSS style sheet	17
5. Replacing an existing CSS style sheet	18
6. Removing an existing CSS style sheet	18
7. Adding buttons to the tool bar	18
8. Adding items to the menu	18
9. Parametrizing the XSLT style sheets used in the Convert Document submenu	19
10. Customizing the XSLT style sheets used in the Convert Document submenu	20
11. Using a custom CSS style sheet to style the HTML files generated by the Convert Document submenu	23
6. Deploying XXE	25
1. Dynamic discovery of add-ons	25
1.1. The lookup phase during XXE startup	25
1.2. Files containing the add-ons	26
2. Centralizing add-ons on a HTTP server	28
3. Deploying XXE using Java™ Web Start	30
3.1. The deploywebstart command-line tool	30
3.2. Deploying XXE using Java™ Web Start, a step by step description	32
3.3. Comparison between deployment using Java Web Start and just centralizing the add-ons on a HTTP server	34
4. Deploying XXE as an applet	34
4.1. Requirements	35
4.2. Testing the XXE applet, a step by step description	35
4.3. Integrating the applet with your web application	36
4.3.1. Dynamically generating an HTML page referencing the applet	36
4.3.2. The four different kinds of applet	37
4.3.3. Applet parameters	38
4.3.4. Applet scripting	39
II. Reference	43
7. Configuration elements	44
1. binding	44
2. command	48
3. configuration	49
4. css	50
5. DTD	51
6. detect	51
7. documentResources	55
8. elementTemplate	56
8.1. Adding empty text nodes to your element templates	57
8.2. Specificities of selectable="override"	58

9. help	59
10. imageToolkit	59
11. include	62
12. inclusionScheme	62
13. linkScheme	63
14. menu	66
14.1. Multiple menus	69
15. newElementContent	69
16. property	70
17. parameterGroup	71
18. parameterSet	71
19. preserveSpace	72
20. relaxng	72
21. saveOptions	73
22. schema	75
23. schematron	75
23.1. Relationship between schematron and validateHook	76
24. spellCheckOptions	77
25. spreadsheetFunctions	79
26. template	79
27. toolBar	80
27.1. Multiple toolBars	82
28. translation	83
29. validate	84
30. validateHook	84
31. windowLayout	85

Part I. Guide

Chapter 1. Introduction

XMLmind XML Editor (XXE for short) is an XML editor designed for production use. Unlike many other XML editors, its user interface does not allow to do simple things such as:

- Open an XML document in the editor and, after this, use a dialog box to associate a DTD and/or a style sheet to the newly opened document.
- Select a DTD or schema using a file chooser and then, use another dialog box to select the root element of a new document (conforming to the chosen DTD or schema).

The above features are useful if you muse with an XML file from time to time. They are almost never needed in production use, for example, writing a book ten hours a day.

Out of the box, XXE can be used to author XHTML, DocBook and DITA¹ documents with a good personal productivity.

But if you need to achieve *excellent* productivity for a group of users in your organization or if you need to use a proprietary DTD, W3C XML Schema or RELAX NG schema, then you'll have to customize existing XXE configurations or you'll have to write a custom configuration for your proprietary schema from scratch.

In an organization, the task of writing a configuration file for XXE is ideally performed by a single person, who belongs to the group of XML authors, but who is specially motivated by becoming the *local guru*.

- The local guru really needs to understand the job of the group of XML authors which will use XXE.
- The local guru really needs to be motivated because she/he will have to read tons of documentation: XXE documentation, but also many W3C standards such as XML, CSS, XPath, etc.
- The local guru does *not* need to be a programmer, or even a member of the IT staff.

If you don't have a person with the profile of a local guru, you may consider hiring an external consultant for a few days.

¹Simplified DocBook, Slides, etc, are available as add-ons.

Chapter 2. Writing a configuration file for XXE

A configuration file is an XML file¹ that customizes XXE for a specific XML application. XXE is bundled with configurations for a few XML applications: DITA, DocBook, XHTML, etc. More configurations (e.g. Slides) are available but they need the user to download and install the corresponding add-on².

This section describes how to write a configuration for a custom DTD, for a custom W3C XML Schema and for a custom RELAX NG schema.

The configurations used as examples are *minimal* configurations. The following configuration items are not described in this section:

- Named element templates. See `elementTemplate` [56].
- Custom commands implemented in the Java™ language. See `command` [48].
- Macro commands. See `command` [48].
- Menu bar menu. See `menu` [66].
- Tool bar buttons. See `toolBar` [80].
- Popup menus. See `binding` [44].
- Mouse and/or keyboard bindings. See `binding` [44].

Please read Configuration elements [44] if you need to use any of these customization items.

Some sample configurations are found in `XXE_install_dir/doc/configure/samples/`:

`example1/`
The DTD example below.

`example2/`
The W3C XML Schema example below.

`example3/`
The RELAX NG example below.

`imagedemo/`
Another configuration, using W3C XML schemas like `example2` but much more comprehensive. This configuration has been created to explain how to cope with XML documents containing *embedded* binary (i.e. TIFF, PNG, etc) or XML (i.e. SVG) images. However, it is also useful as an example of an XXE configuration.

`topic_plus_tag/`
A configuration for a DITA topic *specialization*. This specialization adds a `tag` element to the topic DTD. A `tag` element has a required `kind` attribute. The values allowed for the `kind` attribute are: `attribute`, `attvalue`, `element`, `emptytag`, `endtag`, `genentity`, `localname`, `namespace`, `numcharref`, `paramentity`, `pi`, `prefix`, `comment`, `starttag`.

This configuration has been created by customizing the stock DITA topic configuration as explained in Chapter 5, *Customizing an existing configuration* [15].

¹Conforming to W3C XML Schema `configuration.xsd` available after downloading and installing add-on called "XMLmind XML Editor Configuration Pack".

²Simply use Options → Install Add-ons for that.

1. DTD example

1. Create a subdirectory named `example1` in the `addon/` subdirectory of XXE user preferences directory.

XXE user preferences directory is:

- `$HOME/.xxe4/` on Linux.
- `$HOME/Library/Application Support/XMLmind/XMLEditor4/` on the Mac.
- `%APPDATA%\XMLmind\xMLEditor4\` on Windows 2000, XP, Vista.

Example: `C:\Documents and Settings\john\Application Data\xMLmind\xMLEditor4\` on Windows 2000 and XP. `C:\Users\john\AppData\Roaming\xMLmind\xMLEditor4\` on Windows Vista.

Next chapter [25] explains how to create a configuration which can be shared with other users. For now suffice to know that this personal `addon/` directory is recursively scanned by XXE during its startup in order to load all files ending with `".xxe"`. (This also means that you are free to organize this subdirectory like you want.)

2. Copy `example1.dtd` to directory `addon/example1/`.

```
<!ELEMENT doc (para+)>
<!ELEMENT para (#PCDATA)>
<!--ATTLIST para align (left|center|right) "left"-->
```

3. Copy `example1.css` to directory `addon/example1/`.

```
doc,
para {
    display: block;
}
para {
    margin: 1ex 0;
}
para[align] {
    text-align: concatenate(attr(align));
}
```

4. Create a document template for DTD `"-//XMLmind//DTD Example1//EN"` using a text editor. Save it as `addon/example1/example1.xml`.

```
<?xml version="1.0" encoding="UTF-8" ?>
<!DOCTYPE doc PUBLIC "-//XMLmind//DTD Example1//EN"
    "http://www.xmlmind.com/public/dtd/example1.dtd">
<doc>
  <para></para>
</doc>
```

It is highly recommended to use a public, absolute, URL such as `"http://www.xmlmind.com/public/dtd/example1.dtd"` rather than relative URL `"example1.dtd"`.

5. Using a text editor, create a XML catalog where public ID `"-//XMLmind//DTD Example1//EN"` is associated to local file `example1.dtd`. Save it as `addon/example1/example1_catalog.xml`.

```
<?xml version="1.0" ?>
<catalog xmlns="urn:oasis:names:tc:entity:xmlns:xml:catalog"
    prefer="public">
  <public publicId="-//XMLmind//DTD Example1//EN"
    uri="example1.dtd"/>
</catalog>
```

This catalog will spare XXE the effort of downloading DTD `example1.dtd` from `http://www.xmlmind.com/public/dtd/example1.dtd`.

6. Create a configuration file for XXE. Save it as `addon/example1/example1.xxe`.

```
<?xml version='1.0' encoding='ISO-8859-1'?>
<configuration name="Example1"
  xmlns="http://www.xmlmind.com/xmleditor/schema/configuration"
  xmlns:cfg="http://www.xmlmind.com/xmleditor/schema/configuration">
  <detect>
    <dtdPublicId>-//XMLmind//DTD Example1//EN</dtdPublicId>
  </detect>

  <css name="Style sheet" location="example1.css" />

  <template name="Template" location="example1.xml" />
</configuration>
```

If you create a configuration file with a text editor, do not forget to check its validity before deploying it because, for performance reasons, XXE does not thoroughly validate its configuration files at start-up time. The simplest way to do that is to open the configuration file in XXE.

7. Restart XXE.

Now you can use File → New and select Example1/Template to create a new document.

Important

Do not forget to temporarily disable the Schema cache (using Options → Preferences, Schema tab, Enable cache toggle) if you intend to develop your own DTD and test it using XXE.

8. Make sure that the template document is valid: the red icon must *not* be displayed at the bottom/left of XXE window.

If the template document, `example1.xml`, is invalid, please use a text editor and fix it because XXE is not designed to be comfortable to use with invalid documents.

Short description of `addon/example1/example1.xxe`. See Configuration elements [44] to have more details.

- configuration [49]: The configuration file must have a name that ends with ".`xxe`" and the configuration element must have a name attribute and must contain a detect [51] element in order to be loaded by XXE.

Configuration files without a name and/or without a detect element are typically included by other configuration files, see include [62]. To speed up the start up of XXE, it is recommended to use another suffix such as ".`incl`" to name these files.

- detect [51]: Simplest possible detection condition for a DTD based document: if a document opened by XXE has a `<!DOCTYPE>` with public ID equals to `-//XMLmind//DTD Example1//EN`, then XXE will automatically use configuration `addon/example1/example1.xxe`.
- css [50]: If a document detected by Example1 configuration has no `<?xml-stylesheet?>` processing instruction specifying a CSS style sheet, XXE will automatically use `addon/example1/example1.css`.
- template [79]: Entry Example1/Template is listed in the File → New dialog box. Selecting this entry allows you to create a new document with the `-//XMLmind//DTD Example1//EN` document type.

2. W3C XML Schema example

The W3C XML Schema example is similar to the DTD example.

1. Create a subdirectory named `example2` in the `addon/` subdirectory of XXE user preferences directory [4]:
2. Copy `example2.xsd` to directory `addon/example2/`.

```
<?xml version='1.0' encoding='ISO-8859-1'?>
<xs:schema elementFormDefault="qualified"
targetNamespace="http://www.xmlmind.com/xmleditor/schema/example2"
xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:e2="http://www.xmlmind.com/xmleditor/schema/example2">
  <xs:element name="doc">
    <xs:complexType>
      <xs:sequence>
        <xs:element type="e2:Para" maxOccurs="unbounded" name="para"
minOccurs="1"></xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>

  <xs:complexType name="Para" mixed="true">
    <xs:attribute default="left" name="align" type="e2:Align"></xs:attribute>
  </xs:complexType>

  <xs:simpleType name="Align">
    <xs:restriction base="xs:NMTOKEN">
      <xs:enumeration value="left"></xs:enumeration>
      <xs:enumeration value="center"></xs:enumeration>
      <xs:enumeration value="right"></xs:enumeration>
    </xs:restriction>
  </xs:simpleType>
</xs:schema>
```

3. Copy example2.css to directory addon/example2/.

```
@namespace url(http://www.xmlmind.com/xmleditor/schema/example2);

doc,
para {
  display: block;
}
para {
  margin: 1ex 0;
}
para[align] {
  text-align: concatenate(attr(align));
}
```

This style sheet would work fine without default namespace declaration at the top of it but rule matching is faster when @namespace is used.

4. Create a document template for XML Schema "http://www.xmlmind.com/xmleditor/schema/example2" using a text editor. Save it as addon/example2/example2.xml.

```
<?xml version="1.0" encoding="UTF-8" ?>
<doc xmlns="http://www.xmlmind.com/xmleditor/schema/example2"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.xmlmind.com/xmleditor/schema/example2
    http://www.xmlmind.com/public/schema/example2.xsd">
  <para></para>
</doc>
```

If you specify an `xsi:schemaLocation` or an `xsi:noNamespaceSchemaLocation` attribute, it is highly recommended to use a public, absolute, URL such as "http://www.xmlmind.com/public/schema/example2.xsd" rather than relative URL "example2.xsd".

5. Using a text editor, create a XML catalog where URL "http://www.xmlmind.com/public/schema/example2.xsd" is associated to local file example2.xsd. Save it as addon/example2/example2_catalog.xml.

```
<?xml version="1.0" ?>
<catalog xmlns="urn:oasis:names:tc:entity:xmlns:xml:catalog"
  prefer="public">
  <uri name="http://www.xmlmind.com/public/schema/example2.xsd"
```

```
uri="example2.xsd"/>
</catalog>
```

This catalog will spare XXE the effort of downloading W3C XML Schema `example2.xsd` from `http://www.xmlmind.com/public/schema/example2.xsd`.

6. Create a configuration file for XXE. Save it as `addon/example2/example2.xxe`.

```
<?xml version='1.0' encoding='ISO-8859-1'?>
<configuration name="Example2"
  xmlns="http://www.xmlmind.com/xmleditor/schema/configuration"
  xmlns:cfg="http://www.xmlmind.com/xmleditor/schema/configuration">
  <detect>
    <rootElementNamespace
      >http://www.xmlmind.com/xmleditor/schema/example2</rootElementNamespace>
    </detect>

    <schema>
      <location>http://www.xmlmind.com/xmleditor/schema/example2
        example2.xsd</location>
    </schema>

    <css name="Style sheet" location="example2.css" />

    <template name="Template" location="example2.xml" />
  </configuration>
```

If you create a configuration file with a text editor, do not forget to check its validity before deploying it because, for performance reasons, XXE does not thoroughly validate its configuration files at start-up time. The simplest way to do that is to open the configuration file in XXE.

7. Restart XXE.

Now you can use `File → New` and select `Example2/Template` to create a new document.

Important

Do not forget to temporarily disable the Schema cache (using `Options → Preferences, Schema tab, Enable cache toggle`) if you intend to develop your own schema and test it using XXE.

8. Make sure that the template document is valid: the red icon must *not* be displayed at the bottom/left of XXE window.

If the template document, `example2.xml`, is invalid, please use a text editor and fix it because XXE is not designed to be comfortable to use with invalid documents.

About `addon/example2/example2.xxe`:

- `detect` [51]: Simplest possible detection condition for a XML Schema based document: if a document opened by XXE has a root element in namespace `"http://www.xmlmind.com/xmleditor/schema/example2"` then XXE will automatically use configuration `addon/example2/example2.xxe`.
- `schema` [75]: this configuration element allows to avoid specifying `xsi:schemaLocation` or `xsi:noNamespaceSchemaLocation` attributes in your documents. With it, your document template could be:

```
<?xml version="1.0" encoding="UTF-8" ?>
<doc xmlns="http://www.xmlmind.com/xmleditor/schema/example2">
  <para></para>
</doc>
```

which is simpler and cleaner.

3. RELAX NG example

The RELAX NG example is similar to the other examples.

1. Create a subdirectory named `example3` in the `addon/` subdirectory of XXE user preferences directory [4]:
2. Copy `example3.rnc`³ to directory `addon/example3/`.

```
default namespace = "http://www.xmlmind.com/xmleditor/schema/example3"
namespace a = "http://relaxng.org/ns/compatibility/annotations/1.0"

start = doc-element

doc-element = element doc {
  para-element+
}
para-element = element para {
  mixed {
    [ a:defaultValue = "left" ]
    attribute align { "left" | "center" | "right" }?
  }
}
```

3. Copy `example3.css` to directory `addon/example3/`.

```
@namespace url(http://www.xmlmind.com/xmleditor/schema/example3);

doc,
para {
  display: block;
}
para {
  margin: 1ex 0;
}
para[align] {
  text-align: concatenate(attr(align));
}
```

This style sheet would work fine without default namespace declaration at the top of it but rule matching is faster when `@namespace` is used.

4. Create a document template for RELAX NG schema `"http://www.xmlmind.com/xmleditor/schema/example3"` using a text editor. Save it as `addon/example3/example3.xml`.

```
<?xml version="1.0" encoding="UTF-8" ?>
<doc xmlns="http://www.xmlmind.com/xmleditor/schema/example3">
  <para></para>
</doc>
```

Note that, unlike with DTDs and with W3C XML Schemas, there is no standard way to associate a RELAX NG schema to an instance⁴.

5. Create a configuration file for XXE. Save it as `addon/example3/example3.xxe`.

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<configuration name="Example3"
  xmlns="http://www.xmlmind.com/xmleditor/schema/configuration"
  xmlns:cfg="http://www.xmlmind.com/xmleditor/schema/configuration">
  <detect>
    <rootElementNamespace
      >http://www.xmlmind.com/xmleditor/schema/example3</rootElementNamespace>
```

³Example3.rnc is also available in `XXE_install_dir/doc/configure/samples/example3/`, in case you prefer the XML syntax to the compact syntax.

⁴There is a non standard, proprietary, way to do that: the `<?xxe-relaxng-schema location="..."?>` processing instruction [55]. However, its use should be restricted to testing and other quick and dirty experiments.

```
</detect>

<relaxng compactSyntax="true" encoding="ISO-8859-1" location="example3.rnc"/>

<css location="example3.css" name="Style sheet"/>

<template location="example3.xml" name="Template"/>
</configuration>
```

The `relaxng` configuration element is essential because there is no standard way to associate a RELAX NG schema to an instance.

6. Restart XXE.

Now you can use File → New and select Example3/Template to create a new document.

Important

Do not forget to temporarily disable the Schema cache (using Options → Preferences, Schema tab, Enable cache toggle) if you intend to develop your own schema and test it using XXE.

7. Make sure that the template document is valid: the red icon must *not* be displayed at the bottom/left of XXE window.

If the template document, `example3.xml`, is invalid, please use a text editor and fix it because XXE is not designed to be comfortable to use with invalid documents.

Chapter 3. Customizing mouse and key bindings used by XXE

1. Bindings specific to a document type

A configuration file such as `XXE_install_dir/addon/config/docbook/docbook.xxe` can contain binding [44] elements. A binding element specifies:

- a keystroke or a sequence of keystrokes which triggers a command,
- OR a mouse input which triggers a command or displays a custom popup menu.

For example, adding the following binding element to `docbook.xxe` will allow to convert selected text to emphasis (with role attribute set to bold) by pressing on function key **F5**:

```
<binding>
  <keyPressed code="F5" />
  <command name="docb.convertToBold" />
</binding>

<command name="docb.convertToBold">
  <macro>
    <sequence>
      <command name="convert" parameter="[implicitElement] emphasis" />
      <command name="putAttribute" parameter="role bold" />
    </sequence>
  </macro>
</command>
```

It is recommended to add custom bindings into a separate file and to include this file in configurations files bundled with XXE rather than directly modifying the bundled configuration files.

For example, if you want to use the **F5** key for converting text to emphasis in all documents belonging to the DocBook family (DocBook, Simplified DocBook, Slides), add the elements of the previous example to a file called `/opt/xxe-custom/extrabindings.incl` and include this file in `XXE_install_dir/addon/config/docbook/docbook.xxe`.

```
<include location="file:///opt/xxe-custom/extrabindings.incl" />
```

In next chapter [15], we will learn how to that without modifying the bundled configuration files.

Important

XXE does not allow bindings defined in document type specific configuration files to override its menu accelerators.

Example 1: you cannot bind **Ctrl+Q** to command `docb.convertToBold` because **Ctrl+Q** is used to quit XXE.

Example 2: you cannot bind **Ctrl+I** to command `docb.convertToBold` because, by default, **Ctrl+I** triggers command "insert" with parameter "into" (menu item Edit → Insert).

2. Generic bindings

What if you want add bindings which are not specific to a document type. Do you really have to include them in all configuration files?

What if you really *hate* some of the default bindings of XXE? Do you really have to stop using XXE?

The answer is no to both questions. Simply add your generic bindings to a file called `customize.xxe` anywhere XXE can find it. For example, create this file in the `addon/` subdirectory of your user preferences directory. XXE user preferences directory is:

- `$HOME/.xxe4/` on Linux.
- `$HOME/Library/Application Support/XMLmind/XMLEditor4/` on the Mac.
- `%APPDATA%\XMLmind\XMLEditor4\` on Windows 2000, XP, Vista.

Example: `C:\Documents and Settings\john\Application Data\XMLmind\XMLEditor4\` on Windows 2000 and XP. `C:\Users\john\AppData\Roaming\XMLmind\XMLEditor4\` on Windows Vista.

For more information about how XXE finds its configuration files, please read Section 1, “Dynamic discovery of add-ons” [25].

If several configuration files called `customize.xxe` are found, their contents are merged with a higher priority to `customize.xxe` files found in the user preferences directory.

File `customize.xxe` may also be used to specify `parameterGroup` [71], `imageToolkit` [59], `spreadsheetFunctions` [79], `property` [70].

A *very useful*¹ sample `customize.xxe` may be downloaded and installed using XXE add-on manager (Options → Install Add-ons). Excerpt of this sample `customize.xxe`:

```
. . .
<binding>
  <keyPressed code="ESCAPE" />
  <charTyped char="l" />
  <command name="convertCase" parameter="lower" />
</binding>

<binding>
  <keyPressed code="ESCAPE" />
  <charTyped char="u" />
  <command name="convertCase" parameter="upper" />
</binding>

<command name="insertCommandOutput">
  <macro>
    <sequence>
      <command name="run" />
      <command name="insertString" parameter="%_" />
    </sequence>
  </macro>
</command>

<binding>
  <keyPressed code="ESCAPE" />
  <charTyped char="!" />
  <command name="insertCommandOutput" />
</binding>
. . .
```

Important

Defining a binding in `customize.xxe` prevents XXE from using the same keystroke as a menu accelerator. For example, if you bind a command such as `recordMacro toggle` to **Ctrl+O**, then menu item File → Open will lose its customary shortcut.

¹Yours truly cannot use XXE without it.

Chapter 4. Using HTML4 tables or CALS tables in your own custom schema

If you create a custom schema and need general purpose tables for it, you'll probably choose the well-known HTML4 or CALS¹ tables.

Tip

If this is not the case and if you have created your own table model, then you can still use the generic, parameterizable, table editor documented in Section 107, “A generic, parametrizable, table editor command” in *XMLmind XML Editor - Commands*. Note that, for this generic table editor to work with your table model, your table model needs to vaguely resemble the HTML table model (table contains rows, themselves possibly contained in row groups, etc).

Including the definition of table elements in your custom schema will not be described in this chapter. Instead this chapter will explain:

- how to properly render HTML4 or CALS tables on screen by using a CSS style sheet;
- how to include table editing commands in your custom configuration for XXE.

Important

All the CSS style sheets and all the commands described below have been designed to properly work whatever is the namespace you have chosen for your schema and/or for the table elements.

1. HTML4 tables

The corresponding support code is contained in `XXE_install_dir/addon/config/xhtmll/xhtmll.jar`.

Procedure 4.1. Procedure

1. Add this snippet at the top of your CSS style sheet:

```
@import url(xxe-config:xhtml/css/xhtmll_table.imp);
```

If you use a namespace (e.g. `http://acme.com/ns`) for all the elements defined in your schema, including for table elements, add this snippet instead. This is not strictly needed but this will speed up the rendering of XML elements on screen:

```
@namespace "http://acme.com/ns";
@import url(xxe-config:xhtml/css/xhtmll_table.imp);
```

2. Add this snippet in your custom configuration for XXE. In the example below, you have chosen to prefix all the custom commands declared in your configuration using prefix `"my."`.

```
<command name="my.tableEdit">
  <class>com.xmlmind.xmleditext.xhtml.table.HTMLTableEdit</class>
</command>
```

After that, you can reference the above table commands in your custom menu, custom tool bar or custom bindings. Example:

```
<menu label="M_yDoc">
  <item label="Insert Column _Before"
    icon="xxe-config:common/icons/insertColumnBefore.png"
```

¹That is, DocBook tables up to V4.2. DocBook V4.3+ supports both HTML4 and CALS tables.

```
command="my.tableEdit" parameter="insertColumnBefore"/>
...
```

1.1. HTML4 table editor command

Prerequisite in terms of selection	Parameter	Description
A cell or an element having a cell ancestor must be implicitly or explicitly selected.	insertColumnBefore	Insert a column before column containing specified cell.
	insertColumnAfter	Insert a column after column containing specified cell.
	cutColumn	Cut to the clipboard the column containing specified cell.
	copyColumn	Copy to the clipboard the column containing specified cell.
	pasteColumnBefore	Paste copied or cut column before column containing specified cell.
	pasteColumnAfter	Paste copied or cut column after column containing specified cell.
	deleteColumn	Delete the column containing specified cell.
A row must be explicitly selected. OR a cell or an element having a cell ancestor must be implicitly or explicitly selected.	insertRowBefore	Insert a row before row containing specified cell.
	insertRowAfter	Insert a row before row containing specified cell.
	cutRow	Cut to the clipboard the row containing specified cell.
	copyRow	Copy to the clipboard the row containing specified cell.
	pasteRowBefore	Paste copied or cut row before row containing specified cell.
	pasteRowAfter	Paste copied or cut row after row containing specified cell.
	deleteRow	Delete the row containing specified cell.
A cell or an element having a cell ancestor must be implicitly or explicitly selected.	incrColumnSpan	Increment the number of columns spanned by specified cell.
	decrColumnSpan	Decrement the number of columns spanned by specified cell.
	incrRowSpan	Increment the number of rows spanned by specified cell.
	decrRowSpan	Decrement the number of rows spanned by specified cell.

2. HTML4 form elements

What applies to HTML4 tables, also applies to HTML4 form elements (input, textarea, etc).

Procedure 4.2. Procedure

- Add this snippet at the top of your CSS style sheet:

```
@import url(xxe-config:xhtml/css/xhtml_form.imp);
```

If you use a namespace (e.g. `http://acme.com/ns`) for all the elements defined in your schema, including for form elements, add this snippet instead. This is not strictly needed but this will speed up the rendering of XML elements on screen:

```
@namespace "http://acme.com/ns";
@import url(xxe-config:xhtml/css/xhtml_form.imp);
```

3. CALS tables

he corresponding support code is contained in `XXE_install_dir/addon/config/docbook/docbook.jar`.

Procedure 4.3. Procedure

1. Add this snippet at the top of your CSS style sheet:

```
@import url(xxe-config:docbook/css/cals_table.imp);
```

If you use a namespace (e.g. `http://acme.com/ns`) for all the elements defined in your schema, including for table elements, add this snippet instead. This is not strictly needed but this will speed up the rendering of XML elements on screen:

```
@namespace "http://acme.com/ns";  
@import url(xxe-config:docbook/css/cals_table.imp);
```

2. Add this snippet in your custom configuration for XXE. In the example below, you have chosen to prefix all the custom commands declared in your configuration using prefix "my.".

```
<command name="my.tableEdit">  
  <class>com.xmlmind.xmleditext.docbook.table.CALSTableEdit</class>  
</command>
```

After that, you can reference the above table commands in your custom menu, custom tool bar or custom bindings. Example:

```
<menu label="M_yDoc">  
  <item label="Insert Column _Before"  
    icon="xxe-config:common/icons/insertColumnBefore.png"  
    command="my.tableEdit" parameter="insertColumnBefore"/>  
  ...  
</menu>
```

3. File `docbook.jar` also contains a *validation hook* which ensures that the `cols` attribute of elements `tgroup` and `entrytbl` is always set to a correct value before a DocBook document is validated and hence, saved to disk.

Using commands `tableColumn` and `tableRow` also ensures that the `cols` attribute is up to date. However it is strongly recommended to add this validation hook to your custom configuration. This is done by adding this snippet:

```
<validateHook name="cols_checker">  
  <class>com.xmlmind.xmleditext.docbook.table.ValidateHookImpl</class>  
</validateHook>
```

3.1. CALS table editor command

The parameters supported by this table editor command are identical to those of the HTML4 table editor command [13].

Chapter 5. Customizing an existing configuration

This chapter is not a tutorial. It will merely give you some recipes. If you want to understand what you are doing, please refer to Configuration elements [44].

Let's suppose you want to customize one of the DITA¹, DocBook 5, DocBook 4 or XHTML configurations, here's what to do.

1. Create in `XXE_user_preferences_dir/addon/`² a subdirectory which will contain all the files comprising your customization.

The name of this directory is not important. Let's suppose you have created `XXE_user_preferences_dir/addon/custom/`.

2. Copy one of the following template files depending on which configuration you want to customize:

Configuration Name	Procedure
DITA	Copy <code>0topic.xxe</code> to <code>custom/</code> .
DITA Map	Copy <code>0map.xxe</code> to <code>custom/</code> .
DITA BookMap	Copy <code>0bookmap.xxe</code> to <code>custom/</code> .
DocBook v5+	Copy <code>0docbook5.xxe</code> to <code>custom/</code> .
DocBook	Copy <code>0docbook.xxe</code> to <code>custom/</code> .
XHTML Strict	Copy <code>0xhtml_strict.xxe</code> to <code>custom/</code> .
XHTML Transitional	Copy <code>0xhtml_loose.xxe</code> to <code>custom/</code> .

For example, `0docbook5.xxe`³ looks like this:

```
<configuration [49] name="DocBook v5+"
  xmlns="http://www.xmlmind.com/xmleditor/schema/configuration"
  xmlns:cfg="http://www.xmlmind.com/xmleditor/schema/configuration"
  xmlns:db="http://docbook.org/ns/docbook"
  xmlns:svg="http://www.w3.org/2000/svg"
  xmlns:xi="http://www.w3.org/2001/XInclude"
  xmlns:xlink="http://www.w3.org/1999/xlink"
  xmlns:html="http://www.w3.org/1999/xhtml">

  <include [62] location="xe-config:docbook5/docbook5.xxe" />

</configuration>
```

3. This step involves adding one or more configuration elements after the `include` element. This is done using any XML or text editor. Each of the following sections describes a common customization step.
4. Restart XxE.

1. Adding a custom document template

If you want to add a new document template which would be listed in the dialog box displayed by File → New:

¹The configuration associated to DITA topics is called DITA. The configuration associated to DITA maps is called DITA Map. The configuration associated to DITA bookmaps is called DITA BookMap.

²`XXE_user_preferences_dir` is documented in 1 [4].

³The "funny" name, starting with a "0", has its utility if you happen to create your customization in `XXE_install_dir/addon/` rather than in `XXE_user_preferences_dir/addon/`.

1. Create this document template, preferably using XMLmind XML Editor. At least, make sure that the created file is valid by opening it in XXE.
2. Copy this file to `custom/`.
3. Let's suppose this file is called `template1.xml` and that you want your document template to be listed in the dialog box as "Template #1".

Add the following template [79] configuration element to your custom `.xxe` file (e.g. `0docbook5.xxe`):

```
<template [79] name="Template #1"
    location="template1.xml" />
```

2. Replacing an existing document template

Add the following template [79] configuration element to your custom `.xxe` file:

```
<template [79] name="Name of the template to be replaced"
    location="template1.xml" />
```

Specify the *English* name [16] of the template as listed by the File → New dialog box. XHTML example: "Page" (not "Seite").

How to see the English names of configuration elements?

When you want to remove or replace an existing configuration element, you need to refer to it by its English name. You cannot refer to it by its localized name.

Now, how to learn what is the English name of a given configuration element? The obvious solution is to look in the bundled configuration files:

Configuration Name	Bundled Configuration Files
DITA	XXE_install_dir/addon/config/dita/*.xxe, *.incl.
DITA Map	
DITA BookMap	
DocBook v5+	XXE_install_dir/addon/config/docbook5/*.xxe, *.incl.
DocBook	XXE_install_dir/addon/config/docbook/*.xxe, *.incl.
XHTML Strict	XXE_install_dir/addon/config/xhtml/*.xxe, *.incl.
XHTML Transitional	

Given the fact that the names of configuration elements are often displayed by the GUI of XXE (the name of document templates are listed in the File → New dialog box, the names of CSS style sheets are listed in the View menu, etc), a simpler solution consists in temporarily switching to the English locale. In order to do this, use Options → Preferences, General section, Locale combobox. More information in *Locale in XMLmind XML Editor - Online Help*.

3. Removing an existing document template

Add the following template [79] configuration element to your custom `.xxe` file:

```
<template [79] name="Name of the template to be removed" />
```

Specify the *English* name [16] of the template as listed by the File → New dialog box. XHTML example: "Page" (not "Seite").

4. Adding a custom CSS style sheet

Procedure:

1. Copy one of the following files depending on which configuration you want to customize:

Configuration Name	Procedure
DITA	Copy topic.css to custom/.
DITA Map	Copy map.css to custom/.
DITA BookMap	Copy bookmap.css to custom/.
DocBook v5+	Copy docbook5.css to custom/.
DocBook	Copy docbook.css to custom/.
XHTML Strict	Copy xhtml.css to custom/.
XHTML Transitional	

For example, xhtml.css looks like this:

```
@import url(xxe-config:xhtml/css/xhtml.css);
```

2. Edit this file using a text editor and add one or more CSS rules after the @import directive.

XHTML example:

```
p {
  color: red;
}
```

DocBook, DocBook v5+ example:

```
para {
  color: red;
}
```

3. Check your CSS file using the **csscheck** command-line utility. This utility is found in `XXE_install_dir/bin/`. Example:

```
$ /opt/xxe/bin/csscheck stylesheet1.css
```

4. Let's suppose this file is called `stylesheet1.css` and that you want your style sheet to be listed in the View menu as "Style sheet #1".

Add the following `css [50]` configuration element to your custom `.xxe` file:

```
<css [50] name="Style sheet #1"
  location="stylesheet1.css"
  alternate="true" />
```

5. If you want to make your custom CSS style sheet the default one, add the following `windowLayout [85]` configuration element:

```
<windowLayout [85]>
  <center css="Style sheet #1" />
</windowLayout>
```

5. Replacing an existing CSS style sheet

Add the following css [50] configuration element to your custom .xxe file:

```
<css [50] name="Name of the CSS style sheet to be replaced"
  location="stylesheet1.css"
  alternate="true or false: copy the original value" />
```

Specify the *English* name [16] of the CSS style sheet as listed in the View menu.

6. Removing an existing CSS style sheet

Add the following css [50] configuration element to your custom .xxe file:

```
<css [50] name="Name of the CSS style sheet to be removed" />
```

Specify the *English* name [16] of the CSS style sheet as listed in the View menu.

7. Adding buttons to the tool bar

1. Add the following toolBar [80] configuration element to your custom .xxe file:

```
<toolBar [80]>
  <insert />
</toolBar>
```

2. After the insert element, add one or more separator and/or button elements. Example:

```
<toolBar>
  <insert />
  <separator />
  <button tooltip="TEST" icon="xxe-config:common/icons2/help.gif">
    <command name="alert" parameter="TEST" />
  </button>
</toolBar>
```

8. Adding items to the menu

1. Add the following menu [66] configuration element to your custom .xxe file:

```
<menu [66] label="-">
  <insert />
</menu>
```

Attribute label is required. The value - simply means that you do not want to change the original label of the menu.

2. After the insert element, add one or more separator and/or item and/or menu elements. Example:

```
<menu label="_DocBook">
  <insert />
  <separator />
  <item label="TEST #_1" icon="xxe-config:common/icons2/help.gif"
    command="alert" parameter="TEST #1" />
  <separator />
  <menu label="SUBMENU">
    <item label="TEST #_2"
      command="alert" parameter="TEST #2" />
  </menu>
</menu>
```

- The icon attribute is optional for item elements.

- The "_" character in the `label` attribute is optional. It is used to specify the position of the menu mnemonic, if any.

9. Parametrizing the XSLT style sheets used in the Convert Document submenu

Add one or more `parameterGroup` [71] configuration elements to your custom `.xxe` file:

```
<parameterGroup [71] name="Name of the parameter group">
  <parameter name="Name of parameter #1">Value or parameter #1</parameter>
  <parameter name="Name of parameter #2">Value or parameter #2</parameter>
  <parameter name="Name of parameter #3">Value or parameter #3</parameter>
</parameterGroup>
```

Which parameters to specify is found by reading the documentation of the XSLT style sheets. For example, the reference manual of the DocBook XSLT style sheets is: [DocBook XSL Stylesheet Documentation](#).

Configuration Name	Convert to	Name of the <code>parameterGroup</code>
DITA	XHTML multi-page	<code>dita.toXHTML.transformParameters</code>
DITA Map	XHTML single page	<code>dita.toXHTML1.transformParameters</code>
DITA BookMap	HTML Help	<code>dita.toHTMLHelp.transformParameters</code>
	Java Help	<code>dita.toJavaHelp.transformParameters</code>
	RTF, WordprocessingML, OpenDocument, OOXML	<code>dita.toRTF.transformParameters</code>
	PDF, PostScript	<code>dita.toPS.transformParameters</code>
DocBook v5+	HTML multi-page	<code>db5.toHTML.transformParameters</code>
	HTML single page	<code>db5.toHTML1.transformParameters</code>
	HTML Help	<code>db5.toHTMLHelp.transformParameters</code>
	Java Help	<code>db5.toJavaHelp.transformParameters</code>
	Eclipse Help	<code>db5.toEclipseHelp.transformParameters</code>
	RTF, WordprocessingML, OpenDocument, OOXML	<code>db5.toRTF.transformParameters</code>
	PDF, PostScript	<code>db5.toPS.transformParameters</code>
DocBook	HTML multi-page	<code>docb.toHTML.transformParameters</code>
	HTML single page	<code>docb.toHTML1.transformParameters</code>
	HTML Help	<code>docb.toHTMLHelp.transformParameters</code>
	Java Help	<code>docb.toJavaHelp.transformParameters</code>
	Eclipse Help	<code>docb.toEclipseHelp.transformParameters</code>
	RTF, WordprocessingML, OpenDocument, OOXML	<code>docb.toRTF.transformParameters</code>
	PDF, PostScript	<code>docb.toPS.transformParameters</code>
XHTML Strict	RTF, WordprocessingML, OpenDocument, OOXML	<code>xhtml.toRTF.transformParameters</code>
XHTML Transitional	PDF, PostScript	<code>xhtml.toPS.transformParameters</code>

Example: Use UTF-8 encoding when convert DocBook documents to multi-page HTML:

```
<parameterGroup name="docb.toHTML.transformParameters">
  <parameter name="chunker.output.encoding">UTF-8</parameter>
  <parameter name="saxon.character.representation">native;decimal</parameter>
</parameterGroup>
```

Example: When converting DocBook v5+ document to RTF, WordprocessingML, OpenDocument, OOXML or to PDF, PostScript, style variablelist like XXE does it on screen. That is, do not put the term and its definition side by side.

```
<parameterGroup name="db5.toRTF.transformParameters">
  <parameter name="variablelist.as.blocks">1</parameter>
</parameterGroup>

<parameterGroup name="db5.toPS.transformParameters">
  <parameter name="variablelist.as.blocks">1</parameter>
</parameterGroup>
```

10. Customizing the XSLT style sheets used in the Convert Document submenu

In order to do this, you need to use a custom XSLT style sheet instead of the stock one. Of course, the custom XSLT style sheet includes the stock one, so you can concentrate on your customizations.

Once you have created your custom XSLT style sheet, you have to specify to XXE that it must use it instead on the stock one. This is done by the means of a system property having the proper name and value.

1. Copy one of the following template files depending on which configuration you want to customize and on which format you want to generate:

Configuration Name	Convert to	Procedure
DITA	XHTML multi-page	Copy xhtml.xml to custom/.
	XHTML single page	Copy xhtml.xml to custom/.
	HTML Help	Copy htmlhelp.xml to custom/.
	Java Help	Copy javahelp.xml to custom/.
	RTF, WordprocessingML, OpenDocument, OOXML	Copy fo.xml to custom/.
	PDF, PostScript	Copy fo.xml to custom/.
DocBook v5+	HTML multi-page	Copy chunk.xml to custom/.
	HTML single page	Copy html.xml to custom/.
	HTML Help	Copy htmlhelp.xml to custom/.
	Java Help	Copy javahelp.xml to custom/.
	Eclipse Help	Copy eclipse.xml to custom/.
	RTF, WordprocessingML, OpenDocument, OOXML	Copy fo.xml to custom/.
	PDF, PostScript	Copy fo.xml to custom/.
DocBook	HTML multi-page	Copy chunk.xml to custom/.
	HTML single page	Copy html.xml to custom/.
	HTML Help	Copy htmlhelp.xml to custom/.

Configuration Name	Convert to	Procedure
	Java Help	Copy javahelp.xml to custom/.
	Eclipse Help	Copy eclipse.xml to custom/.
	RTF, WordprocessingML, Open-Document, OOXML	Copy fo.xml to custom/.
	PDF, PostScript	Copy fo.xml to custom/.
XHTML Strict	RTF, WordprocessingML, Open-Document, OOXML	Copy fo.xml to custom/.
XHTML Transitional	PDF, PostScript	Copy fo.xml to custom/.

For example, DocBook v5+ chunk.xml looks like this:

```
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
  xmlns:d="http://docbook.org/ns/docbook"
  version="1.0"
  exclude-result-prefixes="d">

  <xsl:import href="xxe-config:docbook5/xsl/html/chunk.xml"/>

</xsl:stylesheet>
```

2. Edit this file using an XML or text editor and add one or more XSLT elements after the `xsl:import` element.

DocBook html.xml example: Use the UTF-8 encoding instead of default ISO-8859-1 when converting a DocBook document to *single page HTML*⁴:

```
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
  version="1.0">

  <xsl:import href="xxe-config:docbook/xsl/html/docbook.xml"/>

  <xsl:output method="html"
    encoding="UTF-8"
    indent="no"
    saxon:character-representation="native;decimal"/>

</xsl:stylesheet>
```

DocBook fo.xml example: add more information to the title page of book:

```
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
  xmlns:fo="http://www.w3.org/1999/XSL/Format"
  version="1.0">

<xsl:import href="xxe-config:docbook/xsl/fo/docbook.xml"/>

<xsl:template match="bookinfo/author|info/author" mode="titlepage.mode">
  <fo:block>
    <xsl:call-template name="anchor"/>
    <xsl:call-template name="person.name"/>
    <xsl:if test="affiliation/orgname">
      <fo:block>
        <xsl:apply-templates select="affiliation/orgname"
          mode="titlepage.mode"/>
      </fo:block>
    </xsl:if>
    <xsl:if test="email|affiliation/address/email">
      <fo:block>
        <xsl:apply-templates select="(email|affiliation/address/email)[1]"/>
      </fo:block>
    </xsl:if>
  </fo:block>
</xsl:template>
```

⁴XSLT style sheet parameter `chunker.output.encoding` does not work in this case.

```

    </fo:block>
  </xsl:if>
</fo:block>
</xsl:template>

</xsl:stylesheet>

```

3. Add one of the following property [70] configuration element to your custom .xxe file:

Configuration Name	Convert to	Property Configuration Element
DITA DITA Map DITA BookMap	XHTML multi-page	<code><property name="dita.toXHTML.transform" url="true">xhtml.xsl</property></code>
	XHTML single page	<code><property name="dita.toXHTML1.transform" url="true">xhtml.xsl</property></code>
	HTML Help	<code><property name="dita.toHTMLHelp.transform" url="true">htmlhelp.xsl</property></code>
	Java Help	<code><property name="dita.toJavaHelpStep1.transform" url="true">javahelp.xsl</property></code>
	RTF, WordprocessingML, Open-Document, OOXML	<code><property name="dita.toRTF.transform" url="true">fo.xsl</property></code>
	PDF, PostScript	<code><property name="dita.toPS.transform" url="true">fo.xsl</property></code>
DocBook v5+	HTML multi-page	<code><property name="db5.toHTML.transform" url="true">chunk.xsl</property></code>
	HTML single page	<code><property name="db5.toHTML1.transform" url="true">html.xsl</property></code>
	HTML Help	<code><property name="db5.toHTMLHelp.transform" url="true">htmlhelp.xsl</property></code>
	Java Help	<code><property name="db5.toJavaHelpStep1.transform" url="true">javahelp.xsl</property></code>
	Eclipse Help	<code><property name="db5.toEclipseHelp.transform" url="true">eclipse.xsl</property></code>
	RTF, WordprocessingML, Open-Document, OOXML	<code><property name="db5.toRTF.transform" url="true">fo.xsl</property></code>
	PDF, PostScript	<code><property name="db5.toPS.transform" url="true">fo.xsl</property></code>
DocBook	HTML multi-page	<code><property name="docb.toHTML.transform" url="true">chunk.xsl</property></code>
	HTML single page	<code><property name="docb.toHTML1.transform" url="true">html.xsl</property></code>
	HTML Help	<code><property name="docb.toHTMLHelp.transform" url="true">htmlhelp.xsl</property></code>
	Java Help	<code><property name="docb.toJavaHelpStep1.transform" url="true">javahelp.xsl</property></code>

Configuration Name	Convert to	Property Configuration Element
	Eclipse Help	<code><property name="docb.toEclipseHelp.transform" url="true">eclipse.xsl</property></code>
	RTF, WordprocessingML, OpenDocument, OOXML	<code><property name="docb.toRTF.transform" url="true">fo.xsl</property></code>
	PDF, PostScript	<code><property name="docb.toPS.transform" url="true">fo.xsl</property></code>
XHTML Strict XHTML Transitional	RTF, WordprocessingML, OpenDocument, OOXML	<code><property name="xhtml.toRTF.transform" url="true">fo.xsl</property></code>
	PDF, PostScript	<code><property name="xhtml.toPS.transform" url="true">fo.xsl</property></code>

11. Using a custom CSS style sheet to style the HTML files generated by the Convert Document submenu

Procedure:

1. Copy your custom CSS style sheet to the `custom/` directory.

Let's suppose the name of the custom CSS style sheet is `fancy.css`.

2. Add one or more of the following property [70] configuration element to your custom `.xsl` file, depending on the kind of HTML files you want to style (HTML Help, Java Help, Eclipse Help and Epub are all HTML-based formats):

Configuration Name	Convert to	Property Configuration Element
DITA DITA Map DITA BookMap	XHTML multi-page	<code><property name="dita.toXHTML.resource.css" url="true">fancy.css</property></code>
	XHTML single page	<code><property name="dita.toXHTML1.resource.css" url="true">fancy.css</property></code>
	HTML Help	<code><property name="dita.toHTMLHelp.resource.css" url="true">fancy.css</property></code>
	Java Help	<code><property name="dita.toJavaHelpStep1.resource.css" url="true">fancy.css</property></code>
DocBook v5+	HTML multi-page	<code><property name="db5.toHTML.resource.css" url="true">fancy.css</property></code>
	HTML single page	<code><property name="db5.toHTML1.resource.css" url="true">fancy.css</property></code>
	HTML Help	<code><property name="db5.toHTMLHelp.resource.css" url="true">fancy.css</property></code>
	Java Help	<code><property name="db5.toJavaHelpStep1.resource.css" url="true">fancy.css</property></code>

Configuration Name	Convert to	Property Configuration Element
	Eclipse Help	<code><property name="db5.toEclipseHelp.resource.css" url="true">fancy.css</property></code>
	Epub	<code><property name="db5.toEpub.resource.css" url="true">fancy.css</property></code>
DocBook	HTML multi-page	<code><property name="docb.toHTML.resource.css" url="true">fancy.css</property></code>
	HTML single page	<code><property name="docb.toHTML1.resource.css" url="true">fancy.css</property></code>
	HTML Help	<code><property name="docb.toHTMLHelp.resource.css" url="true">fancy.css</property></code>
	Java Help	<code><property name="docb.toJavaHelpStep1.resource.css" url="true">fancy.css</property></code>
	Eclipse Help	<code><property name="docb.toEclipseHelp.resource.css" url="true">fancy.css</property></code>
	Epub	<code><property name="docb.toEpub.resource.css" url="true">fancy.css</property></code>

Chapter 6. Deploying XXE

1. Dynamic discovery of add-ons

This section describes how XXE discovers and loads *add-ons* (that is, extensions) of all types:

- configuration files,
- XML catalogs,
- translations of XXE messages (menu labels, button labels, error messages, etc) to languages other than English,
- spell-checker dictionaries,
- XSL-FO processor, image toolkit and virtual drive plug-ins,
- customizations of the XXE GUI.

Understanding this is important before learning how to deploy XXE.

About the integrated add-on manager

What is described in this chapter is not related to XXE integrated add-on manager (menu item Options → Install Add-ons).

The integrated add-on manager is just a facility which, in order to install add-ons, follows the rules described in this chapter.

For example, in order to install an add-on packaged as a Zip archive, the add-on manager simply unzips this archive in one of the two *addon/* directories scanned by XXE at startup time.

1.1. The lookup phase during XXE startup

During its startup:

1. XXE recursively scans the *addon/* subdirectory of XXE user preferences directory searching it for files containing add-ons.

XXE user preferences directory is:

- `$HOME/.xxe4/` on Linux.
- `$HOME/Library/Application Support/XMLmind/XMLEditor4/` on the Mac.
- `%APPDATA%\XMLmind\xmlEditor4\` on Windows 2000, XP, Vista.

Example: `C:\Documents and Settings\john\Application Data\xmlmind\xmlEditor4\` on Windows 2000 and XP. `C:\Users\john\AppData\Roaming\xmlmind\xmlEditor4\` on Windows Vista.

If you cannot see the "Application Data" directory using Microsoft Windows File Manager, turn on Tools>Folder Options>View>File and Folders>Show hidden files and folders.

Tip

This *addon/* subdirectory is *recursively* scanned by XXE at startup time. Therefore, feel free to organize it as you want.

2. If the `XXE_ADDON_PATH` variable is set to a non empty string, the content of this variable must be a list of *directory* names separated by character ";" (even on Unix). All the *directories* referenced in this list are recursively scanned by XXE.

- File names and "file://" URLs are both supported. Windows example:

```
C> set XXE_ADDON_PATH=C:\xxe\doc\configure\samples\example1;\
file:///C:/xxe/doc/configure/samples/example2
```

- If this path ends with ";+", the `addon/` subdirectory of XXE installation directory is also scanned at startup time. Otherwise, the default add-ons (XHTML configuration, DocBook configuration, etc) are ignored.
- Form `@absolute URL` is also supported.

Absolute URL specifies the location of a text file containing a list of (generally relative) URLs to be scanned by XXE. The URLs in this list are separated by white space.

Example, `sample_configs.list`:

```
example1
example1/example1.css
example1/example1.dtd
example1/example1.xml
example1/example1.xxe
example1/example1_catalog.xml
example2
example2/example2.css
example2/example2.xml
example2/example2.xsd
example2/example2.xxe
example2/example2_catalog.xml
```

Unix example:

```
$ export XXE_ADDON_PATH="@http://www.foo.com/xxe/sample_configs.list;+"
```

3. If the `XXE_ADDON_PATH` is not set or is set to an empty string or ends with ";+", XXE also recursively scans the `addon/` subdirectory of its installation directory searching it for files containing add-ons.

Tip

This `addon/` subdirectory is *recursively* scanned by XXE at startup time. Therefore, feel free to organize it as you want.

4. Jar files (`.jar` files containing compiled Java™ code) found anywhere inside a directory or a file list scanned by XXE during its startup are automatically added to the `CLASSPATH` of XXE.

1.2. Files containing the add-ons

Configuration file

XXE configuration files are XML files:

- with a file name ending with ".xxe",
- validated by XML schema with `http://www.xmlmind.com/xmleditor/schema/configuration` as its target namespace,
- with a root element named `configuration`,
- this root element having a `name` attribute,
- containing a `detect` element.

Several configurations may have the same name. For example, a user may have defined its own configuration named "DocBook" including bundled configuration also named "DocBook" but adding element templates and keyboard shortcuts (see include [62], elementTemplate [56], binding [44]). In such case, only one configuration named "DocBook" is kept by XXE: the configuration with highest priority.

Configurations loaded from the `addon/` subdirectory of user preferences directory have priority over configurations loaded from the value of environment variable `XXE_ADDON_PATH` which in turn have priority over configurations loaded from the `addon/` subdirectory of XXE installation directory.

Configurations having the same priority are sorted using their file basenames. Example: `file:///opt/xxe/foo/docbook.xxe` is tested before `file:///opt/xxe/bar/sdocbook.xxe` when trying to detect the class of a document because `docbook.xxe` lexicographically precedes `sdocbook.xxe`.

XML catalogs

XML catalogs are XML files:

- with a file name ending with "atalog.xml",
- which conform to the OASIS catalog DTD.

Example:

```
<?xml version="1.0" ?>
<!DOCTYPE catalog PUBLIC "-//OASIS//DTD XML Catalogs V1.0//EN"
    "http://www.oasis-open.org/committees/entity/release/1.0/catalog.dtd">

<catalog xmlns="urn:oasis:names:tc:entity:xmlns:xml:catalog"
    prefer="public">

    <public publicId="-//W3C//DTD SVG 1.1//EN"
        uri="common/dtd/svg11/svg11.dtd"/>

</catalog>
```

Note that specifying the above `<!DOCTYPE>` will *not* cause the XML catalog parser to download XML Catalog DTD, `catalog.dtd`, from the Web.

XXE uses XML Catalogs not only to resolve the locations of the DTD and other external entities, but also to resolve URLs found in the following places:

- Schema locations in `xsi:schemaLocation` and in `xsi:noNamespaceSchemaLocation`.
- Schema locations in `xs:include`, `xs:redefine`, `xs:import`.
- RELAX NG schema locations in `<?xxe-relaxng-schema location="..."?>` [55].
- Document locations passed to the `document()` XPath function.
- All XXE configuration elements referencing an URL. Example: `<include location="..." />`.
- CSS style sheet locations in `@import`.
- CSS style sheet locations in `<?xml-stylesheet href="..."?>`.
- XSLT style sheets in the `transform` child element of a `process` command.
- Resources in the `copyProcessResource` child element of a `process` command.
- XSLT style sheets included or imported by other XSLT style sheets (that is, the XML Catalogs used by XXE are passed to Saxon, the XSLT engine bundled with XXE).
- The `href` attribute of `xi:include` elements (XInclude).

Translations of XXE messages (menu labels, button labels, error messages, etc) to languages other than English
Translations of XXE messages are contained in Java™ jars:

- with a file name ending with ".jar",
- having a basename which is the two-letter ISO code of the language followed by "_translation" (e.g. de_translation.jar, it_translation.jar, cs_translation.jar, es_translation.jar, etc). Not mandatory, just recommended.

Spell-checker dictionaries

Spell-checker dictionaries are contained in Java™ jars:

- with a file name ending with ".dar",
- having a basename which is the ISO code of a language (e.g. fr, fr-CH, en, en-US, etc).

This naming pattern is highly recommended for dictionaries found in the local file system. This naming pattern is *mandatory* for dictionaries centralized on an HTTP or an FTP server.

XSL-FO processor plug-ins

XSL-FO processor plug-ins are contained in Java™ jars:

- with a file name ending with "_foprocessor.jar",
- implementing service `com.xmlmind.foprocessor.FOProcessor`.

The exact structure of a plug-in jar (manifest, service providers, etc) is described in Chapter 10, *Writing a plug-in in XMLmind XML Editor - Developer's Guide*.

Image toolkit plug-ins

Image toolkit plug-ins are contained in Java™ jars:

- with a file name ending with "_imagetoolkit.jar",
- implementing service `com.xmlmind.xmledit.imagetoolkit.ImageToolkit`.

Virtual drive plug-ins

Virtual drive plug-ins are contained in Java™ jars:

- with a file name ending with "_vdrive.jar",
- implementing service `com.xmlmind.xmleditapp.vdrive.DriveFactory`.

Customizations of XXE GUI

Such customizations are contained in XML files called `customize.xxe_gui` and conforming to the "http://www.xmlmind.com/xmlmind/schema/gui" W3C XML Schema.

Such GUI specification files are described in XMLmind XML Editor - Customizing the User Interface.

If during its start-up, XXE finds several `customize.xxe_gui` files, it will merge their contents with the *base* GUI specification (by default, `xxe-gui:app/Professional.xxe_gui`, which is a resource contained in `xxe_app.jar`).

 This feature is available only in XMLmind XML Editor Professional Edition.

2. Centralizing add-ons on a HTTP server

1. Install XXE on the server. Example: `/opt/xxe/` on a server called `rapido`.
2. Customize XXE if needed to. Example:

- Create directory `/opt/xxe/addon/custom/`. This directory will contain all the add-ons you want to deploy.
- Unzip one or more add-on distributions in `/opt/xxe/addon/custom/`.

You'll find the add-on distributions packaged by XMLmind in <http://www.xmlmind.com/xmleditor/addons.shtml>.

Tip

This customization of the XXE distribution can be done by hand by unpacking add-on distributions anywhere inside `/opt/xxe/addon/`, or more simply by using the integrated add-on manager (Options → Install Add-ons).

In the latter case, just make sure to check "Install add-ons in XXE installation directory" in the Preferences dialog box (Options → Preferences, Install add-ons section) before using the add-on manager.

3. Test your customized distribution by running `/opt/xxe/bin/xxe` on the server.

Note

If you use the RenderX XEP plug-in, make sure that you have finished its installation by converting at least a document to PDF or PostScript®.

4. In `/opt/xxe/addon/`, run command `"find custom > custom.list"` to create text file `custom.list`. The following example assumes that you have unpacked `xfc_foprocessor.zip` in `custom/`.

```
/opt/xxe/addon$ find custom > custom.list

/opt/xxe/addon$ cat custom.list

custom
custom/xfc_foprocessor
custom/xfc_foprocessor/xfc.LICENSE
custom/xfc_foprocessor/xfc.README
custom/xfc_foprocessor/xfc.jar
custom/xfc_foprocessor/xfc_foprocessor.jar
custom/xfc_foprocessor/xfc_foprocessor.xxe_addon
...
```

5. Publish your customized distribution on your intranet using a HTTP server. Apache example:

- a. Add a similar snippet to `/etc/httpd.conf`:

```
<Directory /opt/xxe/>
    AllowOverride None
    Order Deny,Allow
    Deny from All
    Allow from my_company.com

    Options Indexes Includes
</Directory>
Alias /xxe /opt/xxe/
```

- b. Restart apache:

```
# cd /etc/rc.d
# ./apache restart
```

6. Now, the hardest part: make sure that the PCs of the all future XXE users on your intranet have the following environment variable always properly set (for example: add it to `autoexec.bat`).

```
set XXE_ADDON_PATH="@http://rapido.my_company.com/xxe/addon/custom.list;+"
```

Notice that you can update or upgrade the distribution on the server side without having to change this environment variable on the client side.

7. Tell all your XXE users to download a copy of the XXE installer (that is, `xxe-perso-NNN-setup.exe` or `xxe-pro-NNN-setup.exe`) from your intranet and to install it on their PCs.

3. Deploying XXE using Java™ Web Start



This feature is available only in XMLmind XML Editor Professional Edition.

This section assumes that the reader knows what is Java™ Web Start.

Important

XXE requires `<security><all-permissions/></security>` in order to run. This implies that all `.jar` files must be digitally signed using the same certificate. Fortunately, the `deploywebstart` command-line utility makes this a snap. See below.

3.1. The `deploywebstart` command-line tool

Usage: `deploywebstart ?options?`

Basic options are:

`-codebase url`

Base URL for all relative URLs in `xxe.jnlp`.

Default: `http://machine name on which deploywebstart was run/xxe`

`-keystore url`

Keystore location.

Default: `XXE_install_dir/webstart/testkeystore`

`-storetype type`

Type of the keystore.

Default: system dependant, generally `jks`

`-storepass password`

Password for keystore.

Default: `teststorepass`

`-keypass password`

Password for private key.

Default: `testkeypass`

`-alias alias`

Alias of keystore entry.

Default: login name of person running `deploywebstart`.

-index

Generate a simple `index.html`.

Applet-specific options are:

-applet xxe|viewer|editor1|editor2|app_class, -jsapplet xxe|viewer|editor1|editor2|app_class

Deploy application having specified class name as an applet rather than using Java™ Web Start.

"xxe" is a shorthand for "`com.xmlmind.xmleditapp.app.Application`".

"viewer" is a shorthand for "`com.xmlmind.xmleditapp.applet.ViewerApp`".

"editor1" is a shorthand for "`com.xmlmind.xmleditapp.applet.Editor1App`".

"editor2" is a shorthand for "`com.xmlmind.xmleditapp.applet.Editor2App`".

Option `-jsapplet` is a variant of option `-applet`. Instead of generating an applet tag in `index.html`, it includes in `index.html` some smart JavaScript code which, depending on the Web browser host, will dynamically generate the proper object or applet tag.

-width pixels_or_percentage

Width of the applet.

Default: 100%.

-height pixels_or_percentage

Height of the applet.

Default: 600.

Advanced options are:

-selfsigner dname

Specifies a distinguished name (dname) for `testkeystore`. Ignored unless `testkeystore` is used. That is, this option is ignored when a real certificate is used.

The syntax for distinguished names (dname) is:

```
CN=cName,OU=orgUnit,O=org,L=city,S=state,C=countryCode
```

where:

cName

common name of a person, e.g., 'Susan Jones'.

orgUnit

department or division name, e.g., 'Purchasing'.

org

large organization name, e.g., 'ABCSystems\, Inc.' (notice the '\' used to protect the ',').

city

city name, e.g., 'Palo Alto'.

state

state or province name, e.g., 'California'.

countryCode

two-letter country code, e.g., 'CH'.

Each field must appear in the above order but it is not necessary to specify all fields.

Default: CN=login name of the person running `deploywebstart`.

Using this option is absolutely not needed to ``self-sign'' jars. It just allows to create a better looking self-signed certificate.

-online

Keep configuration files and associated resources (DTD or schema, CSS, XSLT, icons, etc) on the deployment server. This forces the XXE user to work online in order to be able to access the deployment server.

Default: allow the XXE user to work offline.

-gui *XXE_GUI_spec*

Specifies which *base* GUI specification to use. Must be a "xxe-gui:" location or a `.xxe_gui` file found in the `XXE_install_dir/addon/` directory.

Default: `xxe-gui:app/Professional.xxe_gui`

One or more `customize.xxe_gui` files (dynamically discovered by `deploywebstart` in the `XXE_install_dir/addon/`) may be used to customize this base GUI specification.

-indexjars

Index all `.jar` files in order to lazily download them. Recommended with option `-applet`.

-packjars

Compress all `.jar` files using Pack200 compression. Recommended with option `-applet`.

-quiet

Turns verbosity off.

The `deploywebstart` command line tool generates deployment files in subdirectory `webstart/` of the XXE installation directory.

For example, if XXE is installed in `/opt/xxe/`, `/opt/xxe/bin/deploywebstart` will recursively scan the installation directory and generates its deployment files in `/opt/xxe/webstart/`.

`Deploywebstart` creates in `webstart/`:

- `xxe.jnlp`.
- `index.html`, if the `-index` option has been used.
- A copy of all the `.jar` files (Java™ code and resources) and the `.dar` files (spell-checker dictionaries) found in `XXE_install_dir/addon/` after signing them.
- `xxe_addon.jar`, a jar file created and signed by `deploywebstart` containing everything found in the `XXE_install_dir/addon/` directory (except `.jar` files and `.dar` files), unless the `-online` option has been used.

By default, `deploywebstart` signs the jars with a self-signed certificate issued by the person running this command-line utility.

Note that because of the default values of these options, if you need to sign the jars with a true certificate, you will have to specify *all the four* `-storepass`, `-keystore`, `-keypass`, `-alias` options.

3.2. Deploying XXE using Java™ Web Start, a step by step description

1. Install a Java™ 1.5+ JDK (a JRE is not sufficient) on the deployment server. Example: let's call this server `rapido`.

Important

Make sure that the `$JAVA_HOME/bin/` directory is referenced in `$PATH` because `deploywebstart` needs to run command line tools such as `keytool` and `jarsigner`.

2. Install XXE on the server. Example: `/opt/xxe/`.

3. Customize XXE if needed to. Example:

- Create directory `/opt/xxe/addon/custom/`. This directory will contain all the add-ons you want to deploy.
- Unzip one or more add-on distributions in `/opt/xxe/addon/custom/`.

You'll find the add-on distributions packaged by XMLmind in <http://www.xmlmind.com/xmleditor/addons.shtml>.

Tip

This customization of the XXE distribution can be done by hand by unpacking add-on distributions anywhere inside `/opt/xxe/addon/`, or more simply by using the integrated add-on manager (Options → Install Add-ons).

In the latter case, just make sure to check "Install add-ons in XXE installation directory" in the Preferences dialog box (Options → Preferences, Install add-ons section) before using the add-on manager.

4. Test your customized distribution by running `/opt/xxe/bin/xxe` on the server.

Note

If you use the RenderX XEP plug-in, make sure that you have finished its installation by converting at least a document to PDF or PostScript®.

5. Run the `deploywebstart` command-line tool:

```
/opt/xxe/bin$ ./deploywebstart -index
```

- The above command generates in `/opt/xxe/webstart/` a `xxe.jnlp` file describing the deployment of XXE using Java™ Web Start.
- `-index` is used to generate a simple `index.html` file in `/opt/xxe/webstart/`.
- The default codebase `http://rapido.my_company.com/xxe` should work fine for this example. If this is not the case, you'll have to use the `-codebase` option.
- Jars are signed using a self-signed certificate issued by the person who ran `deploywebstart`. Let's call him `john` (its login name is `john`).

The first time a user will start XXE, Java™ Web Start will display a dialog box telling him that XMLmind XML Editor code has been signed by `john` (a coworker name known by the user) and that it is strongly not recommended to run such application.

In our opinion, this is not a problem for applications deployed on a intranet. In this happens to be a problem, first add a true certificate (that is, purchased from VeriSign for example) using the `keytool` command line supplied by Sun in its JDK, then use all the four `-storepass`, `-keystore`, `-keypass`, `-alias` options to specify who is signing the jars.

6. Publish your customized distribution on your intranet using a HTTP server. Apache example:

- a. Add the following MIME type to `/etc/httpd/mime.types`:

```
application/x-java-jnlp-file jnlp
```

- b. Add a similar snippet to `/etc/httpd.conf`:

```
<Directory /opt/xxe/webstart/>
  AllowOverride None
  Order Deny,Allow
  Deny from All
  Allow from my_company.com

  Options Indexes Includes
</Directory>
Alias /xxe /opt/xxe/webstart/
```

- c. Restart apache:

```
# cd /etc/rc.d
# ./apache restart
```

7. Tell all your future XXE users to download and install Java™ Runtime 1.5+ on their PCs. This will also automatically install Java™ Web Start.

You can use this technology to deploy not only XXE, but also any other application written in the Java™ language.

8. Tell all your future XXE users to visit `http://rapido.my_company.com/xxe` (this will display the generated `index.html`) and to launch XXE from there, at least the first time.

3.3. Comparison between deployment using Java Web Start and just centralizing the add-ons on a HTTP server

Deploying XXE using Java™ Web Start	Centralizing add-ons on a HTTP server
XXE code is downloaded and cached on the PC of the XXE user.	XXE code is installed by the XXE installer on the PC of the XXE user.
Add-ons of all sorts are downloaded and cached on the PC of the XXE user. (Use the <code>-online</code> option if you prefer to keep the add-ons on the deployment server.)	Add-ons of all sorts stay on the server and therefore are not cached on the PC of the XXE user.
User can work offline (unless the <code>-online</code> option has been used).	User <i>cannot work offline</i> .
The user cannot install extra add-ons using Options → Install Add-ons.	The user can install extra add-ons using Options → Install Add-ons.
Add-ons found in the user preferences directory of user (that is, <code>%APPDATA%\XMLmind\XMLEditor4\addon\</code> on Windows and <code>\$HOME/.xxe4/addon/</code> on Linux) are <i>ignored</i> .	Add-ons found in the user preferences directory of user are loaded.
Upgrading, for example, from XXE v4.5 to XXE v4.6 is automated for the user.	For example, user will have to manually uninstall XXE v4.5 and then to manually download and install XXE v4.6.

4. Deploying XXE as an applet



This feature is available only in XMLmind XML Editor Professional Edition.

4.1. Requirements

Sun's "next generation Java plug-in" can be used to run XMLmind XML Editor Professional Edition as an applet. The requirements for running XMLmind XML Editor as an applet are:

- A Java™ runtime version 1.6.0_10 and above.
- A Web browser supporting the next generation Java™ plug-in. Currently such browsers are: Firefox 3 and Internet Explorer 6, 7 and 8.
- The applet must be signed using a digital certificate.

4.2. Testing the XXE applet, a step by step description

The procedure below is identical to the one used to deploy XXE using Java™ Web Start [32]. The only difference is that you need to use different options for the `deploywebstart` command-line utility [30].

1. Install a Java™ 1.5+ JDK (a JRE is not sufficient) on the deployment server. Example: let's call this server `rapido`.

Important

Make sure that the `$JAVA_HOME/bin/` directory is referenced in `$PATH` because `deploywebstart` needs to run command line tools such as `keytool` and `jarsigner`.

2. Install XXE on the server. Example: `/opt/xxe/`.

3. Customize XXE if needed to. Example:

- Create directory `/opt/xxe/addon/custom/`. This directory will contain all the add-ons you want to deploy.
- Unzip one or more add-on distributions in `/opt/xxe/addon/custom/`.

You'll find the add-on distributions packaged by XMLmind in <http://www.xmlmind.com/xmleditor/addons.shtml>.

Tip

This customization of the XXE distribution can be done by hand by unpacking add-on distributions anywhere inside `/opt/xxe/addon/`, or more simply by using the integrated add-on manager (Options → Install Add-ons).

In the latter case, just make sure to check "Install add-ons in XXE installation directory" in the Preferences dialog box (Options → Preferences, Install add-ons section) before using the add-on manager.

4. Test your customized distribution by running `/opt/xxe/bin/xxe` on the server.

Note

If you use the RenderX XEP plug-in, make sure that you have finished its installation by converting at least a document to PDF or PostScript®.

5. Run the `deploywebstart` command-line tool:

```
/opt/xxe/bin$ ./deploywebstart -applet xxe -index
```

- `-applet xxe` is used to generate in `/opt/xxe/webstart/` a `xxe.jnlp` file describing the deployment of XXE as an applet rather than using Java™ Web Start.
- `-index` is used to generate a simple `index.html` file in `/opt/xxe/webstart/`. This file contains the applet element.

- The default codebase `http://rapido.my_company.com/xxe` should work fine for this example. If this is not the case, you'll have to use the `-codebase` option.
- Jars are signed using a self-signed certificate issued by the person who ran `deploywebstart`. If you want to sign the jars with an actual certificate, you need to use all the four `-storepass`, `-keystore`, `-keypass`, `-alias` options.

6. Publish your customized distribution on your intranet using a HTTP server. Apache example:

a. Add a similar snippet to `/etc/httpd.conf`:

```
<Directory /opt/xxe/webstart/>
    AllowOverride None
    Order Deny,Allow
    Deny from All
    Allow from my_company.com

    Options Indexes Includes
</Directory>
Alias /xxe /opt/xxe/webstart/
```

b. Restart apache:

```
# cd /etc/rc.d
# ./apache restart
```

7. Point your Web browser to `http://rapido.my_company.com/xxe`.

4.3. Integrating the applet with your web application

4.3.1. Dynamically generating an HTML page referencing the applet

A Web application typically consists of a front end communicating with a Servlet, PHP, ASP, CGI, etc, back end. The front end which runs in the Web browser generally consists in a mix of HTML and JavaScript. The code of the front end is dynamically generated by the back end in response to the preceding interactions with the user. Therefore, integrating the applet with a Web application generally means: teach the back end to dynamically generate a page referencing the applet.

In the above example, running:

```
./deploywebstart -applet xxe -index
```

- copies and signs the `.jar` files comprising the code of the applet;
- generates `xxe.jnlp`, an applet deployment descriptor;
- generates a *sample* `index.html` file, which can be used to quickly test that the applet works.

The signed `.jar` files and the `xxe.jnlp` files are expected to be used as is by your web application. Just moves these files to the actual deployment directory (which is the directory from which the Web browser will download the applet code). These files needs to be regenerated only when you'll upgrade XMLmind XML Editor.

The situation is different for the `index.html` file, which is not meant for production use. Instead, use the applet element contained in this file as a template for the applet element which will be dynamically generated by your back end:

```
<applet name="XXE" id="XXE" mayscript
  code="com.xmlmind.xmleditapp.applet.Applet"
  width="100%" height="600">
  <param name="jnlp_href" value="xxe.jnlp">
  <param name="appClass" value="com.xmlmind.xmleditapp.app.Application">
  <param name="separate_jvm" value="true">
  <param name="classloader_cache" value="false">
  Sorry but XMLmind XML Editor requires the Java<sup>TM</sup> Plug-In
```

```
version 1.6.0_10 and above in order to run.
</applet>
```

For production use, you'll prefer to use a more elaborate way to deploy XXE as an applet:

```
./deploywebstart -indexjars -packjars -jsapplet xxe -index
```

Refer to Section 3.1, “The deploywebstart command-line tool” [30] to learn about the `-indexjars`, `-packjars` and `-jsapplet` options.

In production, instead of generating an applet element, your back end can generate some code similar to the one generated by `deploywebstart` using the `-jsapplet` option:

```
<script type="text/javascript"
    src="http://java.com/js/deployJava.js"></script>
<script type="text/javascript">
//

    var attributes = {name:'XXE', id:'XXE', mayscript:true,
                      code:'com.xmlmind.xmleditapp.applet.Applet',
                      width:'100%', height:'600'};
    var parameters = {jnlp_href:'xxe.jnlp',
                      appClass:'com.xmlmind.xmleditapp.app.Application',
                      separate_jvm:true, classloader_cache:false};
    deployJava.runApplet(attributes, parameters, '1.6.0_10');

//]]&gt;
&lt;/script&gt;</pre>
</div>
<div data-bbox="115 435 490 452" data-label="Section-Header">
<h3>4.3.2. The four different kinds of applet</h3>
</div>
<div data-bbox="115 464 886 506" data-label="Text">
<p>In the above code snippets, <code>jnlp_href</code>, <code>separate_jvm</code>, <code>classloader_cache</code> are system parameters documented in <i>Development and Deployment Of Java™ Web Apps (Applets and Java Web Start Applications) for JavaSE 6u10</i>.</p>
</div>
<div data-bbox="115 518 885 547" data-label="Text">
<p>Parameter <code>appClass</code> is specific to the XMLmind XML Editor applet. The value of this parameter is the fully qualified class name of the application deployed as an applet.</p>
</div>
<div data-bbox="115 559 885 587" data-label="Text">
<p>The value of this parameter is generally specified using the <code>-applet</code> or <code>-jsapplet</code> option of the <code>deploywebstart</code> command-line utility:</p>
</div>
<div data-bbox="117 598 875 695" data-label="Table">
<table>
<tr>
<th>Option Value</th><th>Class Name</th></tr>
<tr>
<td>viewer</td><td>com.xmlmind.xmleditapp.applet.ViewerApp</td></tr>
<tr>
<td>editor1</td><td>com.xmlmind.xmleditapp.applet.Editor1App</td></tr>
<tr>
<td>editor2</td><td>com.xmlmind.xmleditapp.applet.Editor2App</td></tr>
<tr>
<td>xxe</td><td>com.xmlmind.xmleditapp.app.Application</td></tr>
</table>
</div>
<div data-bbox="115 706 886 736" data-label="Text">
<p>There are four different applications which can be deployed as an applet. Each application is designed to solve a different problem. Each application has a different GUI:</p>
</div>
<div data-bbox="115 748 168 761" data-label="Section-Header">
<h4>viewer</h4>
</div>
<div data-bbox="146 762 716 776" data-label="Text">
<p>A document viewer having no user interface at all, except a right-click popup menu.</p>
</div>
<div data-bbox="146 787 886 816" data-label="Text">
<p>In order to open a document in <code>viewer</code>, the integrator needs to wrap the corresponding command-line option in some applet parameters [38] or to script the applet [39].</p>
</div>
<div data-bbox="115 827 168 841" data-label="Section-Header">
<h4>editor1</h4>
</div>
<div data-bbox="146 842 743 857" data-label="Text">
<p>A single document, single view, document editor designed to be part of an HTML form.</p>
</div>
<div data-bbox="146 867 649 883" data-label="Text">
<p>This editor has no menu bar and has no New, Open, Save tool bar buttons.</p>
</div>
<div data-bbox="484 937 510 953" data-label="Page-Footer">37</div>
```

In order to create a new document using `editor1`, the integrator needs to wrap the `-new` command-line option in some applet parameters [38] or to script the applet [39].

In order to open a document in `editor1`, the integrator needs to wrap the corresponding command-line option in some applet parameters or to script the applet.

In order to save the document edited in `editor1`, the integrator needs to make the applet part of an HTML form and to script it as follows:

1. Query the applet for the XML source of the document being edited.
2. Dynamically add to the form a `hidden` field containing this XML source.
3. Submit the form.

`editor2`

A single document, single view, document editor designed to be integrated with a server supporting WebDAV, FTP, FTPS or SFTP (in fact, any kind of storage for which a virtual drive plug-in is available).

Same user interface as `editor1`, expect that `editor2` has a Save tool bar button and fully supports Save preferences.

`xxe`

Full XMLmind XML Editor.

Same user interface as the desktop application, except that it has no File → Quit menu item.

This is an alternative to deploying XMLmind XML Editor using Java™ Web Start.

Note that despite the fact the above applications have vastly different user interfaces, it is still XMLmind XML Editor. That is, *all the above applications support the same user preferences and the same add-ons as the desktop application.*

4.3.3. Applet parameters

In addition to the `appClass` parameter described in Section 4.3.2, “The four different kinds of applet” [37], the applet has up to 50 `argumentN` parameters: `argument0`, `argument1`, `argument2`, ..., `argument49`. These parameters are used to wrap the command-line arguments supported by the desktop application.

The command-line arguments of XMLmind XML Editor are documented in Appendix A, *Command line options* in *XMLmind XML Editor - Online Help*.

The user preference keys and values of XMLmind XML Editor are documented in Section 8.5, “The “Preferences” dialog box” in *XMLmind XML Editor - Online Help*.

Example 6.1. `-applet viewer` example: open a document stored on an HTTP server

```
<applet ...>
  <param name="appClass" value="com.xmlmind.xmleditapp.applet.ViewerApp">
  <param name="argument0"
    value="http://www.xmlmind.com/xmleditor/_distrib/doc/user/userguide.xml">
  ...
</applet>
```

Example 6.2. Same example as above, but force the value of the `defaultFontSize` user preference in order to use a larger font to display the document

```
<applet ...>
  <param name="appClass" value="com.xmlmind.xmleditapp.applet.ViewerApp">
  <param name="argument0" value="-putpref">
  <param name="argument1" value="defaultFontSize">
  <param name="argument2" value="14">
  <param name="argument3"
    value="http://www.xmlmind.com/xmleditor/_distrib/doc/user/userguide.xml">
  ...
</applet>
```

Example 6.3. `-applet editor1` example: create a new DocBook article

```
<applet ...>
  <param name="appClass" value="com.xmlmind.xmleditapp.applet.Editor1App">
  <param name="argument0" value="-new">
  <param name="argument1" value="docbook">
  <param name="argument2" value="article">
  <param name="argument3" value="-">
  ...
</applet>
```

Example 6.4. `-jsapplet editor2` example: open a document stored on a WebDAV server requiring the user to authenticate himself

```
<script type="text/javascript">
  ...
  var parameters = {
    appClass: 'com.xmlmind.xmleditapp.applet.Editor2App',
    argument0: '-auth',
    argument1: 'CgpEb2N1bWVudCBTdG9yZQoKanZpY3RvcmlhCnNlY3JldA==',
    argument2: 'http://www.acme.com/dav/report.xml',
    ...
  };
  ...
</script>
```

4.3.4. Applet scripting

Applet scripting means to use JavaScript code to invoke some methods of the applet.

Note that you cannot safely invoke any method of the applet. You can only invoke the applet methods which have been specially designed in order to be scripted in JavaScript. Such methods are:

`void addAuthorization(String info)`, `void addAuthorization(String host, int port, String prompt, String scheme, String username, String password)`

Add specified non-interactive authentication credentials.

`boolean newDocument(String configName, String templateName, String saveURI, boolean createSaveFile)`,
`boolean newDocument(String templateURI, String saveURI, boolean createSaveFile)`, `boolean newDocument(String template, String saveURI)`

Create a new document.

`boolean openDocument(String docURI, boolean readOnly)`, `boolean openDocument(String doc, String docURI, boolean readOnly)`

Opens specified document.

`boolean isSaveNeeded(String docURI)`

Tests whether specified document needs to be saved.

String checkValidity(String *docURI*)

Checks the validity of specified document.

boolean closeDocument(String *docURI*, boolean *discardChanges*)

Closes specified opened document.

String listDocuments()

Returns the list of the URIs of currently opened documents.

String getActiveDocument()

Returns the URI of the current ``active" document.

boolean setActiveDocument(String *docURI*)

Changes the current ``active" document to specified opened document.

String getDocumentContents(String *docURI*, String *attachmentDir*)

Returns the XML contents of specified opened document.

String listDocumentResources(String *docURI*, boolean *attachmentsOnly*)

Returns the list of the URIs of the resources (typically graphic files) referenced in specified opened document.

String getDocumentAttachment(String *docURI*, String *attachmentURI*)

Returns the contents of specified attachment encoded in base-64.

The reference manual of these methods is found in *Class Applet*.

Example 6.5. The online demo of `editor1`.

This instance of `editor1` is made part of an HTML form called `DemoForm`:

```
<form method="POST" enctype="application/x-www-form-urlencoded"
  action="http://127.0.0.1:8080/applet_demo/echo"❶
  name="DemoForm" onsubmit="return onSubmitForm();" target="_blank">
  <input type="hidden" name="documentURI" value="" />❷
  <input type="hidden" name="xmlSource" value="" />
  <input type="hidden" name="attachmentCount" value="0" />

  ...

  <script type="text/javascript">
    var attributes = {name:'XXE', id:'XXE', mayscript:true,
                      code:'com.xmlmind.xmleditapp.applet.Applet',
                      width:'100%', height:'600'};
    var parameters = {jnlp_href:'xxe.jnlp',
                      appClass:'com.xmlmind.xmleditapp.applet.Editor1App',
                      separate_jvm:true, classloader_cache:false,
                      argument0:'-new',
                      argument1:'DocBook v5+',
                      argument2:'article',
                      argument3:'Untitled.xml'};❸
    deployJava.runApplet(attributes, parameters, '1.6.0_10');
  </script>
</form>
```

- ❶ The content of the form is posted to a Servlet called `applet_demo`.

In this demo, we use `enctype="application/x-www-form-urlencoded"`. In production, we would use `enctype="multipart/form-data"` (even if the form does not contain any file upload control) because this would be more efficient.

- ❷ The `applet_demo` servlet expects the following query arguments:

`documentURI`

Optional: the URI of the document.

`xmlSource`

Required: contains the XML source of the document. The value of this field is a string which starts with `<?xml version="1.0" encoding="UTF-8"?>`.

`attachmentCount`

Required: positive integer which specifies the number of `attachmentNameI/attachmentDataI` field pairs. See below.

`attachmentName0-N, attachmentData0-N`

Optional: `attachmentNameI` contains the absolute "file:" URI of the attachment. `attachmentDataI` contains the base-64 encoded data of the attachment.

- ❸ Initially, the instance of `editor1` contains a new DocBook 5 article.

The URI of this new article is `Untitled.xml` resolved against the document base of the demo, which gives: `http://www.xmlmind.com/xmleditor/_applet/Untitled.xml`.

The JavaScript function `onSubmitForm()` is implemented as follows:

```
function onSubmitForm() {
  ...
  var demoForm = document.DemoForm;
  var xxe = document.XXE;

  demoForm.documentURI.value = xxe.getActiveDocument();❶
  ...
}
```

```

demoForm.xmlSource.value = xxe.getDocumentContents(null, null);2
...

var attachments = xxe.listDocumentResources(null, true);3
if (attachments != null) {
    var attachmentList = attachments.split("\n");
    var count = attachmentList.length;
    if (count > 0) {
        ...
        var j = 0;

        for (var i = 0; i < count; i += 2) {
            var name = attachmentList[i];

            var data = xxe.getDocumentAttachment(null, attachmentList[i]);4
            ...

            var jj = j.toString();

            var attachmentName = document.createElement("input");
            attachmentName.type = "hidden";
            attachmentName.name = "attachmentName" + jj;
            attachmentName.id = "attachmentName" + jj;
            attachmentName.value = name;

            var attachmentData = document.createElement("input");
            attachmentData.type = "hidden";
            attachmentData.name = "attachmentData" + jj;
            attachmentData.id = "attachmentData" + jj;
            attachmentData.value = data;

            demoForm.appendChild(attachmentName);
            demoForm.appendChild(attachmentData);

            ++j;
        }

        demoForm.attachmentCount.value = j;5
    }
}

return true;
}

```

- ¹ Invoke `getActiveDocument()` to give a value to the `documentURI` hidden form field.
- ² Invoke `getDocumentContents()` to give a value to the `xmlSource` hidden form field.
- ³ Invoke `listDocumentResources()` to list *attachments*.

What is called an attachment here is a document resource having an absolute "file:" URI.

When an author uses the applet ``normally'' to reference a local resource, the URI of this resource is necessarily specified as an absolute "file:" URI. The reason for this fact is that a "file:" URI cannot be made relative to the URI of the edited document, which is an "http:" URI. The applet uses this specificity to automatically detect which resources files are to be attached to the posted XML source.

- ⁴ For each attachment detected by the applet, attempt to load it using `getDocumentAttachment()` and if this succeeds, add two `hidden` fields to the form. First field contains the absolute "file:" URI of the attachment. Second field contains the base-64 encoded contents of the attachment.
- ⁵ Give a value to the `attachmentCount` hidden form field.

Part II. Reference

Chapter 7. Configuration elements

Configuration elements are directives which are executed by XXE

- during its start-up (help [59], include [62], translation [83], template [79]);
- or when loading a document (detect [51] elements of all configurations are tried in turn in an attempt to recognize the type of the document);
- or just after loading a document which has been associated to a configuration because the `detect` element of this configuration has recognized it (all other elements: binding [44], css [50], etc).

1. binding

```
<binding>
  Content: [ mousePressed | mouseDragged | mouseReleased |
            mouseClicked | mouseClicked2 | mouseClicked3 |
            [ keyPressed | charTyped ]{1,3} |
            appEvent ]
            [ command | menu ]?
</binding>

<mousePressed
  button = (1|2|3) : 1
  modifiers = possibly empty list of (ctrl|shift|alt|meta|altGr|mod)
/>

<mouseDragged
  button = (1|2|3) : 1
  modifiers = possibly empty list of (ctrl|shift|alt|meta|altGr|mod)
/>

<mouseReleased
  button = (1|2|3) : 1
  modifiers = possibly empty list of (ctrl|shift|alt|meta|altGr|mod)
/>

<mouseClicked
  button = (1|2|3) : 1
  modifiers = possibly empty list of (ctrl|shift|alt|meta|altGr|mod)
/>

<mouseClicked2
  button = (1|2|3) : 1
  modifiers = possibly empty list of (ctrl|shift|alt|meta|altGr|mod)
/>

<mouseClicked3
  button = (1|2|3) : 1
  modifiers = possibly empty list of (ctrl|shift|alt|meta|altGr|mod)
/>

<keyPressed
  code = key code
  modifiers = possibly empty list of (ctrl|shift|alt|meta|altGr|mod)
/>
```

Note that `mod` is the Command key on Mac and the Control key on other platforms.

```
<charTyped
  char = single character
/>

<appEvent
  name = name of application event
```

```

/>

<command
  name = NMTOKEN
  parameter = string
/>

<menu
  label = non empty token
>
  Content: [ menu | separator | item ]+
</menu>

<separator
/>

<item
  label = non empty token
  icon = anyURI
  command = NMTOKEN
  parameter = string
/>

key code = ( 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
             9 | A | ACCEPT | ADD | AGAIN |
             ALL_CANDIDATES | ALPHANUMERIC | AMPERSAND |
             ASTERISK | AT | B | BACK_QUOTE | BACK_SLASH |
             BACK_SPACE | BEGIN | BRACELEFT | BRACERIGHT | C |
             CANCEL | CAPS_LOCK | CIRCUMFLEX | CLEAR |
             CLOSE_BRACKET | CODE_INPUT | COLON | COMMA | COMPOSE |
             CONTEXT_MENU | CONVERT | COPY | CUT | D | DEAD_ABOVEDOT |
             DEAD_ABOVEERING | DEAD_ACUTE | DEAD_BREVE |
             DEAD_CARON | DEAD_CEDILLA | DEAD_CIRCUMFLEX |
             DEAD_DIAERESIS | DEAD_DOUBLEACUTE | DEAD_GRAVE |
             DEAD_IOTA | DEAD_MACRON | DEAD_OGONEK |
             DEAD_SEMIVOICED_SOUND | DEAD_TILDE |
             DEAD_VOICED_SOUND | DECIMAL | DELETE |
             DIVIDE | DOLLAR | DOWN | E | END | ENTER |
             EQUALS | ESCAPE | EURO_SIGN | EXCLAMATION_MARK |
             F | F1 | F10 | F11 | F12 | F13 | F14 | F15 | F16 | F17 |
             F18 | F19 | F2 | F20 | F21 | F22 | F23 | F24 | F3 | F4 |
             F5 | F6 | F7 | F8 | F9 | FINAL | FIND | FULL_WIDTH |
             G | GREATER | H | HALF_WIDTH | HELP | HIRAGANA |
             HOME | I | INPUT_METHOD_ON_OFF | INSERT |
             INVERTED_EXCLAMATION_MARK | J | JAPANESE_HIRAGANA |
             JAPANESE_KATAKANA | JAPANESE_ROMAN | K | KANA |
             KANA_LOCK | KANJI | KATAKANA | KP_DOWN | KP_LEFT |
             KP_RIGHT | KP_UP | L | LEFT | LEFT_PARENTHESIS |
             LESS | M | MINUS | MODECHANGE | MULTIPLY | N |
             NONCONVERT | NUMBER_SIGN | NUMPAD0 | NUMPAD1 |
             NUMPAD2 | NUMPAD3 | NUMPAD4 | NUMPAD5 | NUMPAD6 |
             NUMPAD7 | NUMPAD8 | NUMPAD9 | NUM_LOCK | O |
             OPEN_BRACKET | P | PAGE_DOWN | PAGE_UP | PASTE |
             PAUSE | PERIOD | PLUS | PREVIOUS_CANDIDATE |
             PRINTSCREEN | PROPS | Q | QUOTE | QUOTEDBL | R |
             RIGHT | RIGHT_PARENTHESIS | ROMAN_CHARACTERS |
             S | SCROLL_LOCK | SEMICOLON | SEPARATOR | SLASH |
             SPACE | STOP | SUBTRACT | T | TAB | U | UNDERSCORE |
             UNDO | UP | V | W | WINDOWS | X | Y | Z )

```

Bind a key stroke to a command or bind a mouse click to a command or a popup menu or bind an application event [47] to a command.

Note that a key stroke or an application event cannot be used to display a popup menu.

A binding element not containing a `command` or `menu` child element may be used to remove the corresponding keyboard shortcut or mouse click.

XXE does not allow to replace any of its default bindings, just to add more bindings, unless these bindings are specified in a special purpose configuration file called `customize.xxe`. For more information about `customize.xxe`, see Generic bindings [10].

Examples:

```
<binding>
  <keyPressed code="F4" />
  <command name="insert" parameter="into tt" />
</binding>

<binding>
  <keyPressed code="ESCAPE" />
  <charTyped char="@" />
  <command name="insert" parameter="into a" />
</binding>

<binding>
  <mousePressed button="2" />
  <menu label="XHTML">
    <menu label="Table">
      <item label="Insert column before" command="xhtml.tableColumn"
        parameter="insertBefore"/>
      <item label="Insert column after" command="xhtml.tableColumn"
        parameter="insertAfter"/>
      <item label="Delete column" command="xhtml.tableColumn"
        parameter="delete"/>
    </menu>
    <separator />
    <item label="Go to opposite link end"
      command="followLink" parameter="swap" />
    <separator />
    <item label="Preview" icon="icons/preview.gif"
      command="xhtml.preview" />
  </menu>
</binding>

<binding>
  <keyPressed code="A" modifiers="mod" />
</binding>
```

About application events

An *application event*, like a mouse click or a keystroke, is used to trigger an action. But unlike user inputs, application events are not generated by the graphics system (i.e. Java™ AWT). Application events are directly created and dispatched to the document view by XXE.

Application events have been created to be able to use the very useful binding mechanism for events other than mouse clicks or keystrokes. For example: drag and drop, changes of the editing context, document events, etc.

Currently XXE generates the following application events:

drag

Generated when the user drags something other than an `drag-source` (see Section 13, “`drag-source`” in *XMLmind XML Editor - Support of Cascading Style Sheets (W3C CSS)*) in the document view.

Dragging an object in the document view means: dragging the mouse over the object while keeping the left button *and the Alt key* pressed.

The command bound to this application event must return a *string*. This string will be passed as is to the drop site.

DITA example:

```
<binding>
  <appEvent name="drag" />
  <command name="dita.drag" />
</binding>

<command name="dita.drag">
  <macro xmlns:hrefu="java:com.xmlmind.xmlmleditext.dita.HrefUtil">
    <sequence>
      <command name="ensureSelectionAt" parameter="selectElement" />
      <test context="$selectedElement"
        expression="hrefu:get-href(.) != ''" />
      <get expression="hrefu:get-href($selectedElement)" />
    </sequence>
  </macro>
</command>
```

drop

Generated when the user drops a *string* (typically a filename or an URL) in the document view.

If the object dropped from an external application is not a string (that is, some text), this object will be automatically converted to a string (when possible). For example, a file is converted to a string by using its absolute filename.

In addition to `%{value}`, which is substituted with the dropped string, the following convenience variables are also supported:

`%{url}`

If `%{value}` contains an URL or the absolute filename of a file or a directory, this variable contains the corresponding URL.

`%{file}`

If `%{value}` contains a `file:` URL or the absolute filename of a file or a directory, this variable contains the corresponding filename.

By default, XXE uses the following binding:

```
<binding>
  <appEvent name="drop" />
```

```
<command name="XXE.open" parameter="%{value}" />
</binding>
```

Note how the string is passed to the `XXE.open` command.

Mouse click in the left or in the right margin

Generated when the user clicks in the gray margins found at the left and at the right of the document view. Note that these margins are by default absent (Preferences dialog box, Window tab, "Add interactive margins to styled views" toggle).

The name of this application event is composed as follows:

```
event_name -> margin press_or_click
margin -> '-left-margin' | '-right-margin'
press_or_click -> '-popup-trigger' | click
click -> modifiers? click_count? button
modifiers -> '-altgr'? '-alt'? '-meta'? '-ctrl'? '-shift'?
click_count -> '-double' | '-triple' | '-quadruple'
               | '-' NUMBER >= 5
button-> '-click1' | '-click2' | '-click3'
```

Examples: `right-margin-click2`, `left-margin-double-click1`, `right-margin-popup-trigger`, `right-margin-ctrl-shift-click1`.

By default, XXE uses the following bindings (plus same bindings for the right margin):

```
<binding>
  <appEvent name="left-margin-click1" />
  <command name="selectBlockAtY" parameter="orParent" />
</binding>

<binding>
  <appEvent name="left-margin-popup-trigger" />
  <command name="editMenu" />
</binding>
```

2. command

```
<command
  name = NMTOKEN
>
  Content: class | menu | macro | process
</command>

<class>
  Content: Java class name
</class>
```

Register command specified by *class*, *macro* or *process* with XXE. The newly registered command can be referenced in binding [44] *command* or *menu*, *menu* [66] *item*, *toolBar* [80] *item* and *command* [48] *macro* using name *name*.

All commands are registered in the *same global registry* using name *name*. Therefore, it is strongly recommended to use a prefix (not related to XML namespace prefixes) for the name of your commands. Example of commands written by XMLmind: `docb.promote`, `docb.demote`, `xhtml.preview`. (We always use *short_lower_case_prefix.camelCaseCommandName*.)

Example:

```
<command name="xhtml.preview">
  <class>com.xmlmind.xmleditext.xhtml.Preview</class>
</command>
```

In the above example, custom command `com.xmlmind.xmleditext.xhtml.Preview` written in Java™ is registered by XXE under the name `xhtml.preview`.

Child elements of `command`:

class

Register command implemented in the Java™ language by class `class` (implements interface `com.xmlmind.xmledit.gadget.Command` -- See Chapter 6, *Writing a command* in *XMLmind XML Editor - Developer's Guide*).

menu

Define a popup menu of commands. This special type of command, typically invoked from contextual macro-commands, is intended to be used to specify contextual popup menus, redefining or extending the standard right-click popup menu. See Chapter 3, *Menu commands* in *XMLmind XML Editor - Commands*.

macro

Define a macro-command which is, to make it simple, a sequence of native commands, menu commands, process commands or other macro-commands. See Chapter 4, *Macro commands* in *XMLmind XML Editor - Commands*.

process

Define a process command, which is an arbitrarily complex transformation of part or all of the document being edited. See Chapter 5, *Process commands* in *XMLmind XML Editor - Commands*.

3. configuration

```
<configuration
  name = non empty token
  mimeType = non empty token
>
  Content: [ binding|command|css|detect|documentResources|
            dtd|elementTemplate|help|imageToolkit|include|
            inclusionScheme|menu|newElementContent|parameterGroup|preserveSpace|
            property|relaxng|saveOptions|schematron|schema|
            spellCheckOptions|spreadsheetFunctions|template|toolBar|translation|
            validateHook|validate|windowLayout ]*
</configuration>
```

This root element of a XXE configuration is just a container for all the other configuration elements. See *Writing a configuration file for XXE* [1].

Attributes:

name

This attribute uniquely identifies the configuration. This attribute is required in top-level configurations (e.g. `docbook.xxe`). On the other hand, it must not be specified in configuration modules (e.g. `common.incl`).

mimeType

The value of this attribute is used to specify the content type of XML documents saved on WebDAV servers. When this attribute is not specified, the content type passed to the WebDAV server is always `application/xml`. This attribute allows to be more specific: `application/xhtml+xml`, `application/docbook+xml`, etc.

Example:

```
<configuration name="Example1"
  xmlns="http://www.xmlmind.com/xmleditor/schema/configuration">
```

```
<detect>
  <dtdPublicId>-//XMLmind//DTD Example1//EN</dtdPublicId>
</detect>

<css name="Style sheet" location="example1.css" />

<template name="Template" location="example1.xml" />

</configuration>
```

The structure of the configuration element is loose: you can add any number of any of its child elements in any order.

This loose structure is very convenient when you need to create a new configuration which just adds or replaces a few elements to an existing configuration.

Example: The following configuration called `DocBook` overrides bundled configuration also called `DocBook`.

```
<configuration name="DocBook" mimeType="application/docbook+xml"
  xmlns="http://www.xmlmind.com/xmleditor/schema/configuration">

  <include location="xxe-config:docbook/docbook.xxe" />

  <css name="DocBook" location="MyDocBook.css" />
  <css name="Big Fonts" location="MyDocBook_BigFonts.css" />

  <template name="Chapter" />
  <template name="Section" />

  <binding>
    <keyPressed code="F5" modifiers="mod shift" />
    <command name="insert" parameter="into literal" />
  </binding>

</configuration>
```

The configuration in previous example can be described as follows:

- It includes the stock `DocBook` configuration from `xxe-config:docbook/docbook.xxe` to reuse its `detect`, `elementTemplate`, `toolBar`, etc, elements. ("`xxe-config:`" resolves to `XXE_install_dir/addon/config/`.)
- It replaces bundled style sheet named `DocBook` by another one contained in `MyDocBook.css`. It adds another style sheet called `Big Fonts`.
- It discards document templates named "Chapter" and "Section" (template [79] with no `location` attribute).
- Its binds key stroke **Shift+Ctrl+F5** command "insert into literal". (mod is the Command key on Mac and the Control key on other platforms).

4. CSS

```
<css
  name = non empty token
  location = anyURI
  alternate = boolean : false
/>
```

Add CSS style sheet named *name*, contained in file *location*, to the Style menu.

Any style sheet with `alternate="false"` is used preferably to a style sheet with `alternate="true"` to render a newly opened document.

Note that if a document contains `<?xml-stylesheet type="text/css"?>` processing instructions, by default (there is an `XXE` option to specify this) the style sheets specified this way are used and the style sheets specified in the configuration file are ignored.

Specifying a `css` element without a location may be used to remove `css` element with the same name from the configuration.

Example:

```
<css name="XHTML" location="css/xhtml-form.css" />
<css name="XHTML (form elements not styled)"
    location="css/xhtml.css" alternate="true" />
```

Special attribute value `name="-"` may be used to instruct XXE to initially display the opened document as a tree view. Example of the configuration allowing to edit W3C XML Schemas in XXE:

```
<css location="" name="-" />
<css location="xws.css" name="W3C XML Schema"
    alternate="true" />
```

Notice that, when `name="-"`, the value of the `location` attribute is ignored, therefore suffice to specify `location=""`.

5. DTD

```
<dtd
    systemId = anyURI
    publicId = non empty token
/>
```

Use the DTD specified by this element to constrain the document.

Note that

- if a document contains a document type declaration (`<!DOCTYPE>`) which defines elements,
- or if the root element of a document has `xsi:schemaLocation/xsi:noNamespaceSchemaLocation` attributes,
- or if a document contains a `<?xxe-relaxng-schema location="..."?>` processing instruction [55],

the grammar specified this way is used and the DTD specified in the configuration file is ignored.

Example:

```
<dtd publicId="-//W3C//DTD XHTML 1.0 Strict//EN"
    systemId="dtd/xhtml1-strict.dtd" />
```

Caution

When using this configuration, also specify `<saveOptions [73] saveCharsAsEntityRefs="false">`. Otherwise, if the added DTD specifies character entities as it is often the case, you may end up creating documents which cannot be interchanged with other applications. The other applications would see such DTD-less documents containing references to named character entities as being non-well formed.

6. detect

```
<detect>
    Content: and|dtdPublicId|dtdSystemId|fileNameExtension|mimeType|
            not|or|rootElementLocalName|rootElementNamespace|
            rootElementAttribute|schemaType
</detect>

<and>
    Content: [ and|dtdPublicId|dtdSystemId|fileNameExtension|mimeType|
            not|or|rootElementLocalName|rootElementNamespace|
            rootElementAttribute|schemaType ]+
</and>

<dtdPublicId
```

```
    substring = boolean : false
>
    Content: non empty token
</dtdPublicId>

<dtdSystemId>
    Content: anyURI
</dtdSystemId>

<fileNameExtension>
    Content: file name extension
</fileNameExtension>

<mimeType>
    Content: non empty token
</mimeType>

<not>
    Content: and|dtdPublicId|dtdSystemId|fileNameExtension|mimeType|
            not|or|rootElementLocalName|rootElementNamespace|
            rootElementAttribute|schemaType
</not>

<or>
    Content: [ and|dtdPublicId|dtdSystemId|fileNameExtension|mimeType|
            not|or|rootElementLocalName|rootElementNamespace|
            rootElementAttribute|schemaType ]+
</or>

<rootElementLocalName>
    Content: Name
</rootElementLocalName>

<rootElementNamespace>
    Content: anyURI
</rootElementNamespace>

<rootElementAttribute
    localName = Name
    namespace = anyURI
    value = string
    substring = boolean : false
/>

<schemaType>
    Content: 'dtd' | 'schema' | 'relaxng'
</schemaType>
```

Register with XXE a condition which can be used to detect the type of a document.

During its start-up, XXE loads all the configuration files it can find, because it needs to keep a list of all detect elements.

The order of a detect element in this list depend on the location of its configuration file: configurations loaded from the `config` subdirectory of user preferences directory precede configurations loaded from the value of environment variable `XXE_ADDON_PATH` which in turn precede configurations loaded from the `addon` subdirectory of XXE distribution directory.

When a document is opened, XXE tries each detect element in turn. If the condition expressed in the detect element evaluates to true, the detection phase stops and the configuration containing the detect element is associated to the newly opened document.

Child elements of detect:

and

Evaluates to true if all its children evaluate to true.

dtdPublicId

Evaluates to true if the document has a document type declaration (`<!DOCTYPE>`) with a public ID equals to the content of this element.

If `substring="true"`, evaluates to true if public ID contains the specified string.

dtdSystemId

Evaluates to true if the document has a document type declaration (`<!DOCTYPE>`) with a system ID equals to the content of this element.

fileNameExtension

Evaluates to true if the file containing the document has a name which ends with `'.'` followed by the content of this element.

contentType

Evaluates to true if the file containing the document has a MIME type equals to the content of this element.

not

Evaluates to true if its child evaluates to false.

or

Evaluates to true if any of its children evaluates to true.

rootElementLocalName

Evaluates to true if the document has a root element with a local name (name without the namespace part) equals to the content of this element.

rootElementNamespace

Evaluates to true if the document has a root element with a name which belongs to the namespace equals to the content of this element.

Use `"<rootElementNamespace xsi:nil='true' />"` to specify that the name of root element has no namespace.

rootElementAttribute

Evaluates to true if the document has a root element which has at least one attribute where *all* of the following is true:

- The local part of the name of the attribute is equal to the value of `localName`. When `localName` is not specified, any local part will do.
- The namespace URI of the name of the attribute is equal to the value of `namespace`. When `namespace` is not specified, any namespace URI or no namespace URI at all will do.

Use the empty string (e.g. `namespace=""`) to specify that the name of the attribute should have no namespace at all.

- The value of the attribute must be equal to the value of `value`. When `value` is not specified, any value will do.

If `substring` is specified with value `true`, suffice for the value of the attribute to contain the value of `value`.

DocBook 5 example: use a specific configuration for documents conforming to version 1.0 of Acme Corporation's extension of DocBook 5. As explained in the DocBook 5 documentation, the root element of such document should have a `version` attribute with value `5.0-extension acme-1.0`.

```
<rootElementAttribute localName="version" value="acme" substring="true" />
```

What follows is even more precise, though not strictly needed:

```
<rootElementAttribute localName="version" namespace="" value="acme" substring="true" />
```

schemaType

Evaluates to true

- if the document is explicitly constrained by a DTD (that is, has a `<!DOCTYPE>`) and the content of this element is DTD,
- OR if the document is explicitly constrained by an W3C XML Schema (that is, has a `xsi:schemaLocation` or a `xsi:noNamespaceSchemaLocation` attribute on its root element) and the content of this element is schema.
- OR if the document is explicitly constrained by RELAX NG schema (that is, contains a `<?xre-relaxng-schema location="..."?>` processing instruction [55]) and the content of this element is `relaxng`.

Use `"<schemaType xsi:nil='true' />"` to specify that document is not explicitly constrained by a DTD, a W3C XML Schema or a RELAX NG schema.

Example:

```
<detect>
  <and>
    <or>
      <rootElementLocalName>book</rootElementLocalName>
      <rootElementLocalName>article</rootElementLocalName>
      <rootElementLocalName>chapter</rootElementLocalName>
      <rootElementLocalName>section</rootElementLocalName>
      <rootElementLocalName>sect1</rootElementLocalName>
      <rootElementLocalName>sect2</rootElementLocalName>
      <rootElementLocalName>sect3</rootElementLocalName>
      <dtdPublicId substring="true">DTD DocBook XML</dtdPublicId>
    </or>
    <rootElementNamespace xsi:nil="true" />
  </and>
  <not>
    <dtdPublicId substring="true">Simplified</dtdPublicId>
  </not>
</detect>
```

The `detect` element in this example can be described as follows: opened document is a DocBook document if

- The local name of the root element is one of `book`, `article`, `chapter`, `section`, `sect1`, `sect2`, `sect3`.
OR the public ID of its DTD contains string `"DTD DocBook XML"`.
- AND the name of its root element does not belong to any namespace.
- AND the public ID of its DTD does not contain string `"Simplified"`.

The xxe-relaxng-schema processing instruction

This processing instruction is a non standard, proprietary, way to associate a document to a RELAX NG schema. *Its use should be restricted to testing and other quick and dirty experiments.*

DocBook RELAX NG example:

```
<?xml version="1.0" encoding="UTF-8" ?>
<?xxe-relaxng-schema name="-//OASIS//RELAX NG DocBook V4.3//EN"
  location="http://www.docbook.org/rng/4.3/docbook.rng" ?>
<article>
  <title></title>
  <section>
    <title></title>
    <para></para>
  </section>
</article>
```

Like the standard `<?xml-stylesheet?>` standard processing instruction, the `xxe-relaxng-schema` processing instruction (which is understood only by XMLmind XML Editor) contains a number of pseudo-attributes:

location

Required. Specifies the URL of the RELAX NG schema.

The `location` pseudo-attribute is XML-catalog-aware.

name

A unique name for the RELAX NG schema (similar to the public ID of a DTD). Without such name, a RELAX NG schema cannot be cached.

When possible, the ``target namespace" of the RELAX NG schema is a sensible choice for this attribute.

compactSyntax

Specifies that the RELAX NG schema is written using the compact syntax. Without this attribute, if `location` has a "rnc" extension, the schema is assumed to use the compact syntax, otherwise it is assumed to use the XML syntax.

encoding

Specifies the character encoding used for a RELAX NG schema written using the compact syntax. Ignored if the XML syntax is used. Without this attribute, the schema is assumed to use the native encoding of the platform.

7. documentResources

```
<documentResources>
  Content: [ resource|selector ]+
</documentResources>

<resource>
  path = Absolute XPath (subset [56])
/>

<selector>
  <class>Content: Java class name</class>
</selector>
```

Specifies which resources are logically part of the document being edited. Generally these resources are external image files.

Attributes of child element `resource`:

path

XPath expression used to find the URIs of the resources within the document content. These URIs are generally attribute values but could also be element values.

In complex cases, specifying document resources using simple XPath expressions (see XPath subset [56] below) is not sufficient. In such case, use `selector` child elements instead of `resources`. The `class` element contains the name of a Java™ class which implements `com.xmlmind.xml.sxpath.XNodeSelector`.

XHTML example:

```
<cfg:documentResources xmlns="">
  <cfg:resource path="//img/@src" />
  <cfg:resource path="//object/@data" />
</cfg:documentResources>
```

DocBook example:

```
<cfg:documentResources xmlns="">
  <cfg:resource path="//@fileref" />
</cfg:documentResources>
```

XPath 1.0 subset supported by configuration elements

The XPath 1.0 subset supported by configuration elements is the one defined in "XML Schema Part 1: Structures, Identity-constraint Definitions", except that absolute XPaths (`/foo/bar`, `//bar`, etc) are also supported.

```
XPath      ::= Path ( '|' Path ) *
Path       ::= ( '/' | '//' ) ? ( Step ( '/' | '//' ) ) * ( Step | '@' NameTest )
Step       ::= '.' | NameTest
NameTest   ::= QName | '*' | NCName ':' '*'
```

Both abbreviated syntax and non-abbreviated syntax are supported.

8. elementTemplate

```
<elementTemplate
  name = NMTOKEN
  parent = XPath (subset [56])
  selectable = (false|true|override) : true
>
  Content: [ any element ]?
</elementTemplate>
```

Register with XXE the element template specified in this element.

An element template can include another element template. This is specified by `<included_element_name cfg:template="included_template_name"/>` inside the body of the template. See DocBook example below.

Note that the validity of the element contained in the `elementTemplate` is not checked by XXE when the configuration file is parsed.

Specifying a `elementTemplate` containing no element may be used to remove all `elementTemplates` with the same name from the configuration.

name

``Title" of the element template.

Different element templates may have the same name provided that they contain different elements.

parent

With grammars such as W3C XML Schema and RELAX NG, different element types may have save the same element name.

Examples:

1. Element `title` with enumerated values `Doctor` and `Professor` can be inserted inside element `author`.
2. Element `title` containing plain text, `strong` or `emphasis` children can be used as the title of a figure or a table.

In such situation, the XPath attribute `parent` must be used to specify to XXE in which context (that is, for which parent element) the element template can be used.

Examples:

1. Specify `parent="author"`.
2. Specify `parent="figure|table"`.

`selectable`

Value `true` specifies that this element template is to be listed as `element_name(element_template_name)` in the Edit tool.

Value `false` or `override` prevents XXE to list the element template in the Edit tool.

Value `false` is useful for an element template which is just referenced in a macro-command or in another template and which is not for general use.

Value `override` specifies that this element template is to be used everywhere the automatically generated element would otherwise have been used. See DocBook 4 example below.

Example 7.1. DocBook 4 example

By default, XXE creates a `listitem` containing a `para`. The following template forces XXE to create a `listitem` containing a `simpara`.

```
<cfg:elementTemplate xmlns="" name="simpara" selectable="override">
  <listitem>
    <simpara></simpara>
  </listitem>
</cfg:elementTemplate>
```

The `listitem` specified above will also be automatically used inside newly created `itemizedlist`, `orderedlist` and `variablelist`.

By default, XXE creates an `itemizedlist` containing a single `listitem`. The following template forces XXE to create an `itemizedlist` with two `listitems`.

Note that this template includes the `listitem` template specified above by using attribute `cfg:template`.

```
<cfg:elementTemplate xmlns="" name="simpara" selectable="override">
  <itemizedlist>
    <listitem cfg:template="simpara" />
    <listitem cfg:template="simpara" />
  </itemizedlist>
</cfg:elementTemplate>
```

8.1. Adding empty text nodes to your element templates

In some cases, you want the element template to contain an empty text node because, when a new element corresponding to this template is inserted in the document, the empty text node acts as a placeholder.

XHTML example:

```
<cfg:elementTemplate name="name_field">
  <p xmlns="http://www.w3.org/1999/xhtml"
    class="name_field"><b>Name: </b>    </p>
</cfg:elementTemplate>
```

The above element template should work fine. However all the whitespace following the `b` element will be automatically trimmed and no empty text node will inserted after it.

If you rewrite the above template as:

```
<cfg:elementTemplate name="name_field">
  <p xmlns="http://www.w3.org/1999/xhtml"
    class="name_field"><b>Name: </b><?text?></p>
</cfg:elementTemplate>
```

the element template will work as expected.

Note that the `<?text?>` processing instruction must be completely empty, otherwise it is inserted in the document as is. Also note that the `<?text?>` processing instruction must not follow or precede a text node (empty or not), otherwise it is simply discarded.

8.2. Specificities of `selectable="override"`

- The validity of the contents of an element template having `selectable="override"` is checked before the editing operation is performed. If this contents is found to be *structurally* invalid, then the element template is ignored and an automatically generated element is used instead.

Example of a structurally invalid element template (the `linkend` attribute of DocBook 4 element `xref` is missing):

```
<elementTemplate name="simple" selectable="override">
  <xref xmlns="" role="LINK" />
</elementTemplate>
```

Note that the above element can be made usable by slightly modifying it:

```
<elementTemplate name="simple" selectable="override">
  <xref xmlns="" linkend="???" role="LINK" />
</elementTemplate>
```

The above element template is data-type invalid ("`???`" is not a valid ID), but structurally valid.

- Unlike W3C XML Schema, with RELAX NG, different element types may have save the same element name *regardless of the element type of the parent*. DocBook 5 example: there are 3 different `indexterm` element types that may be inserted into almost any parent element.

In the case of the above example, XXE lists these 3 different `indexterm` element types in its Edit tool as: `indexterm`, `indexterm-2`, `indexterm-3`. These automatically generated names are hard to understand. Here comes `selectable="override"`. This facility may also be used to give user-friendly names to the competing element types listed by XXE.

DocBook 5 example:

```
<elementTemplate name="singular" selectable="override">
  <indexterm
    xmlns="http://docbook.org/ns/docbook"><primary></primary></indexterm>
</elementTemplate>

<elementTemplate name="startofrange" selectable="override">
  <indexterm xmlns="http://docbook.org/ns/docbook" xml:id="???"
    class="startofrange"><primary></primary></indexterm>
</elementTemplate>

<elementTemplate name="endofrange" selectable="override">
  <indexterm xmlns="http://docbook.org/ns/docbook"
    class="endofrange" startref="???" />
</elementTemplate>
```

In the case of the above example, the Edit tool will not list `indexterm`, `indexterm-2`, `indexterm-3`. Instead it will list `indexterm(singular)`, `indexterm(startofrange)`, `indexterm(endofrange)`.

9. help

```
<help
  location = anyURI
/>
```

Adds specified JavaHelp™ .jar file to the online help displayed using Help → Help.

Example:

```
<help location="docbook_help.jar" />
```

If the .jar file is called *foo.jar*, it must contain a help set file called *foo/jhelpset.hs*. In the case of the above example, *docbook_help.jar* must contain *docbook_help/jhelpset.hs*.

An online help may be available in several languages. Example: let's suppose that *docbook_help.jar* is to be available in English, French and German. In such case, you must provide three JavaHelp™ .jar files:

- *docbook_help.jar* containing *docbook_help/jhelpset.hs*.
- *docbook_help_fr.jar* containing *docbook_help_fr/jhelpset.hs*.
- *docbook_help_de.jar* containing *docbook_help_de/jhelpset.hs*.

Which JavaHelp™ .jar file is actually used depends on the locale of the machine running XMLmind XML Editor.

In the above example, we assume that English is the default, fallback, language.

Use two-letter, lowercase, language codes such as *fr* and *de* to specify languages. Do not use language variants like *fr_CA*.

Declare just *docbook_help.jar* using using a help configuration element (that is, `<help location="docbook_help.jar"/>`). Do not declare *docbook_help_fr.jar* and *docbook_help_de.jar*.

10. imageToolkit

```
<imageToolkit
  name = non empty token
>
  Content: [ description ]? [ converter ]+
</imageToolkit>

<description>
  Content: string
</description>

<converter>
  Content: input output [ shell ]+
</converter>

<input
  extensions = non empty list of file name extensions
  magicStrings = non empty list of strings
  magicNumbers = non empty list of hexBinaries
  rootNames = non empty list of QNames
/>

<output
  extensions = non empty list of file name extensions
/>

<shell
  command = Shell command
  platform = (Unix | Windows | Mac | GenericUnix)
/>
```

The `imageToolkit` configuration element allows to turn any command line tool generating GIF, JPEG or PNG images (example: ImageMagick's **convert**) to a fully functional image toolkit plug-in for XXE. Without this mechanism, image toolkit plug-ins such as the Batik plug-in or the Jimi plug-in need to be written in the Java™ programming language.

The add-on called "*A sample customize.xxe*" (download and install it using Options → Install Add-ons) contains three useful `imageToolkits` from which the examples used here are taken.

An `imageToolkit` has a required `name` attribute which is used to register the plug-in and an optional `description` child element which is displayed in the dialog box opened by menu entry Help → Plug-ins.

An `imageToolkit` contains one or more `converter` child elements. A `converter` mainly contains a command template (`shell` child element) which can be used to convert from one or more input formats (`input` child element) to one or more output formats (`output` child element).

Example:

```
<imageToolkit name="netpbm">
  <description>Converts PBM, PGM, PPM images to PNG.</description>

  <converter>
    <input extensions="pnm pbm pgm ppm" magicStrings="P4 P5 P6 P1 P2 P3"/>
    <output extensions="png"/>

    <shell command='pnmtopng %A "%I" &gt; "%O"' />
  </converter>
</imageToolkit>
```

In the `input` and `output` elements, attribute `extensions` is required and specifies the file name extensions of the supported image formats. For the `output` elements, extensions other than `png`, `gif`, `jpg` and `jpeg` (case-insensitive) are currently ignored.

The `input` elements have means other than file name extensions to detect the format of images *embedded* in the XML document:

Binary images

Attribute `magicNumbers` contains a list of numbers in hexadecimal format. These numbers are possible values for the first bytes found in the image file.

These first bytes are often ASCII characters (even for binary images such as PNG or TIFF), that's why it is often more convenient to use attribute `magicStrings` rather than attribute `magicNumbers`.

Example: `magicNumbers="5034 5035"` is equivalent to `magicStrings="P4 P5"`.

XML images (typically SVG images)

The format of an XML image embedded in an XML document can be detected by examining the name of its root element. Attribute `rootNames` contains a list of such `QNames` (qualified names: data type which is part of the W3C XML Schema standard).

The following example is not useful because Batik is available as a plug-in written in Java™. However, this example shows how to declare an `imageToolkit` which handles XML images.

```
<imageToolkit name="Batik as an external SVG toolkit">
  <description>Converts SVG to PNG.</description>

  <converter>
    <input extensions="svg svgz"
      magicStrings="&lt;?xml"
      rootNames="svg:svg" xmlns:svg="http://www.w3.org/2000/svg" />
    <output extensions="png"/>

    <shell
      command='java -jar /opt/batik/batik-rasterizer.jar %A "%I" -d "%O"' />
  </converter>
</imageToolkit>
```

```
</converter>
</imageToolkit>
```

A `converter` element contains one or more `shell` elements. Each `shell` element contains a command template usable on a given platform. That is, a *single* shell command is executed when the `imageToolkit` is used to convert between image formats.

After substituting the variables contained in the template (see below), the command is executed the using the native shell of the machine running XXE: **cmd.exe** on Windows and **/bin/sh** on Unix (Mac OS X is considered to be a Unix platform).

If the `platform` attribute is not specified, the shell command is executed whatever is the platform running XXE.

If the `platform` attribute is specified, the shell command is executed only if the platform running XXE matches the value of this attribute:

Windows

Any version of Windows.

Mac

Mac OS X.

GenericUnix

A Unix which is not Mac OS X (Linux, Solaris, etc).

Unix

GenericUnix or Mac.

The `command` template must contain at least the `%I` and `%O` variables but may also contain the following variables:

Variable	Description
<code>%I</code>	Input image file to be converted by the <code>imageToolkit</code> . Warning The file names contained in <code>%I</code> and <code>%O</code> often contain whitespaces. Do not forget to properly quote these variables in the command template.
<code>%O</code>	Output image file.
<code>%A</code>	Extra command line arguments taken from the <code>convertImage/parameter</code> elements of a <code>process</code> command (see Chapter 5, <i>Process commands in XMLmind XML Editor - Commands</i>). See example below.
<code>%S</code>	<code>%S</code> is the native path component separator of the platform. Example: <code>'\'</code> on Windows.
<code>%C</code> , <code>%c</code>	<code>%C</code> is the name of the directory containing the XXE configuration file from which the <code>imageToolkit</code> element has been loaded. Example: <code>C:\Documents and Settings\john\Application Data\XMLmind\XMLEditor4\addon</code> . <code>%c</code> is the URL of the above directory. Example: <code>file:///C:/Documents%20and%20Settings/john/Application%20Data/XMLmind/XMLEditor4/adon</code> . Note that this URL does not end with a <code>'/'</code> .

Example:

```
<imageToolkit name="Ghostscript">
  <description>Converts EPS and PDF graphics to PNG.
Important: requires Ghostscript 8+.</description>

  <converter>
```

```
<input extensions="eps epsf ps pdf" magicStrings="%!PS %PDF"/>
<output extensions="png"/>

<shell command='gs -q -dBATCH -dNOPAUSE -sDEVICE=png16m
                -r96 -dTextAlphaBits=4 -dGraphicsAlphaBits=4 -dEPSCrop
                %A "-sOutputFile=%O" "%I"'
    platform="Unix"/>

<shell command='gswin32c -q -dBATCH -dNOPAUSE -sDEVICE=png16m
                -r96 -dTextAlphaBits=4 -dGraphicsAlphaBits=4 -dEPSCrop
                %A "-sOutputFile=%O" "%I"'
    platform="Windows"/>
</converter>
</imageToolkit>
```

About the %A variable. Let's suppose a process command contains the following `convertImage` element:

```
<convertImage from="raw/*.eps" to="resources" format="png">
  <parameter name="-r">120</parameter>
  <parameter name="-dDOINTERPOLATE" />
</convertImage>
```

When the above `convertImage` is executed, the command template is equivalent to:

```
gs -q -dBATCH -dNOPAUSE -sDEVICE=png16m \
-r96 -dTextAlphaBits=4 -dGraphicsAlphaBits=4 -dEPSCrop \
-r "120" -dDOINTERPOLATE "-sOutputFile=%O" "%I"
```

11. include

```
<include
  location = anyURI
/>
```

Include all elements contained in specified configuration file in current configuration file.

The URI found in the `location` attribute may be resolved using XML catalogs.

Example 1:

```
<include location="toolBar.incl" />
```

If the file containing the above snippet is `/home/john/.xxe4/addon/mydocbook.xxe`, the included file is then `/home/john/.xxe4/addon/toolBar.incl`.

Example 2:

```
<include location="xxe-config:docbook/toolBar.incl"/>
```

If XXE has been installed in `/opt/xxe/`, the included file is `/opt/xxe/addon/config/docbook/toolBar.incl` because the XML catalog bundled with XXE contains the following rule:

```
<rewriteURI uriStartString="xxe-config:" rewritePrefix="." />
```

12. inclusionScheme

```
<inclusionScheme
  name = non empty token
>
  Content: [ class ]?
</inclusionScheme>

<class>
  Content: Java class name
</class>
```

Register inclusionScheme specified by *class* with XXE.

An inclusionScheme is associated to a type of document.

To make it simple:

- Each time a document for which an inclusion scheme has been declared is opened, XXE invokes this scheme in order to ``evaluate" the inclusion directives it contains. Evaluating the inclusion directives means replacing these directives by up-to-date included nodes.
- Each time a document for which an inclusion scheme has been declared is saved, XXE invokes this scheme in order to convert included nodes back to inclusion directives.

`xi:include` (XInclude) elements are inclusion directives handled by the "XInclude" inclusion scheme. DITA elements having a `conref` attribute are inclusion directives handled by the "Conref" inclusion scheme.

By default, no inclusion schemes at all, not even XInclude, are associated to a document type.

Several inclusionSchemes can be associated to the same document type. In such case, they are invoked in the order of their registration.

Child elements of inclusionScheme:

class

Register inclusionScheme implemented in the Java™ language by class *class* (implements interface `com.xmlmind.xml.load.InclusionScheme`).

Attributes of inclusionScheme:

name

This name is useful to remove or replace a previously registered inclusionScheme. Anonymous inclusionSchemes cannot be removed or replaced.

When a inclusionScheme element is used to remove a registered inclusionScheme, a *name* attribute must be specified and there must be no *class* child element.

DITA Example:

```
<inclusionScheme name="Conref">
  <class>com.xmlmind.xml.editext.dita.ConrefScheme</class>
</inclusionScheme>
```

13. linkScheme

```
<linkScheme>
  Content: [ class | scheme ]?
</linkScheme>

<class>
  Content: Java class name
</class>

<scheme
  name = non empty token
>
  Content: [ anchor ]+ [ link ]+
</scheme>

<anchor
  name = NMTOKEN
  element = QNAME
  attribute = QNAME
  value = string
  attribute2 = QNAME
```

```

value2 = string
text = string
>
<link
  anchors = NMTOKENS
  element = QNAME
  attribute = QNAME
  value = string
  attribute2 = QNAME
  value2 = string
  text = string
>

```

Associates a link scheme to a document type. An empty `linkScheme` element may be used to remove the link scheme associated to a document type.

There are two ways to associate a link scheme to a document type:

1. Implement the `com.xmlmind.xmleditapp.cmd.link.LinkScheme` interface and declare the fully qualified name of the Java™ class implementing this interface in the `class` child element.
2. Define a link scheme using the `scheme` element.

The `scheme` element has a required `name` attribute uniquely identifying the link scheme. This element contains one or more `anchor` child elements, followed by one or more `link` child elements.

An anchor element specifies a given kind of *anchor* (that is, a link target) elements. Its attributes are:

name

Optional attribute. Used to identify this kind of anchors. This name may be referenced in the `anchors` attribute of a `link` element [65].

element

Name of an element acting as an anchor. May be omitted, which means: any element.

attribute

An element acting as an anchor must have this attribute.

One of `attribute`, `attribute2` or `text` must be specified with an "\$anchor" value.

value

Required if `attribute` has been specified. Value of the attribute specified by `attribute`:

- If this value is "\$anchor", then the attribute specified by `attribute` is used to identify the anchor.
- If this value is a non-empty string, then the attribute specified by `attribute` must be present and must have this fixed value.
- If this value is an empty string, then the attribute specified by `attribute` must be present, but may have any value.

attribute2

An element acting as an anchor must have this attribute.

value2

Required if `attribute2` has been specified. Value of the attribute specified by `attribute2`:

- If this value is "\$anchor", then the attribute specified by `attribute2` is used to identify the anchor.
- If this value is a non-empty string, then the attribute specified by `attribute2` must be present and must have this fixed value.
- If this value is an empty string, then the attribute specified by `attribute2` must be present but may have any value.

text

An element acting as an anchor must contain text (just text, not a mix). The allowed values for the `text` attribute are:

- If the value is "\$anchor", then the text content of the element is used to identify the anchor.
- If the value is a non-empty string, then the text content of the element must have this fixed value.
- If this value is an empty string, then the text content of the element may have any value.

A `link` element specifies a given kind of link elements. Its attributes are:

`anchors`

Optional attribute. Contains a list of `anchor` names [64] separated by space, which means: this kind of link may be used to target all the kinds of anchors referenced in the list. In other words, it may not be used to target kinds of anchors not specified in the list.

When this attribute is not specified, this kind of link is ``compatible" with any kind of anchor.

`element`

Required attribute. Name of an element acting as a link.

`attribute`

An element acting as a link must have this attribute.

One of `attribute`, `attribute2` or `text` must be specified with an "\$anchor" or "\$fragment" value.

`value`

Required if `attribute` has been specified. Value of the attribute specified by `attribute`:

- If this value is "\$anchor", then the attribute specified by `attribute` is used to identify the link target.
- If the value is "\$fragment", then after removing a "#" prefix, the attribute specified by `attribute` is used to identify the link target.
- If this value is a non-empty string, then the attribute specified by `attribute` must be present and must have this fixed value.
- If this value is an empty string, then the attribute specified by `attribute` must be present, but may have any value.

`attribute2`

An element acting as a link must have this attribute.

`value2`

Required if `attribute2` has been specified. Value of the attribute specified by `attribute2`:

- If this value is "\$anchor", then the attribute specified by `attribute2` is used to identify the link target.
- If the value is "\$fragment", then after removing a "#" prefix, the attribute specified by `attribute2` is used to identify the link target.
- If this value is a non-empty string, then the attribute specified by `attribute2` must be present and must have this fixed value.
- If this value is an empty string, then the attribute specified by `attribute2` must be present, but may have any value.

`text`

An element acting as a link must contain text (just text, not a mix). The allowed values for the `text` attribute are:

- If the value is "\$anchor", then the text content of the element is used to identify the link target.
- If the value is "\$fragment", then after removing a "#" prefix, the text content of the element is used to identify the link target.
- If the value is a non-empty string, then the text content of the element must have this fixed value.
- If this value is an empty string, then the text content of the element may have any value.

DITA topic example:

```
<linkScheme>
  <class>com.xmlmind.xmleditext.dita.DITALinkScheme</class>
</linkScheme>
```

Simplified DocBook example:

```
<cfg:linkScheme>
  <cfg:scheme name="Simplified DocBook" xmlns="">
    <cfg:anchor attribute="id" value="$anchor" />

    <cfg:link element="link" attribute="linkend" value="$anchor" text="" />
    <cfg:link element="xref" attribute="linkend" value="$anchor" />
  </cfg:scheme>
</cfg:linkScheme>
```

XHTML example:

```
<cfg:linkScheme>
  <cfg:scheme name="XHTML" xmlns="http://www.w3.org/1999/xhtml">
    <cfg:anchor element="a" attribute="name" value="$anchor" />
    <cfg:anchor attribute="id" value="$anchor" />

    <cfg:link element="a" attribute="href" value="$fragment" text="" />
  </cfg:scheme>
</cfg:linkScheme>
```

Extended XHTML example (not used in an actual configuration):

```
<cfg:linkScheme>
  <cfg:scheme name="Extended XHTML" xmlns="http://www.w3.org/1999/xhtml">
    <cfg:anchor name="name"
      element="a" attribute="name" value="$anchor" />
    <cfg:anchor name="id"
      attribute="id" value="$anchor" />

    <cfg:anchor name="anchor-class"
      element="span" attribute="class" value="anchor"
      text="$anchor" />

    <cfg:link anchors="name id"
      element="a" attribute="href" value="$fragment" text="" />

    <cfg:link anchors="anchor-class"
      element="span" attribute="class" value="link"
      text="$anchor" />
  </cfg:scheme>
</cfg:linkScheme>
```

In addition to the `` element, a `span` element having attribute `class="link"` is considered to be a link targeting a `` element.

In addition to the `id` attribute and to the `` element, a `span` element having attribute `class="anchor"` is considered to be a possible link target for `` elements.

Snippet making use of the "Extended XHTML" link scheme:

```
<p>This <span class="link">a1</span> is a link to "a1".</p>
<p>This paragraph contains anchor "a1" <span class="anchor">a1</span>.</p>
```

14. menu

```
<menu
  label = non empty token
  name = NMTOKEN
  insert = non empty token
>
  Content: [ menu | separator | item | insert ]*
</menu>

<separator />

<insert />
```

```
<item
  label = non empty token
  icon = anyURI
  command = NMTOKEN
  parameter = string
>
  Content: [ accelerator ]?
</item>

<accelerator
  code = key code
  modifiers = possibly empty list of (ctrl|shift|alt|meta|altGr|mod)
/>
```

Specifies the label and content of the XML (placeholder) menu.

Note that the mnemonic of a menu or of a menu item is specified by adding an underscore ('_') before the character used as a mnemonic. Currently, only a-zA-Z0-1 characters can be used as mnemonics. Moreover, Java™ does not make a difference between an uppercase letter and a lowercase letter.

Example:

```
<menu label="_XHTML">
  ...
  <menu label="C_ell">
    <item label="_Increment Column Span"
      icon="../../common/icons2/incrColumnSpan.gif"
      command="xhtml.tableEdit" parameter="incrColumnSpan"/>
    <item label="_Decrement Column Span"
      icon="../../common/icons2/decrColumnSpan.gif"
      command="xhtml.tableEdit" parameter="decrColumnSpan"/>
    ...
  </menu>
  <separator />
  <item label="_Go to Opposite Link End"
    command="followLink" parameter="swap"/>
  ...
  <separator />
  <item label="Pre_view" icon="../../common/icons/Refresh16.gif"
    command="xhtml.preview">
    <accelerator code="F5" />
  </item>
</menu>
```

There are two ways to extend previously defined menu:

1. By using the `insert` child element.
2. By using the `insert` attribute.

Both methods cannot be used in the same `menu` element. Method 1 is faster and simpler to use than method 2.

1. Using the `insert` child element. Example:

```
<include location="../../common/common.incl" />
<!-- =====
Let's suppose this menu is defined in common.incl:

<cfg:menu label="Insert">
  <cfg:item label="Insert..." command="insert" parameter="into" />
</cfg:menu>
===== -->

<cfg:menu label="Insert">
  <cfg:item label="Insert Before..." command="insert"
    parameter="before[implicitElement]" />
  <cfg:insert />
  <cfg:item label="Insert After..." command="insert"
```

```
parameter="after[implicitElement]" />
</cfg:menu>
```

The `insert` child element is a directive which means: insert all the items of the previous definition of the same menu here.

About the `label` attribute

When you extend a previously defined menu, the `label` attribute specifies the title of the extended menu. This means that you can *change* the title of a menu at the same time you extend it.

If you don't want to do that, which is often the case, simply specify `label="-"` in the menu extension. This is simpler and safer than repeating the original label of the menu. In such case, the above example becomes:

```
<cfg:menu label="-">
  <cfg:item label="Insert Before..." command="insert"
    parameter="before[implicitElement]" />
  <cfg:insert />
  <cfg:item label="Insert After..." command="insert"
    parameter="after[implicitElement]" />
</cfg:menu>
```

2. Using the `insert` attribute. Example:

```
<include location="../common/common.incl" />
<!-- =====
Let's suppose this menu is defined in common.incl:

<cfg:menu label="Insert">
  <cfg:item label="Insert Before..." command="insert"
    parameter="before[implicitElement]" />
  <cfg:item label="Insert After..." command="insert"
    parameter="after[implicitElement]" />
</cfg:menu>
===== -->

<cfg:menu label="Insert" insert="Insert After...">
  <cfg:item label="Insert..." command="insert" parameter="into" />
</cfg:menu>
```

The `insert` attribute is a directive which means: insert all the items found in this menu into the previous definition of the same menu, and this, at specified position.

The value of the `insert` attribute is the label of an item found in the previous definition of the same menu. This label may be preceded by modifier "before " or by modifier "after ". Modifier "before " is the implicit one.

In the above example, extending menu "Insert" could have also been achieved by using:

```
<cfg:menu label="Insert" insert="before Insert After...">
  <cfg:item label="Insert..." command="insert" parameter="into" />
</cfg:menu>
```

or by using:

```
<cfg:menu label="Insert" insert="after Insert Before...">
  <cfg:item label="Insert..." command="insert" parameter="into" />
</cfg:menu>
```

Alternatively, the value of the `insert` attribute may be `##first` or `##last`. Value `##first` specifies the first item of the previous definition of the same menu. Value `##last` specifies the last item of the previous definition of the same menu. Example:

```
<cfg:menu label="Insert" insert="before ##last">
  <cfg:item label="Insert..." command="insert" parameter="into" />
</cfg:menu>
```

The value of the `insert` attribute may start with `ifDefined(system_property_name)`. In such case, the previously defined menu is extended if and only if a system property called `system_property_name` has been defined (no matter its value). Example:

```
<menu label="_XHTML"
  insert="ifDefined(XXE.Edition.Unrestricted)after ##last">
  <separator />
  <menu label="_Convert Document">
    ...
  </menu>
</menu>
```

14.1. Multiple menus

Specifying a `name` attribute for the `menu` element allows to create a GUI having several XML application specific menus.

Example:

1. In `XXE_user_preferences_dir/addon/xhtmll.xxe`, add something like this:

```
<menu name="menu2" label="My XHTML Menu">
  ...
</menu>
```

2. In `XXE_user_preferences_dir/addon/docbook.xxe`, add something like this:

```
<menu name="menu2" label="My DocBook Menu">
  ...
</menu>
```

Notice that the *same* name `menu2` is used in all XML application specific configuration files.

3. In `XXE_user_preferences_dir/addon/customize.xxe_gui` (see XMLmind XML Editor - Customizing the User Interface), add something like this:

```
<menuItems name="configSpecificMenuItems2">
  <class>com.xmlmind.xmleditapp.kit.part.ConfigSpecificMenuItems</class>
  <property name="specificationName" type="String" value="menu2" />
</menuItems>

<menu name="configSpecificMenu2" label="_My Menu">
  <menuItems name="configSpecificMenuItems2" />
</menu>

<menu name="fileMenu">
  <menu name="configSpecificMenu2" />
  <insert />
</menu>
```

15. newElementContent

```
<newElementContent
  addRequiredAttributes = boolean : true
  emptyAttributes = boolean : false
  generateIds = boolean : false
  addChildElements = (noChoice|
                      firstChoice|
                      simplestChoice|
```

```

elementOnlyContentNotEmpty) : simplestChoice
/>

```

Parametrizes the content of a newly inserted element automatically generated by XXE (has no effect on element templates):

addRequiredAttributes, emptyAttributes, generateIds

Example:

```

<!ELEMENT anchor EMPTY>
<!ATTLIST anchor id ID #REQUIRED>

```

addRequiredAttributes="false" creates <anchor/> (emptyAttributes and generateIds are ignored in such case) .

addRequiredAttributes="true", emptyAttributes="false", generateIds="false" creates <anchor id="???" />.

addRequiredAttributes="true", emptyAttributes="true", generateIds="false" creates <anchor id="" />.

addRequiredAttributes="true", generateIds="true", creates <anchor id="__f34a62b09.b" /> (whatever is the value of emptyAttributes).

addChildElements

Example:

```

<!ELEMENT section (title,(table|para)+)>
<!ELEMENT para #PCDATA>
<!ELEMENT table (header?,row*)>

```

addChildElements="noChoice" creates <section><title></title></section> (which is invalid) because it will not choose between a para and a table.

addChildElements="firstChoice" creates <section><title></title><table></table></section>. This option is useful for authors who write small schemas for use in XXE and don't want to worry about elementTemplates [56].

addChildElements="simplestChoice" creates <section><title></title><para></para></section> because the content of a para is simpler than the content of a table.

addChildElements="elementOnlyContentNotEmpty" is a variant of simplestChoice for elements having an element-only content. In the case of this kind of elements, this variant will not create empty elements, even if this is allowed by the schema. For example, using this option creates this table: <table><row><cell></cell></row></table>, where using simplestChoice would have created an empty table: <table></table>.

Example:

```

<newElementContent generateIds="true" addChildElements="firstChoice" />

```

16. property

```

<property
  name = non empty token
  url = boolean
  xml:space = preserve
>text</property>

```

Define Java™ system property (that is, java.lang.System.setProperty()) called *name*. The value of this property is specified by *text*.

If the `url` attribute is specified and its value is `true`, text must be a relative or absolute URL (properly escaped like all URLs). In such case, the value of the system property is the fully resolved URL.

This element is mainly intended to be used to configure some custom commands.

Examples:

```
<property name="color">red</property>
<property name="icon.3" url="true">resources/icon.gif</property>
```

17. parameterGroup

```
<parameterGroup
  name = non empty token
>
  Content: [ parameter | parameterGroup ]*
</parameterGroup>

<parameter
  name = Non empty token
  url = boolean
>
  Content: Parameter value
</parameter>
```

Define a named group of XSLT style sheet parameters for use inside element `transform` of a process command [48].

If the `url` attribute of a `parameter` element is specified and its value is `true`, the parameter value must be a relative or absolute URL (properly escaped like all URLs). In such case, the value of the parameter is the fully resolved URL.

Parameter groups make it easier to customize the XSLT style sheet used to convert a document to other formats such as HTML or PDF.

For example, instead of redefining the whole process command `docb.toPS`, suffice to redefine in `%APPDATA%\XMLmind\XMLmind\XMLmind\addon\customize.xxe` (`$HOME/.xxe4/addon/customize.xxe` on Linux) its *placeholder parameterGroup* named `"docb.toPS.transformParameters"`.

Examples:

```
<parameterGroup name="docb.toPS.transformParameters">
  <parameter name="variablelist.as.blocks">1</parameter>
</parameterGroup>

<parameterGroup name="docb.toRTF.transformParameters">
  <parameterGroup name="docb.toPS.transformParameters" />
</parameterGroup>

<parameterGroup name="docb.toPS.FOPParameters">
  <parameter name="configuration" url="true">fop.xconf</parameter>
</parameterGroup>
```

18. parameterSet

```
<parameterSet
  name = non empty token
>
  Content: [ parameterGroup ]*
</parameterGroup>
```

A `parameterSet` is a named set of XSL style sheet parameters normally created using the Parameter Set → Save menu item of the Parameter Set Chooser dialog box in *XMLmind XML Editor - Online Help*. However a consultant

may create such parameter sets manually and add them to a (manually written) configuration file. This allows to make available to a group of authors a number of predefined parameter sets.

A parameter set has a name which uniquely identifies it. It contains a list of `parameterGroups` [71], each `parameterGroup` corresponding to an existing process command. Example:

```
<parameterSet name="Experts">
  <parameterGroup name="docb.toPS.transformParameters">
    <parameter name="profile.condition">expert</parameter>
    <parameter name="variablelist.as.blocks">1</parameter>
  </parameterGroup>
  <parameterGroup name="docb.toRTF.transformParameters">
    <parameter name="profile.condition">expert</parameter>
  </parameterGroup>
</parameterSet>
```

19. preserveSpace

```
<preserveSpace
  elements = list of XPath (subset [56])
/>
```

Specifies which elements are whitespace-preserving.

Using standard attribute `xml:space` with default value `preserve` is still the preferred way of specifying this. However, this is not always possible, for example in the case of DTDs/ W3C XML schemas that you don't control or in the case of RELAX NG schemas which do not really support the concept of attribute default value.

DocBook example:

```
<cfg:preserveSpace xmlns=""
  elements="address funcsynopsisinfo classsynopsisinfo
    literallayout programlisting screen synopsis" />
```

20. relaxng

```
<relaxng
  location = anyURI
  compactSyntax = boolean
  encoding = any encoding supported by Java™
/>
```

Use the RELAX NG schema specified by this element to constrain the document.

location

Required. Specifies the URL of the RELAX NG schema.

compactSyntax

Specifies that the RELAX NG schema is written using the compact syntax. Without this attribute, if `location` has a "rnc" extension, the schema is assumed to use the compact syntax, otherwise it is assumed to use the XML syntax.

encoding

Specifies the character encoding used for a RELAX NG schema written using the compact syntax. Ignored if the XML syntax is used. Without this attribute, the schema is assumed to use the native encoding of the platform.

Note that

- if a document contains a document type declaration (`<!DOCTYPE>`) which defines elements,
- or if the root element of a document has `xsi:schemaLocation/xsi:noNamespaceSchemaLocation` attributes,
- or if a document contains a `<?xex-relaxng-schema location="..."?>` processing instruction [55],

the grammar specified this way is used and the RELAX NG schema specified in the configuration file is ignored.

Example:

```
<relaxng location="rng/xhtml-strict.rng" />
```

Compact syntax example:

```
<relaxng compactSyntax="true" encoding="ISO-8859-1"
  location="example3.rnc" />
```

21. saveOptions

```
<saveOptions
  encoding = ( ISO-8859-1 | ISO-8859-13 | ISO-8859-15 | ISO-8859-2 |
               ISO-8859-3 | ISO-8859-4 | ISO-8859-5 | ISO-8859-7 |
               ISO-8859-9 | KOI8-R | MacRoman | US-ASCII | UTF-16 | UTF-8 |
               Windows-1250 | Windows-1251 | Windows-1252 | Windows-1253 |
               Windows-1257 )
  indent = none | (int >= 0)
  maxLineLength = unbounded | (int > 0)
  addOpenLines = boolean
  cdataSectionElements = list of XPath (subset [56])
  saveCharsAsEntityRefs = boolean
  charsSavedAsEntityRefs = list of character ranges
  favorInteroperability = boolean
/>
```

Force XXE to use the specified save options for this type of document, unless Options → Preferences, Save tab, Override settings specified in config. files checkbox has been checked by the user, in which case, it is the save options specified in the dialog box which are used.

encoding

Specifies the encoding used for XML files saved by XXE.

indent

If this value is different from *none*, XML files saved by XXE are indented .

Note that XXE cannot indent XML files not constrained by a grammar.

indentation

Specifies the number of space characters used to indent a child element relatively to its parent element.

maxLineLength

Specifies the maximum line length for elements containing text interspersed with child elements.

This value is only used as a hint: XML files created by XXE may contain lines much longer than the specified length.

addOpenLines

If value is *true*, an open line is added between the child elements of a parent element (if the content model of the parent only allows child elements).

cdataSectionElements

List of XPath's specifying elements. These elements are expected to only contain text and to have an `xml:space="preserve"` attribute.

Text contained in elements matching any of the XPath's specified by this attribute is saved as a CDATA section. Text inside a CDATA section is not escaped which makes it more readable using a text editor. Example:

```
<script type="text/javascript"><![CDATA[function min(x, y) {
  return (x < y)? x : y;
}]]></script>
```

If an element matching any of the XPaths specified by this attribute contains anything other than text (even a comment), it is saved normally.

Note that, in most configuration elements, XXE only supports the XPath subset [56] needed to implement XML-Schemas (but not only relative paths, also absolute paths). Moreover, for efficiency reasons, an XPath whose last step does not test an element name is ignored. For example, "`foo//*`" is ignored.

saveCharsAsEntityRefs

Specifies whether characters not supported by the encoding are saved as entity references (example: "`€`") or as numeric character references (example: "`€`").

Of course, for a character to be saved as an entity reference, the corresponding entity must have been defined in the DTD.

charsSavedAsEntityRefs

Specifies which characters, even if they are supported by the encoding, are always saved as entity references.

For example, the Copyright sign is supported by the ISO-8859-1 encoding but you may prefer to see it saved as "`©`". In such case, specify `charsSavedAsEntityRefs="169"`.

Ignored if `saveCharsAsEntityRefs` is false.

This attribute contains a list of character ranges. A character range is either a single character or an actual range `char1:char2`.

A character may be specified using its Unicode character number, in decimal (example: 233 for e acute), in hexadecimal (example: `0xE9`) or in octal (example: `0351`).

Because names are easier to remember than numbers, a character may also be specified using its entity name as defined in the DocBook 4.2 DTD (example: `eacute`). Note that is possible whatever is the DTD or Schema targeted by the configuration file.

Note

There is no need to specify the non-breaking space character (`nbsp` = 160 = `0xa0` = 240) as it is always implicitly added to this list.

favorInteroperability

If value is `true`, favor interoperability with HTML and SGML.

- Empty elements having a non empty content are saved as "`<tag></tag>`".
- Empty elements having an empty content are saved as "`<tag />`" (with a space after the tag).

Examples:

```
<saveOptions addOpenLines="false" />

<cfg:saveOptions xmlns="" cdataSectionElements="head/script"/>

<saveOptions saveCharsAsEntityRefs="true"
  charsSavedAsEntityRefs="copy reg 023400:024000"/>
```

Note that a `saveOptions` element does not replace the `saveOptions` element previously found in a configuration file. When a configuration file contains several `saveOptions` elements, these `saveOptions` elements are merged.

Example:

```
<cfg:saveOptions xmlns="" cdataSectionElements="script pre"
  addOpenLines="false"/>
.
.
```

```
<cfg:saveOptions addOpenLines="true" encoding="ISO-8859-1"/>
```

is equivalent to:

```
<cfg:saveOptions xmlns="" cdataSectionElements="script pre"
  addOpenLines="true" encoding="ISO-8859-1" />
```

22. schema

```
<schema>
  Content: location | noNamespaceLocation | (location noNamespaceLocation)
</schema>

<location>
  Content: list of anyURI pairs
</location>

<noNamespaceLocation>
  Content: anyURI
</noNamespaceLocation>
```

Use the W3C XML Schema specified by this element to constrain the document.

The content of child element `location` is identical to the one of standard attribute `xsi:schemaLocation`. The content of child element `noNamespaceLocation` is identical to the one of standard attribute `xsi:noNamespaceSchemaLocation`.

Note that

- if a document contains a document type declaration (`<!DOCTYPE>`) which defines elements,
- or if the root element of a document has `xsi:schemaLocation/xsi:noNamespaceSchemaLocation` attributes,
- or if a document contains a `<?xsl:relaxng-schema location="..."?>` processing instruction [55],

the grammar specified this way is used and the W3C XML Schema specified in the configuration file is ignored.

Example:

```
<schema>
  <location>http://www.xmlmind.com/xmlmind/schema/configuration
    xsd/configuration.xsd</location>
</schema>
```

23. schematron

```
<schematron
  location = anyURI
  phase = non empty token
  evaluatePhase = boolean : false
>
```

Specifies which Schematron schema to use to validate the document being edited.

Note that a Schematron schema is by no mean a replacement for *grammars*: DTD, W3C XML Schema or RELAX NG schema. A Schematron schema is mainly useful to enforce *business rules*. Example: the authors in your organization must write articles conforming to the DocBook grammar but they also need to follow this business rule: first section must have a title called "Introduction" and last section must have a title called "Conclusion".

Attributes:

`location`

URL of the Schematron schema. Both ISO Schematron or Schematron 1.5 are supported.

Note that `location` may point to a schema other than a schematron, but where some Schematron elements have been embedded (typically RELAX NG, but not with the compact syntax).

phase

The ID of the phase to use for validation. By default, `#DEFAULT` if a default phase has been declared in the schematron, `#ALL` otherwise.

The value of this attribute may also be an XPath expression which is used to compute the ID of the phase based on the contents of the document being edited. See `evaluatePhase` below.

evaluatePhase

If this attribute is specified with value `true`, then attribute `phase` is understood as being an XPath expression rather than a literal phase ID. Each time a Schematron validation is to be performed, this XPath expression is evaluated in the context of the document and is expected to return the ID of the phase which is to be used for the validation.

DocBook 5 (RELAX NG) example:

```
<schematron location="docbook.sch" />
```

DocBook 4.4 (DTD) example:

```
<schematron location="docbook.sch"
  phase="if(//*[@status='draft','empty','#ALL'])"
  evaluatePhase="true" />
```

The meaning of the `phase` attribute is: if we are working on a draft document, no real schematron validation (phase ID = `empty`) should be performed. (The schematron `docbook.sch` actually contains an empty phase having `empty` as its ID, that is, `<sch:phase id="empty"/>`.)

23.1. Relationship between `schematron` and `validateHook`

This `schematron` configuration element is a `validateHook` [84] configuration element in disguise. A `schematron` element is equivalent to:

```
<validateHook name="Schematron">
  <class>com.xmlmind.xmleditapp.config.SchematronHook</class>
</validateHook>
```

However the above syntax cannot be used for `SchematronHook` which requires a number of arguments (e.g. the URL of the schematron).

This information is worth mentioning for two reasons:

1. Document hooks are *ordered*. They are invoked in the order of their declarations. This is also true for `schematron`. In the example below, schematron validation is guaranteed to be invoked *after* the DocBook document hook:

```
<!-- Fixes the cols attribute of tgroup and entrytbl if needed to. -->
<validateHook>
  <class>com.xmlmind.xmleditext.docbook.table.ValidateHookImpl</class>
</validateHook>

<schematron location="docbook.sch" />
```

2. The snippet below may be used to *remove* previously declared `schematron`.

```
<validateHook name="Schematron" />
```

24. spellCheckOptions

```
<spellCheckOptions
  useAutomaticSpellChecker = boolean
  languageAttribute = QName
  defaultLanguage = language
  checkComments = boolean
  checkedProcessingInstructions = list of Names
  checkedAttributes = list of XPath (subset [56])
  skippedElements = list of XPath (subset [56])
/>
```

Specifies, on a per document type basis, options for the spell checker. Used by both the automatic (AKA on-the-fly) and the "traditional" spell checkers.

useAutomaticSpellChecker

If `true`, the automatic spell checker must be automatically activated each time a document of that type is opened.

Default: `false`; see language lookup [77].

This setting may be overridden by the user with Options → Preferences, Tools/Spell section, Automatic Spell Checker radio buttons.

languageAttribute

Specifies which attribute, if any, specifies the language of an element and all its descendants. This is typically `xml:lang` or `lang`.

Default: there is no such attribute; see language lookup [77].

defaultLanguage

Specifies the default language of a document of that type. (This option is rarely used.)

Default: no default language; see language lookup [77].

Note

XMLmind XML Editor determines the language of an element by examining, in that order:

1. the value of the attribute specified by option `languageAttribute`. Note that the attribute lookup starts at current element and ends at the root element of the document,
2. the value of option `defaultLanguage`,
3. the value selected in the Default language combobox of the Spell tool.

checkComments

Specifies whether comments must be checked for spelling.

Default: do not check comments.

checkedProcessingInstructions

Specifies the targets of processing instructions which must be checked for spelling. May be an empty list, which means: do not check processing instructions.

Default: do not check processing instructions.

checkedAttributes

Specifies the XPaths (subset [56]) of attributes which must be checked for spelling. May be an empty list, which means: do not check attributes.

For efficiency reasons, an XPath whose last step does not test an attribute name is ignored. For example, "foo/@*" is ignored.

Default: do not check attributes.

skippedElements

Specifies the XPaths (subset [56]) of elements which must be automatically skipped by the spell checker. May be an empty list, which means: do not skip any element.

For efficiency reasons, an XPath whose last step does not test an element name is ignored. For example, "foo//*" is ignored.

Default: do not skip any element.

Examples (DocBook V4, XHTML, XHTML/RELAX NG):

```
<cfg:spellCheckOptions xmlns=""
  useAutomaticSpellChecker="true"
  languageAttribute="lang"
  skippedElements="address funcsynopsisinfo classsynopsisinfo
                  littallayout programlisting screen synopsis" />

<cfg:spellCheckOptions xmlns=""
  useAutomaticSpellChecker="true"
  languageAttribute="xml:lang"
  skippedElements="pre style script" />

<cfg:spellCheckOptions xmlns:html="http://www.w3.org/1999/xhtml"
  useAutomaticSpellChecker="true"
  languageAttribute="xml:lang"
  skippedElements="html:pre html:style html:script" />
```

Note that a `spellCheckOptions` element does not replace the `spellCheckOptions` element previously found in a configuration file. When a configuration file contains several `spellCheckOptions` elements, these `spellCheckOptions` elements are merged.

Example:

```
<cfg:spellCheckOptions xmlns=""
  useAutomaticSpellChecker="true"
  languageAttribute="xml:lang"
  skippedElements="pre script" />
.
.
.
<cfg:spellCheckOptions xmlns=""
  languageAttribute="xml:lang"
  defaultLanguage="en-US"
  checkComments="true"
  checkedProcessingInstructions="annotation remark"
  checkedAttributes="@alt table/@summary table/@title" />
```

is equivalent to:

```
<cfg:spellCheckOptions xmlns=""
  useAutomaticSpellChecker="true"
  languageAttribute="xml:lang"
  defaultLanguage="en-US"
  checkComments="true"
  checkedProcessingInstructions="annotation remark"
  checkedAttributes="@alt table/@summary table/@title"
  skippedElements="pre script">
```

25. spreadsheetFunctions

```
<spreadsheetFunctions
  location = anyURI
/>
```

Specifies the location of an XML document containing user-defined spreadsheet functions.

This XML document contains the definitions of the functions (as Java™ class names or directly using the formula language) as well as their documentations (for online use in the Formula Editor).

This XML document must conform to the <http://www.xmlmind.com/xmleditor/schema/spreadsheet/functions> W3C XML Schema. A complete XXE configuration for writing such documents is found in *XXE_install_dir/doc/configure/functions_config/*.

Specify `spreadsheetFunctions` in `customize.xxe` to add general purpose spreadsheet functions.

Specify `spreadsheetFunctions` in XML application specific XXE configuration files (example: `invoice.xxe`) if you want make your spreadsheet functions visible only when certain types of documents (example: `Invoices`) of are opened.

Adding user-defined spreadsheet functions to XXE is extensively described in XMLmind XML Editor - Using the Integrated Spreadsheet Engine.

26. template

```
<template
  name = non empty token
  location = anyURI
/>
```

Add document template named *name*, contained in file *location*, to the dialog box displayed by File → New.

Specifying a `template` element without a location may be used to remove `template` element with the same name from the configuration.

Example:

```
<template name="Div (part of a master document)"
  location="template/div.html" />
```

Specifying composite document templates

Composite document templates, that is, modular document templates and/or document templates referencing graphics files, must be packaged in a `.zip` archive. Example: `modular_book.zip`:

```
$ unzip -v modular_book.zip
modular_book.xml
chapter1.xml
chapter2.xml
chapter3.xml
appendix.xml
images/
images/xmlmind.gif
```

The master document, `modular_book.xml` in the above example:

1. Must be directly contained in the archive (that is, not in a subdirectory like `images/`),
2. Must have the same basename, extension not included, as the archive. The basename, less the extension, is "modular_book" in the above example.

27. toolBar

```
<toolBar
  name = NMTOKEN
  insert = non empty token
>
  Content: [ separator | button | insert ]*
</toolBar>

<separator />

<insert />

<button
  icon = anyURI
  toolTip = non empty token
>
  Content: command | menu
</button>

<command
  name = NMTOKEN
  parameter = string
/>

<menu>
  Content: [ item | separator ]+
</menu>

<item
  label = non empty token
  icon = anyURI
  command = NMTOKEN
  parameter = string
/>
```

Add buttons specified in this element to the tool bar.

Example:

```
<toolBar>
  <button toolTip="Convert to emphasis"
    icon="../../icons2/emphasis_menu.gif">
    <menu>
      <item label="emphasis" command="convert"
        parameter="[implicitElement] emphasis" />
      <separator />
      <item label="literal" command="convert"
        parameter="[implicitElement] literal" />
    </menu>
  </button>

  <button toolTip="Convert to plain text" icon="../../icons2/plain.gif">
    <command name="convert" parameter="[implicitElement] #text" />
  </button>

  <separator />

  <button toolTip="Add para" icon="../../icons2/para.gif">
    <command name="add" parameter="after[implicitElement] para" />
  </button>
</toolBar>
```

There are two ways to extend previously defined tool bar:

1. By using the `insert` child element.
2. By using the `insert` attribute.

Both methods cannot be used in the same `toolBar` element. Method 1 is faster and simpler to use than method 2.

1. Using the `insert` child element. Example:

```
<include location="../common/common.incl" />
<!-- =====
Let's suppose this tool bar is defined in common.incl:

<toolBar>
  <button toolTip="Convert to b" icon="../common/icons2/b.gif">
    <command name="convert" parameter="[implicitElement] b" />
  </button>
</toolBar>
===== -->

<toolBar>
  <button toolTip="Convert to i" icon="../common/icons2/i.gif">
    <command name="convert" parameter="[implicitElement] i" />
  </button>
  <insert />
  <button toolTip="Convert to tt" icon="../common/icons2/tt.gif">
    <command name="convert" parameter="[implicitElement] tt" />
  </button>
</toolBar>
```

The `insert` child element is a directive which means: insert all the buttons of the previous definition of the same tool bar here.

2. Using the `insert` attribute. Example:

```
<include location="../common/common.incl" />
<!-- =====
Let's suppose this tool bar is defined in common.incl:

<toolBar>
  <button toolTip="Convert to i" icon="../common/icons2/i.gif">
    <command name="convert" parameter="[implicitElement] i" />
  </button>
  <button toolTip="Convert to tt" icon="../common/icons2/tt.gif">
    <command name="convert" parameter="[implicitElement] tt" />
  </button>
</toolBar>
===== -->

<toolBar insert="Convert to tt">
  <button toolTip="Convert to b" icon="../common/icons2/b.gif">
    <command name="convert" parameter="[implicitElement] b" />
  </button>
</toolBar>
```

The `insert` attribute is a directive which means: insert all the buttons found in this tool bar into the previous definition of the same tool bar, and this, at specified position.

The value of the `insert` attribute is the `toolTip` of a button found in the previous definition of the same tool bar. If desired position is a button having no `toolTip` attribute, it is possible to use the basename of its icon (e.g. "para.gif" for icon="../icons2/para.gif").

This tool tip (or icon basename) may be preceded by modifier "before " or by modifier "after ". Modifier "before " is the implicit one.

In the above example, extending the tool bar could have also been achieved by using:

```
<toolBar insert="before Convert to tt">
  <button toolTip="Convert to b" icon="../common/icons2/b.gif">
    <command name="convert" parameter="[implicitElement] b" />
  </button>
</toolBar>
```

or by using:

```
<toolBar insert="after Convert to i">
  <button toolTip="Convert to b" icon="../common/icons2/b.gif">
    <command name="convert" parameter="[implicitElement] b" />
  </button>
</toolBar>
```

Alternatively, the value of the `insert` attribute may be `##first` or `##last`. Value `##first` specifies the first button of the previous definition of the same tool bar. Value `##last` specifies the last button of the previous definition of the same tool bar. Example:

```
<toolBar insert="before ##last">
  <button toolTip="Convert to b" icon="../common/icons2/b.gif">
    <command name="convert" parameter="[implicitElement] b" />
  </button>
</toolBar>
```

The value of the `insert` attribute may start with `ifDefined(system_property_name)`. In such case, the previously defined tool bar is extended if and only if a system property called `system_property_name` has been defined (no matter its value). Example:

```
<toolBar insert="ifDefined(XXE.Feature.Spreadsheet) before ##last">
  ...
</toolBar>
```

27.1. Multiple toolBars

Specifying a name attribute for the `toolBar` element allows to create a GUI having several XML application specific tool bars.

Example:

1. In `XXE_user_preferences_dir/addon/xhtmll.xxe`, add something like this:

```
<toolBar name="toolBar2">
  ...
</toolBar>
```

2. In `XXE_user_preferences_dir/addon/docbook.xxe`, add something like this:

```
<toolBar name="toolBar2">
  ...
</toolBar>
```

Notice that the *same* name `toolBar2` is used in all XML application specific configuration files.

3. In `XXE_user_preferences_dir/addon/customize.xxe_gui` (see XMLmind XML Editor - Customizing the User Interface), add something like this:

```
<toolBarItems name="configSpecificToolBarItems2">
  <class>com.xmlmind.xmleditapp.kit.part.ConfigSpecificToolBarItems</class>
  <property name="specificationName" type="String" value="toolBar2" />
</toolBarItems>

<toolBar name="configSpecificToolBar2">
  <toolBarItems name="configSpecificToolBarItems2" />
</toolBar>

<layout>
  <topToolBars>
    <insert />
    <toolBar name="configSpecificToolBar2" />
  </topToolBars>
</layout>
```

28. translation

```
<translation
  location = anyURI matching [path/]resourcename_lang.properties
/>
```

Specifies how to translate messages found in menu [66] item label, toolBar [80] button toolTip, template [79] name, elementTemplate [56] name, css [50] name, binding [44] menu item label, etc.

Localizing configuration files works as follows:

1. The location attribute points to a Java™ property file. XHTML example:

```
<translation location="xhtml_en.properties" />
...
<item label="Pre_view" icon="../../common/icons/Refresh16.gif"
  command="xhtml.preview">
  <accelerator code="F5" />
</item>
</menu>
...
```

Where xhtml_en.properties contains:

```
...
preview=Pre_view
convertToI=Convert to i
convertToB=Convert to b
...
```

The location URL specifies:

- The reference language of the configuration file: a two-letter lower-case ISO code. In the above example: en.
- A unique resource name used to find translations to other languages. In the above example: xhtml. More on this below.

The reference property file is only used to map messages to message IDs. Example: message "Convert to i" has ID "convertToI".

2. If, for example, XXE is started using a French locale, a property file called xhtml_fr.properties:

- is searched in the same directory as the reference property file;
- OR, if this file is not found there, this property file is searched as a resource using the CLASSPATH. That is, xhtml_fr.properties is supposed to be contained¹ in a jar file found in the CLASSPATH.

For performance reasons, language variants such CA in fr-CA are not supported.

3. For the localization to work, the translated property file must refer to the same IDs as those found in reference property file.

For example, xhtml_fr.properties contains:

```
...
preview=Prévisualiser
convertToI=Convertir en i
convertToB=Convertir en b
...
```

¹Directly contained, and not contained in a "folder". That is, "jar tvf foo.jar" must display xhtml_fr.properties and not foo/bar/xhtml_fr.properties.

29. validate

```
<validate
  namespace = non empty anyURI
>
  Content: dtd|schema|relaxng
</validate>
```

Dynamically compose the auxiliary schema specified in this element with the main schema specified in the document itself (e.g. `<!DOCTYPE>`) or, in absence of such specification, with the main schema specified using the DTD [51], schema [75] or relaxng [72] configuration element.

More precisely, this element means: whenever you find an XML subtree having a root element belonging to the namespace specified using the `namespace` attribute, use specified schema rather than the content model specified in the main schema.

This facility is meant to be used to validate “alien subtrees”, for example SVG or MathML subtrees found in XHTML, DocBook or DITA documents. A well-designed main schema generally specifies a very loose content model for such alien elements. Example: `<!ELEMENT mml:math ANY>`.

It is possible to compose schemas of different kinds. For example, it is possible to compose the main DITA DTD with a RELAX NG auxiliary schema.

It is possible to specify several `validate` configuration elements, each element having of course a different `namespace` attribute.

Example: Validate XML subtree having a root element belonging to the “`http://www.w3.org/1998/Math/MathML`” namespace using the “`rng/mathml2.rng`” RELAX NG schema.

```
<validate namespace="http://www.w3.org/1998/Math/MathML">
  <relaxng location="rng/mathml2.rng" />
</validate>
```

30. validateHook

```
<validateHook
  name = non empty token
>
  Content: [ class ]?
</validateHook>

<class>
  Content: Java class name
</class>
```

Register `validateHook` specified by `class` with XXE.

A `validateHook` is some code notified by XXE before and after a document is checked for validity.

This is a very general mechanism which has been created to perform semantic validation beyond what can be done using a DTD or a schema alone.

Child elements of `validateHook`:

`class`

Register `validateHook` implemented in the Java™ language by class `class` (implements interface `com.xml-mind.xmleditapp.validatehook.ValidateHook` -- See Chapter 9, *Writing a validateHook in XMLmind XML Editor - Developer's Guide*).

Attributes of `validateHook`:

name

This name is useful to remove or replace a previously registered `validateHook`. Anonymous `validateHooks` cannot be removed or replaced.

When a `validateHook` element is used to remove a registered `validateHook`, a `name` attribute must be specified and there must be no `class` child element.

Example: In this example, a Java™ class named `com.xmlmind.xmltext.docbook.table.ValidateHookImpl` is contained in `docbook.jar` (among other DocBook commands and extensions).

```
<validateHook>
  <class>com.xmlmind.xmltext.docbook.table.ValidateHookImpl</class>
</validateHook>
```

A `validateHook` is always specific to a document type.

For example, the DocBook `validateHook` is used to fix the `cols` attribute of `tgroups` and `entrytbls` (if needed to) just before a DocBook document is checked for validity.

These `validateHooks` are specified in the XXE configuration file associated to the document type. For example, the DocBook `validateHook` is specified in `docbook.xxe`.

Several `validateHooks` can be associated to the same document type. In such case, they are notified in the order of their registration.

31. windowLayout

```
<windowLayout>
  Content (in any order): center [ top ]? [ bottom ]?
                           [ left ]? [ right ]?
</windowLayout>

<center
  css = non empty token
/>

<top
  css = non empty token
  size = double between 0 and 1 exclusive : 0.25
/>

<bottom
  css = non empty token
  size = double between 0 and 1 exclusive : 0.25
/>

<left
  css = non empty token
  size = double between 0 and 1 exclusive : 0.25
/>

<right
  css = non empty token
  size = double between 0 and 1 exclusive : 0.25
/>
```

By default, XXE creates a single view when a document is opened. This view is the tree view if no CSS style sheets are available for the opened document. This view is a styled view using first non-alternate CSS style sheet if one or more style sheets are available for the opened document.

The `windowLayout` element allows to force XXE to automatically create several views for the same document when this document is opened. This is similar to using menu item `View → Add` except that these actions have been automated.

Child elements `center`, `top`, `bottom`, `left`, `right` specify which view to add and where it is added. Note that having a `center` child element is required.

The `css` attribute of these child elements specify which CSS style sheet to use. An absent `css` attribute means that a tree view is to be used.

The `size` attribute of the four ``border views": `top`, `bottom`, `left`, `right`, specify the proportional size of the view. For example: `<top.size="0.25"/>` means that a tree view will occupy one fourth of the available height and that this tree view will be found above the central, main view.

Two DocBook examples:

```
<windowLayout>
  <center css="DocBook" />
  <bottom css="Document structure" size="0.15" />
</windowLayout>

<windowLayout>
  <left />
  <top css="Document structure" />
  <center css="DocBook" />
</windowLayout>

<css name="DocBook" location="css/docbook.css" />
<css name="Document structure" alternate="true"
  location="css/structure.css" />
<css name="Show info about included elements" alternate="true"
  location="css/visible_inclusions.css" />
```